

Package ‘paws.security.identity’

March 14, 2025

Title 'Amazon Web Services' Security, Identity, & Compliance Services

Version 0.9.0

Description Interface to 'Amazon Web Services' security, identity, and compliance services, including the 'Identity & Access Management' (IAM) service for managing access to services and resources, and more <<https://aws.amazon.com/>>.

License Apache License (>= 2.0)

URL <https://github.com/paws-r/paws>,
<https://paws-r.r-universe.dev/paws.security.identity>

BugReports <https://github.com/paws-r/paws/issues>

Imports paws.common (>= 0.8.0)

Suggests testthat

Encoding UTF-8

RoxygenNote 7.3.2

Collate 'accessanalyzer_service.R' 'accessanalyzer_interfaces.R'
'accessanalyzer_operations.R' 'account_service.R'
'account_interfaces.R' 'account_operations.R' 'acm_service.R'
'acm_interfaces.R' 'acm_operations.R' 'acmpca_service.R'
'acmpca_interfaces.R' 'acmpca_operations.R'
'cleanroomsmml_service.R' 'cleanroomsmml_interfaces.R'
'cleanroomsmml_operations.R' 'clouddirectory_service.R'
'clouddirectory_interfaces.R' 'clouddirectory_operations.R'
'cloudhsm_service.R' 'cloudhsm_interfaces.R'
'cloudhsm_operations.R' 'cloudhsmv2_service.R'
'cloudhsmv2_interfaces.R' 'cloudhsmv2_operations.R'
'cognitoidentity_service.R' 'cognitoidentity_interfaces.R'
'cognitoidentity_operations.R'
'cognitoidentityprovider_service.R'
'cognitoidentityprovider_interfaces.R'
'cognitoidentityprovider_operations.R' 'cognitosync_service.R'
'cognitosync_interfaces.R' 'cognitosync_operations.R'
'detective_service.R' 'detective_interfaces.R'

'detective_operations.R' 'directoryservice_service.R'
'directoryservice_interfaces.R' 'directoryservice_operations.R'
'fms_service.R' 'fms_interfaces.R' 'fms_operations.R'
'guardduty_service.R' 'guardduty_interfaces.R'
'guardduty_operations.R' 'iam_service.R' 'iam_interfaces.R'
'iam_operations.R' 'iamrolesanywhere_service.R'
'iamrolesanywhere_interfaces.R' 'iamrolesanywhere_operations.R'
'identitystore_service.R' 'identitystore_interfaces.R'
'identitystore_operations.R' 'inspector2_service.R'
'inspector2_interfaces.R' 'inspector2_operations.R'
'inspector_service.R' 'inspector_interfaces.R'
'inspector_operations.R' 'kms_service.R' 'kms_interfaces.R'
'kms_operations.R' 'macie2_service.R' 'macie2_interfaces.R'
'macie2_operations.R' 'pcaconnectorad_service.R'
'pcaconnectorad_interfaces.R' 'pcaconnectorad_operations.R'
'ram_service.R' 'ram_interfaces.R' 'ram_operations.R'
'reexports_paws.common.R' 'secretsmanager_service.R'
'secretsmanager_interfaces.R' 'secretsmanager_operations.R'
'securityhub_service.R' 'securityhub_interfaces.R'
'securityhub_operations.R' 'securitylake_service.R'
'securitylake_interfaces.R' 'securitylake_operations.R'
'shield_service.R' 'shield_interfaces.R' 'shield_operations.R'
'sso_service.R' 'sso_interfaces.R' 'sso_operations.R'
'ssoadmin_service.R' 'ssoadmin_interfaces.R'
'ssoadmin_operations.R' 'ssooidc_service.R'
'ssooidc_interfaces.R' 'ssooidc_operations.R' 'sts_service.R'
'sts_interfaces.R' 'sts_operations.R'
'verifiedpermissions_service.R'
'verifiedpermissions_interfaces.R'
'verifiedpermissions_operations.R' 'waf_service.R'
'waf_interfaces.R' 'waf_operations.R' 'wafregional_service.R'
'wafregional_interfaces.R' 'wafregional_operations.R'
'wafv2_service.R' 'wafv2_interfaces.R' 'wafv2_operations.R'

NeedsCompilation no

Author David Kretch [aut],
Adam Banker [aut],
Dyfan Jones [cre],
Amazon.com, Inc. [cph]

Maintainer Dyfan Jones <dyfan.r.jones@gmail.com>

Repository CRAN

Date/Publication 2025-03-14 16:50:02 UTC

Contents

accessanalyzer	3
account	7

acm	9
acmpca	12
cleanroomsm1	15
clouddirectory	18
cloudhsm	22
cloudhsmv2	25
cognitoidentity	27
cognitoidentityprovider	30
cognitosync	35
detective	38
directoryservice	42
fms	46
guardduty	49
iam	53
iamrolesanywhere	59
identitystore	62
inspector	65
inspector2	68
kms	72
macie2	76
pcaconnectorad	80
ram	83
secretsmanager	86
securityhub	89
securitylake	94
shield	97
sso	100
ssoadmin	103
ssooidc	107
sts	110
verifiedpermissions	112
waf	116
wafregional	120
wafv2	124

Index**129**

accessanalyzer

*Access Analyzer***Description**

Identity and Access Management Access Analyzer helps you to set, verify, and refine your IAM policies by providing a suite of capabilities. Its features include findings for external and unused access, basic and custom policy checks for validating policies, and policy generation to generate fine-grained policies. To start using IAM Access Analyzer to identify external or unused access, you first need to create an analyzer.

External access analyzers help identify potential risks of accessing resources by enabling you to identify any resource policies that grant access to an external principal. It does this by using logic-based reasoning to analyze resource-based policies in your Amazon Web Services environment. An external principal can be another Amazon Web Services account, a root user, an IAM user or role, a federated user, an Amazon Web Services service, or an anonymous user. You can also use IAM Access Analyzer to preview public and cross-account access to your resources before deploying permissions changes.

Unused access analyzers help identify potential identity access risks by enabling you to identify unused IAM roles, unused access keys, unused console passwords, and IAM principals with unused service and action-level permissions.

Beyond findings, IAM Access Analyzer provides basic and custom policy checks to validate IAM policies before deploying permissions changes. You can use policy generation to refine permissions by attaching a policy generated using access activity logged in CloudTrail logs.

This guide describes the IAM Access Analyzer operations that you can call programmatically. For general information about IAM Access Analyzer, see [Identity and Access Management Access Analyzer](#) in the **IAM User Guide**.

Usage

```
accessanalyzer(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- accessanalyzer(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
```

```

    region = "string"
)

```

Operations

apply_archive_rule	Retroactively applies the archive rule to existing findings that meet the archive rule criteria
cancel_policy_generation	Cancels the requested policy generation
check_access_not_granted	Checks whether the specified access isn't allowed by a policy
check_no_new_access	Checks whether new access is allowed for an updated policy when compared to the existing policy
check_no_public_access	Checks whether a resource policy can grant public access to the specified resource type
create_access_preview	Creates an access preview that allows you to preview IAM Access Analyzer findings for a resource
create_analyzer	Creates an analyzer for your account
create_archive_rule	Creates an archive rule for the specified analyzer
delete_analyzer	Deletes the specified analyzer
delete_archive_rule	Deletes the specified archive rule
generate_finding_recommendation	Creates a recommendation for an unused permissions finding
get_access_preview	Retrieves information about an access preview for the specified analyzer
get_analyzed_resource	Retrieves information about a resource that was analyzed
get_analyzer	Retrieves information about the specified analyzer
get_archive_rule	Retrieves information about an archive rule
get_finding	Retrieves information about the specified finding
get_finding_recommendation	Retrieves information about a finding recommendation for the specified analyzer
get_findings_statistics	Retrieves a list of aggregated finding statistics for an external access or unused access an
get_finding_v2	Retrieves information about the specified finding
get_generated_policy	Retrieves the policy that was generated using StartPolicyGeneration
list_access_preview_findings	Retrieves a list of access preview findings generated by the specified access preview
list_access_previews	Retrieves a list of access previews for the specified analyzer
list_analyzed_resources	Retrieves a list of resources of the specified type that have been analyzed by the specified analyzer
list_analyzers	Retrieves a list of analyzers
list_archive_rules	Retrieves a list of archive rules created for the specified analyzer
list_findings	Retrieves a list of findings generated by the specified analyzer
list_findings_v2	Retrieves a list of findings generated by the specified analyzer
list_policy_generations	Lists all of the policy generations requested in the last seven days
list_tags_for_resource	Retrieves a list of tags applied to the specified resource
start_policy_generation	Starts the policy generation request
start_resource_scan	Immediately starts a scan of the policies applied to the specified resource
tag_resource	Adds a tag to the specified resource
untag_resource	Removes a tag from the specified resource
update_analyzer	Modifies the configuration of an existing analyzer
update_archive_rule	Updates the criteria and values for the specified archive rule
update_findings	Updates the status for the specified findings
validate_policy	Requests the validation of a policy and returns a list of findings

Examples

```
## Not run:
```

```

svc <- accessanalyzer()
svc$apply_archive_rule(
  Foo = 123
)

## End(Not run)

```

account

AWS Account

Description

Operations for Amazon Web Services Account Management

Usage

```
account(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials

Optional credentials shorthand for the config parameter

- **creds:**

- **access_key_id:** AWS access key ID
- **secret_access_key:** AWS secret access key
- **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- account(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

accept_primary_email_update	Accepts the request that originated from StartPrimaryEmailUpdate to update the primary email address for the specified account
delete_alternate_contact	Deletes the specified alternate contact from an Amazon Web Services account
disable_region	Disables (opts-out) a particular Region for an account
enable_region	Enables (opts-in) a particular Region for an account
get_alternate_contact	Retrieves the specified alternate contact attached to an Amazon Web Services account
get_contact_information	Retrieves the primary contact information of an Amazon Web Services account
get_primary_email	Retrieves the primary email address for the specified account
get_region_opt_status	Retrieves the opt-in status of a particular Region
list_regions	Lists all the Regions for a given account and their respective opt-in statuses
put_alternate_contact	Modifies the specified alternate contact attached to an Amazon Web Services account
put_contact_information	Updates the primary contact information of an Amazon Web Services account
start_primary_email_update	Starts the process to update the primary email address for the specified account

Examples

```
## Not run:
svc <- account()
svc$accept_primary_email_update(
  Foo = 123
)

## End(Not run)
```

acm

AWS Certificate Manager

Description

Certificate Manager

You can use Certificate Manager (ACM) to manage SSL/TLS certificates for your Amazon Web Services-based websites and applications. For more information about using ACM, see the [Certificate Manager User Guide](#).

Usage

```
acm(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key

	<ul style="list-style-type: none"> * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- acm(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
```

```

    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

add_tags_to_certificate	Adds one or more tags to an ACM certificate
delete_certificate	Deletes a certificate and its associated private key
describe_certificate	Returns detailed metadata about the specified ACM certificate
export_certificate	Exports a private certificate issued by a private certificate authority (CA) for use anywhere
get_account_configuration	Returns the account configuration options associated with an Amazon Web Services account
get_certificate	Retrieves a certificate and its certificate chain
import_certificate	Imports a certificate into Certificate Manager (ACM) to use with services that are integrated with ACM
list_certificates	Retrieves a list of certificate ARNs and domain names
list_tags_for_certificate	Lists the tags that have been applied to the ACM certificate
put_account_configuration	Adds or modifies account-level configurations in ACM
remove_tags_from_certificate	Remove one or more tags from an ACM certificate
renew_certificate	Renews an eligible ACM certificate
request_certificate	Requests an ACM certificate for use with other Amazon Web Services services
resend_validation_email	Resends the email that requests domain ownership validation
update_certificate_options	Updates a certificate

Examples

```

## Not run:
svc <- acm()
svc$add_tags_to_certificate(
  Foo = 123
)

## End(Not run)

```

Description

This is the *Amazon Web Services Private Certificate Authority API Reference*. It provides descriptions, syntax, and usage examples for each of the actions and data types involved in creating and managing a private certificate authority (CA) for your organization.

The documentation for each action shows the API request parameters and the JSON response. Alternatively, you can use one of the Amazon Web Services SDKs to access an API that is tailored to the programming language or platform that you prefer. For more information, see [Amazon Web Services SDKs](#).

Each Amazon Web Services Private CA API operation has a quota that determines the number of times the operation can be called per second. Amazon Web Services Private CA throttles API requests at different rates depending on the operation. Throttling means that Amazon Web Services Private CA rejects an otherwise valid request because the request exceeds the operation's quota for the number of requests per second. When a request is throttled, Amazon Web Services Private CA returns a **ThrottlingException** error. Amazon Web Services Private CA does not guarantee a minimum request rate for APIs.

To see an up-to-date list of your Amazon Web Services Private CA quotas, or to request a quota increase, log into your Amazon Web Services account and visit the Service Quotas console.

Usage

```
acmpca(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

	<ul style="list-style-type: none"> • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- acmpca(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
```

```

    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

create_certificate_authority	Creates a root or subordinate private certificate authority (CA)
create_certificate_authority_audit_report	Creates an audit report that lists every time that your CA private key is used to issue certificates
create_permission	Grants one or more permissions on a private CA to the Certificate Manager (ACM)
delete_certificate_authority	Deletes a private certificate authority (CA)
delete_permission	Revokes permissions on a private CA granted to the Certificate Manager (ACM)
delete_policy	Deletes the resource-based policy attached to a private CA
describe_certificate_authority	Lists information about your private certificate authority (CA) or one that has been shared with you
describe_certificate_authority_audit_report	Lists information about a specific audit report created by calling the CreateCertificateAuthorityAuditReport operation
get_certificate	Retrieves a certificate from your private CA or one that has been shared with you
get_certificate_authority_certificate	Retrieves the certificate and certificate chain for your private certificate authority
get_certificate_authority_csr	Retrieves the certificate signing request (CSR) for your private certificate authority
get_policy	Retrieves the resource-based policy attached to a private CA
import_certificate_authority_certificate	Imports a signed private CA certificate into Amazon Web Services Private CA
issue_certificate	Uses your private certificate authority (CA), or one that has been shared with you, to issue a certificate
list_certificate_authorities	Lists the private certificate authorities that you created by using the CreateCertificateAuthority operation
list_permissions	List all permissions on a private CA, if any, granted to the Certificate Manager (ACM)
list_tags	Lists the tags, if any, that are associated with your private CA or one that has been shared with you
put_policy	Attaches a resource-based policy to a private CA
restore_certificate_authority	Restores a certificate authority (CA) that is in the DELETED state
revoke_certificate	Revokes a certificate that was issued inside Amazon Web Services Private CA
tag_certificate_authority	Adds one or more tags to your private CA
untag_certificate_authority	Remove one or more tags from your private CA
update_certificate_authority	Updates the status or configuration of a private certificate authority (CA)

Examples

```

## Not run:
svc <- acmpca()
svc$create_certificate_authority(
  Foo = 123
)

## End(Not run)

```

Description

Welcome to the *Amazon Web Services Clean Rooms ML API Reference*.

Amazon Web Services Clean Rooms ML provides a privacy-enhancing method for two parties to identify similar users in their data without the need to share their data with each other. The first party brings the training data to Clean Rooms so that they can create and configure an audience model (lookalike model) and associate it with a collaboration. The second party then brings their seed data to Clean Rooms and generates an audience (lookalike segment) that resembles the training data.

To learn more about Amazon Web Services Clean Rooms ML concepts, procedures, and best practices, see the [Clean Rooms User Guide](#).

To learn more about SQL commands, functions, and conditions supported in Clean Rooms, see the [Clean Rooms SQL Reference](#).

Usage

```
cleanroomsm1(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

- | | |
|--------|--|
| config | Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. |
|--------|--|

	<ul style="list-style-type: none"> • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cleanroomsml(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
```



```

        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

cancel_trained_model	Submits a request to cancel the trained model job
cancel_trained_model_inference_job	Submits a request to cancel a trained model inference job
create_audience_model	Defines the information necessary to create an audience model
create_configured_audience_model	Defines the information necessary to create a configured audience model
create_configured_model_algorithm	Creates a configured model algorithm using a container image
create_configured_model_algorithm_association	Associates a configured model algorithm to a collaboration for training
create_ml_input_channel	Provides the information to create an ML input channel
create_trained_model	Creates a trained model from an associated configured model algorithm
create_training_dataset	Defines the information necessary to create a training dataset
delete_audience_generation_job	Deletes the specified audience generation job, and removes all associated audience models
delete_audience_model	Specifies an audience model that you want to delete
delete_configured_audience_model	Deletes the specified configured audience model
delete_configured_audience_model_policy	Deletes the specified configured audience model policy
delete_configured_model_algorithm	Deletes a configured model algorithm
delete_configured_model_algorithm_association	Deletes a configured model algorithm association
delete_ml_configuration	Deletes a ML modeling configuration
delete_ml_input_channel_data	Provides the information necessary to delete an ML input channel
delete_trained_model_output	Deletes the output of a trained model
delete_training_dataset	Specifies a training dataset that you want to delete
get_audience_generation_job	Returns information about an audience generation job
get_audience_model	Returns information about an audience model
get_collaboration_configured_model_algorithm_association	Returns information about the configured model algorithm association
get_collaboration_ml_input_channel	Returns information about a specific ML input channel in a collaboration
get_collaboration_trained_model	Returns information about a trained model in a collaboration
get_configured_audience_model	Returns information about a specified configured audience model
get_configured_audience_model_policy	Returns information about a configured audience model policy
get_configured_model_algorithm	Returns information about a configured model algorithm
get_configured_model_algorithm_association	Returns information about a configured model algorithm association
get_ml_configuration	Returns information about a specific ML configuration
get_ml_input_channel	Returns information about an ML input channel
get_trained_model	Returns information about a trained model
get_trained_model_inference_job	Returns information about a trained model inference job
get_training_dataset	Returns information about a training dataset
list_audience_export_jobs	Returns a list of the audience export jobs
list_audience_generation_jobs	Returns a list of audience generation jobs
list_audience_models	Returns a list of audience models
list_collaboration_configured_model_algorithm_associations	Returns a list of the configured model algorithm associations in a collaboration
list_collaboration_ml_input_channels	Returns a list of the ML input channels in a collaboration
list_collaboration_trained_model_export_jobs	Returns a list of the export jobs for a trained model in a collaboration
list_collaboration_trained_model_inference_jobs	Returns a list of trained model inference jobs in a specified collaboration

<code>list_collaboration_trained_models</code>	Returns a list of the trained models in a collaboration
<code>list_configured_audience_models</code>	Returns a list of the configured audience models
<code>list_configured_model_algorithm_associations</code>	Returns a list of configured model algorithm associations
<code>list_configured_model_algorithms</code>	Returns a list of configured model algorithms
<code>list_ml_input_channels</code>	Returns a list of ML input channels
<code>list_tags_for_resource</code>	Returns a list of tags for a provided resource
<code>list_trained_model_inference_jobs</code>	Returns a list of trained model inference jobs that match the re
<code>list_trained_models</code>	Returns a list of trained models
<code>list_training_datasets</code>	Returns a list of training datasets
<code>put_configured_audience_model_policy</code>	Create or update the resource policy for a configured audience
<code>put_ml_configuration</code>	Assigns information about an ML configuration
<code>start_audience_export_job</code>	Export an audience of a specified size after you have generated
<code>start_audience_generation_job</code>	Information necessary to start the audience generation job
<code>start_trained_model_export_job</code>	Provides the information necessary to start a trained model exp
<code>start_trained_model_inference_job</code>	Defines the information necessary to begin a trained model inf
<code>tag_resource</code>	Adds metadata tags to a specified resource
<code>untag_resource</code>	Removes metadata tags from a specified resource
<code>update_configured_audience_model</code>	Provides the information necessary to update a configured aud

Examples

```
## Not run:
svc <- cleanroomsml()
svc$cancel_trained_model(
  Foo = 123
)

## End(Not run)
```

clouddirectory

Amazon CloudDirectory

Description

Amazon Cloud Directory

Amazon Cloud Directory is a component of the AWS Directory Service that simplifies the development and management of cloud-scale web, mobile, and IoT applications. This guide describes the Cloud Directory operations that you can call programmatically and includes detailed information on data types and errors. For information about Cloud Directory features, see [AWS Directory Service](#) and the [Amazon Cloud Directory Developer Guide](#).

Usage

```
clouddirectory(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- clouddirectory(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

add_facet_to_object	Adds a new Facet to an object
apply_schema	Copies the input published schema, at the specified version, into the Directory with the same name
attach_object	Attaches an existing object to another object
attach_policy	Attaches a policy object to a regular object
attach_to_index	Attaches the specified object to the specified index
attach_typed_link	Attaches a typed link to a specified source and target object
batch_read	Performs all the read operations in a batch
batch_write	Performs all the write operations in a batch
create_directory	Creates a Directory by copying the published schema into the directory
create_facet	Creates a new Facet in a schema
create_index	Creates an index object
create_object	Creates an object in a Directory
create_schema	Creates a new schema in a development state

create_typed_link_facet	Creates a TypedLinkFacet
delete_directory	Deletes a directory
delete_facet	Deletes a given Facet
delete_object	Deletes an object and its associated attributes
delete_schema	Deletes a given schema
delete_typed_link_facet	Deletes a TypedLinkFacet
detach_from_index	Detaches the specified object from the specified index
detach_object	Detaches a given object from the parent object
detach_policy	Detaches a policy from an object
detach_typed_link	Detaches a typed link from a specified source and target object
disable_directory	Disables the specified directory
enable_directory	Enables the specified directory
get_applied_schema_version	Returns current applied schema version ARN, including the minor version in use
get_directory	Retrieves metadata about a directory
get_facet	Gets details of the Facet, such as facet name, attributes, Rules, or ObjectType
get_link_attributes	Retrieves attributes that are associated with a typed link
get_object_attributes	Retrieves attributes within a facet that are associated with an object
get_object_information	Retrieves metadata about an object
get_schema_as_json	Retrieves a JSON representation of the schema
get_typed_link_facet_information	Returns the identity attribute order for a specific TypedLinkFacet
list_applied_schema_arns	Lists schema major versions applied to a directory
list_attached_indices	Lists indices attached to the specified object
list_development_schema_arns	Retrieves each Amazon Resource Name (ARN) of schemas in the development state
list_directories	Lists directories created within an account
list_facet_attributes	Retrieves attributes attached to the facet
list_facet_names	Retrieves the names of facets that exist in a schema
list_incoming_typed_links	Returns a paginated list of all the incoming TypedLinkSpecifier information for an object
list_index	Lists objects attached to the specified index
list_managed_schema_arns	Lists the major version families of each managed schema
list_object_attributes	Lists all attributes that are associated with an object
list_object_children	Returns a paginated list of child objects that are associated with a given object
list_object_parent_paths	Retrieves all available parent paths for any object type such as node, leaf node, policy node
list_object_parents	Lists parent objects that are associated with a given object in pagination fashion
list_object_policies	Returns policies attached to an object in pagination fashion
list_outgoing_typed_links	Returns a paginated list of all the outgoing TypedLinkSpecifier information for an object
list_policy_attachments	Returns all of the ObjectIdentifiers to which a given policy is attached
list_published_schema_arns	Lists the major version families of each published schema
list_tags_for_resource	Returns tags for a resource
list_typed_link_facet_attributes	Returns a paginated list of all attribute definitions for a particular TypedLinkFacet
list_typed_link_facet_names	Returns a paginated list of TypedLink facet names for a particular schema
lookup_policy	Lists all policies from the root of the Directory to the object specified
publish_schema	Publishes a development schema with a major version and a recommended minor version
put_schema_from_json	Allows a schema to be updated using JSON upload
remove_facet_from_object	Removes the specified facet from the specified object
tag_resource	An API operation for adding tags to a resource
untag_resource	An API operation for removing tags from a resource
update_facet	Does the following:
update_link_attributes	Updates a given typed link's attributes

<code>update_object_attributes</code>	Updates a given object's attributes
<code>update_schema</code>	Updates the schema name with a new name
<code>update_typed_link_facet</code>	Updates a TypedLinkFacet
<code>upgrade_applied_schema</code>	Upgrades a single directory in-place using the PublishedSchemaArn with schema updates
<code>upgrade_published_schema</code>	Upgrades a published schema under a new minor version revision using the current content

Examples

```
## Not run:
svc <- clouddirectory()
svc$add_facet_to_object(
  Foo = 123
)

## End(Not run)
```

cloudhsm

Amazon CloudHSM

Description

AWS CloudHSM Service

This is documentation for **AWS CloudHSM Classic**. For more information, see [AWS CloudHSM Classic FAQs](#), the [AWS CloudHSM Classic User Guide](#), and the [AWS CloudHSM Classic API Reference](#).

For information about the current version of AWS CloudHSM, see [AWS CloudHSM](#), the [AWS CloudHSM User Guide](#), and the [AWS CloudHSM API Reference](#).

Usage

```
cloudhsm(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

- `config` Optional configuration of credentials, endpoint, and/or region.
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.

	<ul style="list-style-type: none"> • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cloudhsm(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
```

```

),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

add_tags_to_resource	This is documentation for AWS CloudHSM Classic
create_hapg	This is documentation for AWS CloudHSM Classic
create_hsm	This is documentation for AWS CloudHSM Classic
create_luna_client	This is documentation for AWS CloudHSM Classic
delete_hapg	This is documentation for AWS CloudHSM Classic
delete_hsm	This is documentation for AWS CloudHSM Classic
delete_luna_client	This is documentation for AWS CloudHSM Classic
describe_hapg	This is documentation for AWS CloudHSM Classic
describe_hsm	This is documentation for AWS CloudHSM Classic
describe_luna_client	This is documentation for AWS CloudHSM Classic
get_config	This is documentation for AWS CloudHSM Classic
list_available_zones	This is documentation for AWS CloudHSM Classic
list_hapgs	This is documentation for AWS CloudHSM Classic
list_hsms	This is documentation for AWS CloudHSM Classic
list_luna_clients	This is documentation for AWS CloudHSM Classic
list_tags_for_resource	This is documentation for AWS CloudHSM Classic
modify_hapg	This is documentation for AWS CloudHSM Classic
modify_hsm	This is documentation for AWS CloudHSM Classic
modify_luna_client	This is documentation for AWS CloudHSM Classic
remove_tags_from_resource	This is documentation for AWS CloudHSM Classic

Examples

```

## Not run:
svc <- cloudhsm()
svc$add_tags_to_resource(
  Foo = 123
)

## End(Not run)

```


cloudhsmv2

AWS CloudHSM V2

Description

For more information about CloudHSM, see [CloudHSM](#) and the [CloudHSM User Guide](#).

Usage

```
cloudhsmv2(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used.

- **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cloudhsmv2(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

- [copy_backup_to_region](#) Copy an CloudHSM cluster backup to a different region
- [create_cluster](#) Creates a new CloudHSM cluster
- [create_hsm](#) Creates a new hardware security module (HSM) in the specified CloudHSM cluster

delete_backup	Deletes a specified CloudHSM backup
delete_cluster	Deletes the specified CloudHSM cluster
delete_hsm	Deletes the specified HSM
delete_resource_policy	Deletes an CloudHSM resource policy
describe_backups	Gets information about backups of CloudHSM clusters
describe_clusters	Gets information about CloudHSM clusters
get_resource_policy	Retrieves the resource policy document attached to a given resource
initialize_cluster	Claims an CloudHSM cluster by submitting the cluster certificate issued by your issuing certifica
list_tags	Gets a list of tags for the specified CloudHSM cluster
modify_backup_attributes	Modifies attributes for CloudHSM backup
modify_cluster	Modifies CloudHSM cluster
put_resource_policy	Creates or updates an CloudHSM resource policy
restore_backup	Restores a specified CloudHSM backup that is in the PENDING_DELETION state
tag_resource	Adds or overwrites one or more tags for the specified CloudHSM cluster
untag_resource	Removes the specified tag or tags from the specified CloudHSM cluster

Examples

```
## Not run:
svc <- cloudhsmv2()
svc$copy_backup_to_region(
  Foo = 123
)

## End(Not run)
```

cognitoidentity

Amazon Cognito Identity

Description

Amazon Cognito Federated Identities

Amazon Cognito Federated Identities is a web service that delivers scoped temporary credentials to mobile devices and other untrusted environments. It uniquely identifies a device and supplies the user with a consistent identity over the lifetime of an application.

Using Amazon Cognito Federated Identities, you can enable authentication with one or more third-party identity providers (Facebook, Google, or Login with Amazon) or an Amazon Cognito user pool, and you can also choose to support unauthenticated access from your app. Cognito delivers a unique identifier for each user and acts as an OpenID token provider trusted by AWS Security Token Service (STS) to access temporary, limited-privilege AWS credentials.

For a description of the authentication flow from the Amazon Cognito Developer Guide see [Authentication Flow](#).

For more information see [Amazon Cognito Federated Identities](#).

Usage

```
cognitoidentity(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- cognitoidentity(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

create_identity_pool	Creates a new identity pool
delete_identities	Deletes identities from an identity pool
delete_identity_pool	Deletes an identity pool
describe_identity	Returns metadata related to the given identity, including when the identity was created
describe_identity_pool	Gets details about a particular identity pool, including the pool name, ID description, and roles
get_credentials_for_identity	Returns credentials for the provided identity ID
get_id	Generates (or retrieves) a Cognito ID
get_identity_pool_roles	Gets the roles for an identity pool
get_open_id_token	Gets an OpenID token, using a known Cognito ID
get_open_id_token_for_developer_identity	Registers (or retrieves) a Cognito IdentityId and an OpenID Connect token for a developer identity
get_principal_tag_attribute_map	Use GetPrincipalTagAttributeMap to list all mappings between PrincipalTags and attributes
list_identities	Lists the identities in an identity pool
list_identity_pools	Lists all of the Cognito identity pools registered for your account

list_tags_for_resource	Lists the tags that are assigned to an Amazon Cognito identity pool
lookup_developer_identity	Retrieves the IdentityID associated with a DeveloperUserIdentifier or the list of
merge_developer_identities	Merges two users having different IdentityIds, existing in the same identity pool
set_identity_pool_roles	Sets the roles for an identity pool
set_principal_tag_attribute_map	You can use this operation to use default (username and clientID) attribute or cu
tag_resource	Assigns a set of tags to the specified Amazon Cognito identity pool
unlink_developer_identity	Unlinks a DeveloperUserIdentifier from an existing identity
unlink_identity	Unlinks a federated identity from an existing account
untag_resource	Removes the specified tags from the specified Amazon Cognito identity pool
update_identity_pool	Updates an identity pool

Examples

```
## Not run:
svc <- cognitoidentity()
svc$create_identity_pool(
  Foo = 123
)

## End(Not run)
```

cognitoidentityprovider

Amazon Cognito Identity Provider

Description

With the Amazon Cognito user pools API, you can configure user pools and authenticate users. To authenticate users from third-party identity providers (IdPs) in this API, you can [link IdP users to native user profiles](#). Learn more about the authentication and authorization of federated users at [Adding user pool sign-in through a third party](#) and in the [User pool federation endpoints and hosted UI reference](#).

This API reference provides detailed information about API operations and object types in Amazon Cognito.

Along with resource management operations, the Amazon Cognito user pools API includes classes of operations and authorization models for client-side and server-side authentication of users. You can interact with operations in the Amazon Cognito user pools API as any of the following subjects.

1. An administrator who wants to configure user pools, app clients, users, groups, or other user pool functions.
2. A server-side app, like a web application, that wants to use its Amazon Web Services privileges to manage, authenticate, or authorize a user.
3. A client-side app, like a mobile app, that wants to make unauthenticated requests to manage, authenticate, or authorize a user.

For more information, see [Using the Amazon Cognito user pools API and user pool endpoints](#) in the *Amazon Cognito Developer Guide*.

With your Amazon Web Services SDK, you can build the logic to support operational flows in every use case for this API. You can also make direct REST API requests to [Amazon Cognito user pools service endpoints](#). The following links can get you started with the CognitoIdentityProvider client in other supported Amazon Web Services SDKs.

- [Amazon Web Services Command Line Interface](#)
- [Amazon Web Services SDK for .NET](#)
- [Amazon Web Services SDK for C++](#)
- [Amazon Web Services SDK for Go](#)
- [Amazon Web Services SDK for Java V2](#)
- [Amazon Web Services SDK for JavaScript](#)
- [Amazon Web Services SDK for PHP V3](#)
- [Amazon Web Services SDK for Python](#)
- [Amazon Web Services SDK for Ruby V3](#)
- [Amazon Web Services SDK for Kotlin](#)

To get started with an Amazon Web Services SDK, see [Tools to Build on Amazon Web Services](#). For example actions and scenarios, see [Code examples for Amazon Cognito Identity Provider using Amazon Web Services SDKs](#).

Usage

```
cognitoidentityprovider(  
  config = list(),  
  credentials = list(),  
  endpoint = NULL,  
  region = NULL  
)
```

Arguments

- config Optional configuration of credentials, endpoint, and/or region.
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
 - **endpoint:** The complete URL to use for the constructed client.
 - **region:** The AWS Region used in instantiating the client.
 - **close_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cognitoidentityprovider(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```



```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

add_custom_attributes	Adds additional user attributes to the user pool schema
admin_add_user_to_group	Adds a user to a group
admin_confirm_sign_up	Confirms user sign-up as an administrator
admin_create_user	Creates a new user in the specified user pool
admin_delete_user	Deletes a user profile in your user pool
admin_delete_user_attributes	Deletes attribute values from a user
admin_disable_provider_for_user	Prevents the user from signing in with the specified external (SAML or social)
admin_disable_user	Deactivates a user profile and revokes all access tokens for the user
admin_enable_user	Activate sign-in for a user profile that previously had sign-in access disabled
admin_forget_device	Forgets, or deletes, a remembered device from a user's profile
admin_get_device	Given the device key, returns details for a user's device
admin_get_user	Given the username, returns details about a user profile in a user pool
admin_initiate_auth	Starts sign-in for applications with a server-side component, for example a tra
admin_link_provider_for_user	Links an existing user account in a user pool (DestinationUser) to an identity
admin_list_devices	Lists a user's registered devices
admin_list_groups_for_user	Lists the groups that a user belongs to
admin_list_user_auth_events	Requests a history of user activity and any risks detected as part of Amazon C
admin_remove_user_from_group	Given a username and a group name
admin_reset_user_password	Resets the specified user's password in a user pool
admin_respond_to_auth_challenge	Some API operations in a user pool generate a challenge, like a prompt for an
admin_set_user_mfa_preference	Sets the user's multi-factor authentication (MFA) preference, including which
admin_set_user_password	Sets the specified user's password in a user pool
admin_set_user_settings	This action is no longer supported
admin_update_auth_event_feedback	Provides feedback for an authentication event indicating if it was from a valid
admin_update_device_status	Updates the status of a user's device so that it is marked as remembered or no
admin_update_user_attributes	This action might generate an SMS text message
admin_user_global_sign_out	Invalidates the identity, access, and refresh tokens that Amazon Cognito issue
associate_software_token	Begins setup of time-based one-time password (TOTP) multi-factor authentic
change_password	Changes the password for a specified user in a user pool
complete_web_authn_registration	Completes registration of a passkey authenticator for the current user
confirm_device	Confirms a device that a user wants to remember
confirm_forgot_password	This public API operation accepts a confirmation code that Amazon Cognito s
confirm_sign_up	This public API operation submits a code that Amazon Cognito sent to your u
create_group	Creates a new group in the specified user pool
create_identity_provider	Adds a configuration and trust relationship between a third-party identity prov
create_managed_login_branding	Creates a new set of branding settings for a user pool style and associates it w

<code>create_resource_server</code>	Creates a new OAuth2
<code>create_user_import_job</code>	Creates a user import job
<code>create_user_pool</code>	This action might generate an SMS text message
<code>create_user_pool_client</code>	Creates an app client in a user pool
<code>create_user_pool_domain</code>	A user pool domain hosts managed login, an authorization server and web server
<code>delete_group</code>	Deletes a group from the specified user pool
<code>delete_identity_provider</code>	Deletes a user pool identity provider (IdP)
<code>delete_managed_login_branding</code>	Deletes a managed login branding style
<code>delete_resource_server</code>	Deletes a resource server
<code>delete_user</code>	Self-deletes a user profile
<code>delete_user_attributes</code>	Self-deletes attributes for a user
<code>delete_user_pool</code>	Deletes a user pool
<code>delete_user_pool_client</code>	Deletes a user pool app client
<code>delete_user_pool_domain</code>	Given a user pool ID and domain identifier, deletes a user pool domain
<code>delete_web_authn_credential</code>	Deletes a registered passkey, or webauthN, authenticator for the currently signed-in user
<code>describe_identity_provider</code>	Given a user pool ID and identity provider (IdP) name, returns details about the IdP
<code>describe_managed_login_branding</code>	Given the ID of a managed login branding style, returns detailed information about the style
<code>describe_managed_login_branding_by_client</code>	Given the ID of a user pool app client, returns detailed information about the client
<code>describe_resource_server</code>	Describes a resource server
<code>describe_risk_configuration</code>	Given an app client or user pool ID where threat protection is configured, describes the risk configuration
<code>describe_user_import_job</code>	Describes a user import job
<code>describe_user_pool</code>	Given a user pool ID, returns configuration information
<code>describe_user_pool_client</code>	Given an app client ID, returns configuration information
<code>describe_user_pool_domain</code>	Given a user pool domain name, returns information about the domain configuration
<code>forget_device</code>	Forgets the specified device
<code>forgot_password</code>	Calling this API causes a message to be sent to the end user with a confirmation code
<code>get_csv_header</code>	Gets the header information for the comma-separated value (CSV) file to be uploaded
<code>get_device</code>	Gets the device
<code>get_group</code>	Gets a group
<code>get_identity_provider_by_identifier</code>	Gets the specified IdP
<code>get_log_delivery_configuration</code>	Gets the logging configuration of a user pool
<code>get_signing_certificate</code>	This method takes a user pool ID, and returns the signing certificate
<code>get_ui_customization</code>	Gets the user interface (UI) Customization information for a particular app client
<code>get_user</code>	Gets the user attributes and metadata for a user
<code>get_user_attribute_verification_code</code>	Generates a user attribute verification code for the specified attribute name
<code>get_user_auth_factors</code>	Lists the authentication options for the currently signed-in user
<code>get_user_pool_mfa_config</code>	Gets the user pool multi-factor authentication (MFA) configuration
<code>global_sign_out</code>	Invalidates the identity, access, and refresh tokens that Amazon Cognito issued to the user
<code>initiate_auth</code>	Initiates sign-in for a user in the Amazon Cognito user directory
<code>list_devices</code>	Lists the sign-in devices that Amazon Cognito has registered to the current user
<code>list_groups</code>	Lists the groups associated with a user pool
<code>list_identity_providers</code>	Lists information about all IdPs for a user pool
<code>list_resource_servers</code>	Lists the resource servers for a user pool
<code>list_tags_for_resource</code>	Lists the tags that are assigned to an Amazon Cognito user pool
<code>list_user_import_jobs</code>	Lists user import jobs for a user pool
<code>list_user_pool_clients</code>	Lists the clients that have been created for the specified user pool
<code>list_user_pools</code>	Lists the user pools associated with an Amazon Web Services account
<code>list_users</code>	Lists users and their basic details in a user pool

list_users_in_group	Lists the users in the specified group
list_web_authn_credentials	Generates a list of the current user's registered passkey, or webauthN, credentials
resend_confirmation_code	Resends the confirmation (for confirmation of registration) to a specific user in a user pool
respond_to_auth_challenge	Some API operations in a user pool generate a challenge, like a prompt for an authentication code
revoke_token	Revokes all of the access tokens generated by, and at the same time as, the specified user
set_log_delivery_configuration	Sets up or modifies the logging configuration of a user pool
set_risk_configuration	Configures actions on detected risks
set_ui_customization	Sets the user interface (UI) customization information for a user pool's built-in user interface
set_user_mfa_preference	Set the user's multi-factor authentication (MFA) method preference, including whether to require MFA
set_user_pool_mfa_config	Sets the user pool multi-factor authentication (MFA) and passkey configuration
set_user_settings	This action is no longer supported
sign_up	Registers the user in the specified user pool and creates a user name, password, and email address
start_user_import_job	Starts the user import
start_web_authn_registration	Requests credential creation options from your user pool for registration of a user
stop_user_import_job	Stops the user import job
tag_resource	Assigns a set of tags to an Amazon Cognito user pool
untag_resource	Removes the specified tags from an Amazon Cognito user pool
update_auth_event_feedback	Provides the feedback for an authentication event, whether it was from a valid user or not
update_device_status	Updates the device status
update_group	Updates the specified group with the specified attributes
update_identity_provider	Updates IdP information for a user pool
update_managed_login_branding	Configures the branding settings for a user pool style
update_resource_server	Updates the name and scopes of resource server
update_user_attributes	With this operation, your users can update one or more of their attributes with the specified values
update_user_pool	This action might generate an SMS text message
update_user_pool_client	Updates the specified user pool app client with the specified attributes
update_user_pool_domain	A user pool domain hosts managed login, an authorization server and web server
verify_software_token	Use this API to register a user's entered time-based one-time password (TOTP)
verify_user_attribute	Verifies the specified user attributes in the user pool

Examples

```
## Not run:
svc <- cognitoidentityprovider()
svc$add_custom_attributes(
  Foo = 123
)

## End(Not run)
```

Description

Amazon Cognito Sync provides an AWS service and client library that enable cross-device syncing of application-related user data. High-level client libraries are available for both iOS and Android. You can use these libraries to persist data locally so that it's available even if the device is offline. Developer credentials don't need to be stored on the mobile device to access the service. You can use Amazon Cognito to obtain a normalized user ID and credentials. User data is persisted in a dataset that can store up to 1 MB of key-value pairs, and you can have up to 20 datasets per user identity.

With Amazon Cognito Sync, the data stored for each identity is accessible only to credentials assigned to that identity. In order to use the Cognito Sync service, you need to make API calls using credentials retrieved with [Amazon Cognito Identity service](#).

If you want to use Cognito Sync in an Android or iOS application, you will probably want to make API calls via the AWS Mobile SDK. To learn more, see the [Developer Guide for Android](#) and the [Developer Guide for iOS](#).

Usage

```
cognitosync(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- cognitosync(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
```

```
    region = "string"
  )
```

Operations

bulk_publish	Initiates a bulk publish of all existing datasets for an Identity Pool to the configured stream
delete_dataset	Deletes the specific dataset
describe_dataset	Gets meta data about a dataset by identity and dataset name
describe_identity_pool_usage	Gets usage details (for example, data storage) about a particular identity pool
describe_identity_usage	Gets usage information for an identity, including number of datasets and data usage
get_bulk_publish_details	Get the status of the last BulkPublish operation for an identity pool
get_cognito_events	Gets the events and the corresponding Lambda functions associated with an identity pool
get_identity_pool_configuration	Gets the configuration settings of an identity pool
list_datasets	Lists datasets for an identity
list_identity_pool_usage	Gets a list of identity pools registered with Cognito
list_records	Gets paginated records, optionally changed after a particular sync count for a dataset and id
register_device	Registers a device to receive push sync notifications
set_cognito_events	Sets the AWS Lambda function for a given event type for an identity pool
set_identity_pool_configuration	Sets the necessary configuration for push sync
subscribe_to_dataset	Subscribes to receive notifications when a dataset is modified by another device
unsubscribe_from_dataset	Unsubscribes from receiving notifications when a dataset is modified by another device
update_records	Posts updates to records and adds and deletes records for a dataset and user

Examples

```
## Not run:
svc <- cognitosync()
svc$bulk_publish(
  Foo = 123
)

## End(Not run)
```

detective

Amazon Detective

Description

Detective uses machine learning and purpose-built visualizations to help you to analyze and investigate security issues across your Amazon Web Services (Amazon Web Services) workloads. Detective automatically extracts time-based events such as login attempts, API calls, and network traffic from CloudTrail and Amazon Virtual Private Cloud (Amazon VPC) flow logs. It also extracts findings detected by Amazon GuardDuty.

The Detective API primarily supports the creation and management of behavior graphs. A behavior graph contains the extracted data from a set of member accounts, and is created and managed by an administrator account.

To add a member account to the behavior graph, the administrator account sends an invitation to the account. When the account accepts the invitation, it becomes a member account in the behavior graph.

Detective is also integrated with Organizations. The organization management account designates the Detective administrator account for the organization. That account becomes the administrator account for the organization behavior graph. The Detective administrator account is also the delegated administrator account for Detective in Organizations.

The Detective administrator account can enable any organization account as a member account in the organization behavior graph. The organization accounts do not receive invitations. The Detective administrator account can also invite other accounts to the organization behavior graph.

Every behavior graph is specific to a Region. You can only use the API to manage behavior graphs that belong to the Region that is associated with the currently selected endpoint.

The administrator account for a behavior graph can use the Detective API to do the following:

- Enable and disable Detective. Enabling Detective creates a new behavior graph.
- View the list of member accounts in a behavior graph.
- Add member accounts to a behavior graph.
- Remove member accounts from a behavior graph.
- Apply tags to a behavior graph.

The organization management account can use the Detective API to select the delegated administrator for Detective.

The Detective administrator account for an organization can use the Detective API to do the following:

- Perform all of the functions of an administrator account.
- Determine whether to automatically enable new organization accounts as member accounts in the organization behavior graph.

An invited member account can use the Detective API to do the following:

- View the list of behavior graphs that they are invited to.
- Accept an invitation to contribute to a behavior graph.
- Decline an invitation to contribute to a behavior graph.
- Remove their account from a behavior graph.

All API actions are logged as CloudTrail events. See [Logging Detective API Calls with CloudTrail](#).

We replaced the term "master account" with the term "administrator account". An administrator account is used to centrally manage multiple accounts. In the case of Detective, the administrator account manages the accounts in their behavior graph.

Usage

```

detective(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)

```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- detective(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

accept_invitation	Accepts an invitation for the member account to contribute data to a behavior graph
batch_get_graph_member_datasources	Gets data source package information for the behavior graph
batch_get_membership_datasources	Gets information on the data source package history for an account
create_graph	Creates a new behavior graph for the calling account, and sets that account as the administrator. CreateMembers is used to send invitations to accounts
create_members	CreateMembers is used to send invitations to accounts
delete_graph	Disables the specified behavior graph and queues it to be deleted
delete_members	Removes the specified member accounts from the behavior graph
describe_organization_configuration	Returns information about the configuration for the organization behavior graph
disable_organization_admin_account	Removes the Detective administrator account in the current Region
disassociate_membership	Removes the member account from the specified behavior graph
enable_organization_admin_account	Designates the Detective administrator account for the organization in the current Region
get_investigation	Detective investigations lets you investigate IAM users and IAM roles using indicators
get_members	Returns the membership details for specified member accounts for a behavior graph

list_datasource_packages	Lists data source packages in the behavior graph
list_graphs	Returns the list of behavior graphs that the calling account is an administrator account
list_indicators	Gets the indicators from an investigation
list_investigations	Detective investigations lets you investigate IAM users and IAM roles using indicators
list_invitations	Retrieves the list of open and accepted behavior graph invitations for the member account
list_members	Retrieves the list of member accounts for a behavior graph
list_organization_admin_accounts	Returns information about the Detective administrator account for an organization
list_tags_for_resource	Returns the tag values that are assigned to a behavior graph
reject_invitation	Rejects an invitation to contribute the account data to a behavior graph
start_investigation	Detective investigations lets you investigate IAM users and IAM roles using indicators
start_monitoring_member	Sends a request to enable data ingest for a member account that has a status of ACCEPTED
tag_resource	Applies tag values to a behavior graph
untag_resource	Removes tags from a behavior graph
update_datasource_packages	Starts a data source package for the Detective behavior graph
update_investigation_state	Updates the state of an investigation
update_organization_configuration	Updates the configuration for the Organizations integration in the current Region

Examples

```
## Not run:
svc <- detective()
svc$accept_invitation(
  Foo = 123
)

## End(Not run)
```

directoryservice

AWS Directory Service

Description

Directory Service

Directory Service is a web service that makes it easy for you to setup and run directories in the Amazon Web Services cloud, or connect your Amazon Web Services resources with an existing self-managed Microsoft Active Directory. This guide provides detailed information about Directory Service operations, data types, parameters, and errors. For information about Directory Services features, see [Directory Service](#) and the [Directory Service Administration Guide](#).

Amazon Web Services provides SDKs that consist of libraries and sample code for various programming languages and platforms (Java, Ruby, .Net, iOS, Android, etc.). The SDKs provide a convenient way to create programmatic access to Directory Service and other Amazon Web Services services. For more information about the Amazon Web Services SDKs, including how to download and install them, see [Tools for Amazon Web Services](#).

Usage

```
directoryservice(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- directoryservice(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations[accept_shared_directory](#)

Accepts a directory sharing request that was sent from the directory owner account

[add_ip_routes](#)

If the DNS server for your self-managed domain uses a publicly addressable IP address

[add_region](#)

Adds two domain controllers in the specified Region for the specified directory

[add_tags_to_resource](#)

Adds or overwrites one or more tags for the specified directory

[cancel_schema_extension](#)

Cancels an in-progress schema extension to a Microsoft AD directory

[connect_directory](#)

Creates an AD Connector to connect to a self-managed directory

[create_alias](#)

Creates an alias for a directory and assigns the alias to the directory

[create_computer](#)

Creates an Active Directory computer object in the specified directory

[create_conditional_forwarder](#)

Creates a conditional forwarder associated with your Amazon Web Services directory

[create_directory](#)

Creates a Simple AD directory

[create_log_subscription](#)

Creates a subscription to forward real-time Directory Service domain controller security events

[create_microsoft_ad](#)

Creates a Microsoft AD directory in the Amazon Web Services Cloud

[create_snapshot](#)

Creates a snapshot of a Simple AD or Microsoft AD directory in the Amazon Web Services Cloud

create_trust	Directory Service for Microsoft Active Directory allows you to configure trust relationships
delete_conditional_forwarder	Deletes a conditional forwarder that has been set up for your Amazon Web Services account
delete_directory	Deletes an Directory Service directory
delete_log_subscription	Deletes the specified log subscription
delete_snapshot	Deletes a directory snapshot
delete_trust	Deletes an existing trust relationship between your Managed Microsoft AD directory and another directory
deregister_certificate	Deletes from the system the certificate that was registered for secure LDAP or client certificate authentication
deregister_event_topic	Removes the specified directory as a publisher to the specified Amazon SNS topic
describe_certificate	Displays information about the certificate registered for secure LDAP or client certificate authentication
describe_client_authentication_settings	Retrieves information about the type of client authentication for the specified directory
describe_conditional_forwarders	Obtains information about the conditional forwarders for this account
describe_directories	Obtains information about the directories that belong to this account
describe_directory_data_access	Obtains status of directory data access enablement through the Directory Service Data API
describe_domain_controllers	Provides information about any domain controllers in your directory
describe_event_topics	Obtains information about which Amazon SNS topics receive status messages from this directory
describe_ldaps_settings	Describes the status of LDAP security for the specified directory
describe_regions	Provides information about the Regions that are configured for multi-Region replication
describe_settings	Retrieves information about the configurable settings for the specified directory
describe_shared_directories	Returns the shared directories in your account
describe_snapshots	Obtains information about the directory snapshots that belong to this account
describe_trusts	Obtains information about the trust relationships for this account
describe_update_directory	Describes the updates of a directory for a particular update type
disable_client_authentication	Disables alternative client authentication methods for the specified directory
disable_directory_data_access	Deactivates access to directory data via the Directory Service Data API for the specified directory
disable_ldaps	Deactivates LDAP secure calls for the specified directory
disable_radius	Disables multi-factor authentication (MFA) with the Remote Authentication Dial In User Service (RADIUS) protocol
disable_sso	Disables single-sign on for a directory
enable_client_authentication	Enables alternative client authentication methods for the specified directory
enable_directory_data_access	Enables access to directory data via the Directory Service Data API for the specified directory
enable_ldaps	Activates the switch for the specific directory to always use LDAP secure calls
enable_radius	Enables multi-factor authentication (MFA) with the Remote Authentication Dial In User Service (RADIUS) protocol
enable_sso	Enables single sign-on for a directory
get_directory_limits	Obtains directory limit information for the current Region
get_snapshot_limits	Obtains the manual snapshot limits for a directory
list_certificates	For the specified directory, lists all the certificates registered for a secure LDAP or client certificate authentication
list_ip_routes	Lists the address blocks that you have added to a directory
list_log_subscriptions	Lists the active log subscriptions for the Amazon Web Services account
list_schema_extensions	Lists all schema extensions applied to a Microsoft AD Directory
list_tags_for_resource	Lists all tags on a directory
register_certificate	Registers a certificate for a secure LDAP or client certificate authentication
register_event_topic	Associates a directory with an Amazon SNS topic
reject_shared_directory	Rejects a directory sharing request that was sent from the directory owner account
remove_ip_routes	Removes IP address blocks from a directory
remove_region	Stops all replication and removes the domain controllers from the specified Region
remove_tags_from_resource	Removes tags from a directory
reset_user_password	Resets the password for any user in your Managed Microsoft AD or Simple AD directory
restore_from_snapshot	Restores a directory using an existing directory snapshot
share_directory	Shares a specified directory (DirectoryId) in your Amazon Web Services account (d

start_schema_extension	Applies a schema extension to a Microsoft AD directory
unshare_directory	Stops the directory sharing between the directory owner and consumer accounts
update_conditional_forwarder	Updates a conditional forwarder that has been set up for your Amazon Web Service
update_directory_setup	Updates the directory for a particular update type
update_number_of_domain_controllers	Adds or removes domain controllers to or from the directory
update_radius	Updates the Remote Authentication Dial In User Service (RADIUS) server information
update_settings	Updates the configurable settings for the specified directory
update_trust	Updates the trust that has been set up between your Managed Microsoft AD directory
verify_trust	Directory Service for Microsoft Active Directory allows you to configure and verify

Examples

```
## Not run:
svc <- directoryservice()
svc$accept_shared_directory(
  Foo = 123
)

## End(Not run)
```

fms

Firewall Management Service

Description

This is the *Firewall Manager API Reference*. This guide is for developers who need detailed information about the Firewall Manager API actions, data types, and errors. For detailed information about Firewall Manager features, see the [Firewall Manager Developer Guide](#).

Some API actions require explicit resource permissions. For information, see the developer guide topic [Service roles for Firewall Manager](#).

Usage

```
fms(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

	<ul style="list-style-type: none"> – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- fms(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

associate_admin_account	Sets a Firewall Manager default administrator account
associate_third_party_firewall	Sets the Firewall Manager policy administrator as a tenant administrator of a third-party firewall
batch_associate_resource	Associate resources to a Firewall Manager resource set
batch_disassociate_resource	Disassociates resources from a Firewall Manager resource set
delete_apps_list	Permanently deletes an Firewall Manager applications list
delete_notification_channel	Deletes an Firewall Manager association with the IAM role and the Amazon Simple Notification Service (SNS) topic that is used for notifications
delete_policy	Permanently deletes an Firewall Manager policy
delete_protocols_list	Permanently deletes an Firewall Manager protocols list
delete_resource_set	Deletes the specified ResourceSet
disassociate_admin_account	Disassociates an Firewall Manager administrator account
disassociate_third_party_firewall	Disassociates a Firewall Manager policy administrator from a third-party firewall
get_admin_account	Returns the Organizations account that is associated with Firewall Manager as the administrator
get_admin_scope	Returns information about the specified account's administrative scope
get_apps_list	Returns information about the specified Firewall Manager applications list
get_compliance_detail	Returns detailed compliance information about the specified member account
get_notification_channel	Information about the Amazon Simple Notification Service (SNS) topic that is used for notifications
get_policy	Returns information about the specified Firewall Manager policy
get_protection_status	If you created a Shield Advanced policy, returns policy-level attack summary information
get_protocols_list	Returns information about the specified Firewall Manager protocols list
get_resource_set	Gets information about a specific resource set
get_third_party_firewall_association_status	The onboarding status of a Firewall Manager admin account to third-party firewall
get_violation_details	Retrieves violations for a resource based on the specified Firewall Manager policy
list_admin_accounts_for_organization	Returns a AdminAccounts object that lists the Firewall Manager administrators in the organization
list_admins_managing_account	Lists the accounts that are managing the specified Organizations member account
list_apps_lists	Returns an array of AppsListDataSummary objects
list_compliance_status	Returns an array of PolicyComplianceStatus objects
list_discovered_resources	Returns an array of resources in the organization's accounts that are available to Firewall Manager
list_member_accounts	Returns a MemberAccounts object that lists the member accounts in the administrative account
list_policies	Returns an array of PolicySummary objects

list_protocols_lists	Returns an array of ProtocolsListDataSummary objects
list_resource_set_resources	Returns an array of resources that are currently associated to a resource set
list_resource_sets	Returns an array of ResourceSetSummary objects
list_tags_for_resource	Retrieves the list of tags for the specified Amazon Web Services resource
list_third_party_firewall_firewall_policies	Retrieves a list of all of the third-party firewall policies that are associated with
put_admin_account	Creates or updates an Firewall Manager administrator account
put_apps_list	Creates an Firewall Manager applications list
put_notification_channel	Designates the IAM role and Amazon Simple Notification Service (SNS) topic
put_policy	Creates an Firewall Manager policy
put_protocols_list	Creates an Firewall Manager protocols list
put_resource_set	Creates the resource set
tag_resource	Adds one or more tags to an Amazon Web Services resource
untag_resource	Removes one or more tags from an Amazon Web Services resource

Examples

```
## Not run:
svc <- fms()
svc$associate_admin_account(
  Foo = 123
)

## End(Not run)
```

guardduty

Amazon GuardDuty

Description

Amazon GuardDuty is a continuous security monitoring service that analyzes and processes the following foundational data sources - VPC flow logs, Amazon Web Services CloudTrail management event logs, CloudTrail S3 data event logs, EKS audit logs, DNS logs, Amazon EBS volume data, runtime activity belonging to container workloads, such as Amazon EKS, Amazon ECS (including Amazon Web Services Fargate), and Amazon EC2 instances. It uses threat intelligence feeds, such as lists of malicious IPs and domains, and machine learning to identify unexpected, potentially unauthorized, and malicious activity within your Amazon Web Services environment. This can include issues like escalations of privileges, uses of exposed credentials, or communication with malicious IPs, domains, or presence of malware on your Amazon EC2 instances and container workloads. For example, GuardDuty can detect compromised EC2 instances and container workloads serving malware, or mining bitcoin.

GuardDuty also monitors Amazon Web Services account access behavior for signs of compromise, such as unauthorized infrastructure deployments like EC2 instances deployed in a Region that has never been used, or unusual API calls like a password policy change to reduce password strength.

GuardDuty informs you about the status of your Amazon Web Services environment by producing security findings that you can view in the GuardDuty console or through Amazon EventBridge. For more information, see the *Amazon GuardDuty User Guide* .

Usage

```
guardduty(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- guardduty(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[accept_administrator_invitation](#)
[accept_invitation](#)
[archive_findings](#)
[create_detector](#)
[create_filter](#)
[create_ip_set](#)
[create_malware_protection_plan](#)
[create_members](#)

Accepts the invitation to be a member account and get monitored by a GuardDuty administrator account
 Accepts the invitation to be monitored by a GuardDuty administrator account
 Archives GuardDuty findings that are specified by the list of finding IDs
 Creates a single GuardDuty detector
 Creates a filter using the specified finding criteria
 Creates a new IPSet, which is called a trusted IP list in the console user interface
 Creates a new Malware Protection plan for the protected resource
 Creates member accounts of the current Amazon Web Services account by specifying

<code>create_publishing_destination</code>	Creates a publishing destination where you can export your GuardDuty findings
<code>create_sample_findings</code>	Generates sample findings of types specified by the list of finding types
<code>create_threat_intel_set</code>	Creates a new ThreatIntelSet
<code>decline_invitations</code>	Declines invitations sent to the current member account by Amazon Web Services
<code>delete_detector</code>	Deletes an Amazon GuardDuty detector that is specified by the detector ID
<code>delete_filter</code>	Deletes the filter specified by the filter name
<code>delete_invitations</code>	Deletes invitations sent to the current member account by Amazon Web Services
<code>delete_ip_set</code>	Deletes the IPSet specified by the ipSetId
<code>delete_malware_protection_plan</code>	Deletes the Malware Protection plan ID associated with the Malware Protection p
<code>delete_members</code>	Deletes GuardDuty member accounts (to the current GuardDuty administrator acco
<code>delete_publishing_destination</code>	Deletes the publishing definition with the specified destinationId
<code>delete_threat_intel_set</code>	Deletes the ThreatIntelSet specified by the ThreatIntelSet ID
<code>describe_malware_scans</code>	Returns a list of malware scans
<code>describe_organization_configuration</code>	Returns information about the account selected as the delegated administrator for
<code>describe_publishing_destination</code>	Returns information about the publishing destination specified by the provided de
<code>disable_organization_admin_account</code>	Removes the existing GuardDuty delegated administrator of the organization
<code>disassociate_from_administrator_account</code>	Disassociates the current GuardDuty member account from its administrator acco
<code>disassociate_from_master_account</code>	Disassociates the current GuardDuty member account from its administrator acco
<code>disassociate_members</code>	Disassociates GuardDuty member accounts (from the current administrator accou
<code>enable_organization_admin_account</code>	Designates an Amazon Web Services account within the organization as your Gua
<code>get_administrator_account</code>	Provides the details of the GuardDuty administrator account associated with the c
<code>get_coverage_statistics</code>	Retrieves aggregated statistics for your account
<code>get_detector</code>	Retrieves a GuardDuty detector specified by the detectorId
<code>get_filter</code>	Returns the details of the filter specified by the filter name
<code>get_findings</code>	Describes Amazon GuardDuty findings specified by finding IDs
<code>get_findings_statistics</code>	Lists GuardDuty findings statistics for the specified detector ID
<code>get_invitations_count</code>	Returns the count of all GuardDuty membership invitations that were sent to the c
<code>get_ip_set</code>	Retrieves the IPSet specified by the ipSetId
<code>get_malware_protection_plan</code>	Retrieves the Malware Protection plan details associated with a Malware Protectio
<code>get_malware_scan_settings</code>	Returns the details of the malware scan settings
<code>get_master_account</code>	Provides the details for the GuardDuty administrator account associated with the c
<code>get_member_detectors</code>	Describes which data sources are enabled for the member account's detector
<code>get_members</code>	Retrieves GuardDuty member accounts (of the current GuardDuty administrator a
<code>get_organization_statistics</code>	Retrieves how many active member accounts have each feature enabled within Gu
<code>get_remaining_free_trial_days</code>	Provides the number of days left for each data source used in the free trial period
<code>get_threat_intel_set</code>	Retrieves the ThreatIntelSet that is specified by the ThreatIntelSet ID
<code>get_usage_statistics</code>	Lists Amazon GuardDuty usage statistics over the last 30 days for the specified d
<code>invite_members</code>	Invites Amazon Web Services accounts to become members of an organization ad
<code>list_coverage</code>	Lists coverage details for your GuardDuty account
<code>list_detectors</code>	Lists detectorIds of all the existing Amazon GuardDuty detector resources
<code>list_filters</code>	Returns a paginated list of the current filters
<code>list_findings</code>	Lists GuardDuty findings for the specified detector ID
<code>list_invitations</code>	Lists all GuardDuty membership invitations that were sent to the current Amazon
<code>list_ip_sets</code>	Lists the IPSets of the GuardDuty service specified by the detector ID
<code>list_malware_protection_plans</code>	Lists the Malware Protection plan IDs associated with the protected resources in y
<code>list_members</code>	Lists details about all member accounts for the current GuardDuty administrator a
<code>list_organization_admin_accounts</code>	Lists the accounts designated as GuardDuty delegated administrators
<code>list_publishing_destinations</code>	Returns a list of publishing destinations associated with the specified detectorId

<code>list_tags_for_resource</code>	Lists tags for a resource
<code>list_threat_intel_sets</code>	Lists the ThreatIntelSets of the GuardDuty service specified by the detector ID
<code>start_malware_scan</code>	Initiates the malware scan
<code>start_monitoring_members</code>	Turns on GuardDuty monitoring of the specified member accounts
<code>stop_monitoring_members</code>	Stops GuardDuty monitoring for the specified member accounts
<code>tag_resource</code>	Adds tags to a resource
<code>unarchive_findings</code>	Unarchives GuardDuty findings specified by the findingIds
<code>untag_resource</code>	Removes tags from a resource
<code>update_detector</code>	Updates the GuardDuty detector specified by the detector ID
<code>update_filter</code>	Updates the filter specified by the filter name
<code>update_findings_feedback</code>	Marks the specified GuardDuty findings as useful or not useful
<code>update_ip_set</code>	Updates the IPSet specified by the IPSet ID
<code>update_malware_protection_plan</code>	Updates an existing Malware Protection plan resource
<code>update_malware_scan_settings</code>	Updates the malware scan settings
<code>update_member_detectors</code>	Contains information on member accounts to be updated
<code>update_organization_configuration</code>	Configures the delegated administrator account with the provided values
<code>update_publishing_destination</code>	Updates information about the publishing destination specified by the destination
<code>update_threat_intel_set</code>	Updates the ThreatIntelSet specified by the ThreatIntelSet ID

Examples

```
## Not run:
svc <- guardduty()
svc$accept_administrator_invitation(
  Foo = 123
)

## End(Not run)
```

iam

AWS Identity and Access Management

Description

Identity and Access Management

Identity and Access Management (IAM) is a web service for securely controlling access to Amazon Web Services services. With IAM, you can centrally manage users, security credentials such as access keys, and permissions that control which Amazon Web Services resources users and applications can access. For more information about IAM, see [Identity and Access Management \(IAM\)](#) and the [Identity and Access Management User Guide](#).

Usage

```
iam(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- iam(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

[add_client_id_to_open_id_connect_provider](#)
[add_role_to_instance_profile](#)
[add_user_to_group](#)
[attach_group_policy](#)
[attach_role_policy](#)
[attach_user_policy](#)
[change_password](#)
[create_access_key](#)
[create_account_alias](#)
[create_group](#)
[create_instance_profile](#)
[create_login_profile](#)
[create_open_id_connect_provider](#)
[create_policy](#)
[create_policy_version](#)
[create_role](#)
[create_saml_provider](#)
[create_service_linked_role](#)
[create_service_specific_credential](#)
[create_user](#)

Adds a new client ID (also known as audience) to the list of client IDs
 Adds the specified IAM role to the specified instance profile
 Adds the specified user to the specified group
 Attaches the specified managed policy to the specified IAM group
 Attaches the specified managed policy to the specified IAM role
 Attaches the specified managed policy to the specified user
 Changes the password of the IAM user who is calling this operation
 Creates a new Amazon Web Services secret access key and corresponding session token
 Creates an alias for your Amazon Web Services account
 Creates a new group
 Creates a new instance profile
 Creates a password for the specified IAM user
 Creates an IAM entity to describe an identity provider (IdP) that supports OpenID Connect
 Creates a new managed policy for your Amazon Web Services account
 Creates a new version of the specified managed policy
 Creates a new role for your Amazon Web Services account
 Creates an IAM resource that describes an identity provider (IdP) that supports SAML
 Creates an IAM role that is linked to a specific Amazon Web Services resource
 Generates a set of credentials consisting of a user name and password
 Creates a new IAM user for your Amazon Web Services account

<code>create_virtual_mfa_device</code>	Creates a new virtual MFA device for the Amazon Web Services account
<code>deactivate_mfa_device</code>	Deactivates the specified MFA device and removes it from association
<code>delete_access_key</code>	Deletes the access key pair associated with the specified IAM user
<code>delete_account_alias</code>	Deletes the specified Amazon Web Services account alias
<code>delete_account_password_policy</code>	Deletes the password policy for the Amazon Web Services account
<code>delete_group</code>	Deletes the specified IAM group
<code>delete_group_policy</code>	Deletes the specified inline policy that is embedded in the specified IAM group
<code>delete_instance_profile</code>	Deletes the specified instance profile
<code>delete_login_profile</code>	Deletes the password for the specified IAM user, For more information see IAM User Login Profile
<code>delete_open_id_connect_provider</code>	Deletes an OpenID Connect identity provider (IdP) resource object in IAM
<code>delete_policy</code>	Deletes the specified managed policy
<code>delete_policy_version</code>	Deletes the specified version from the specified managed policy
<code>delete_role</code>	Deletes the specified role
<code>delete_role_permissions_boundary</code>	Deletes the permissions boundary for the specified IAM role
<code>delete_role_policy</code>	Deletes the specified inline policy that is embedded in the specified IAM role
<code>delete_saml_provider</code>	Deletes a SAML provider resource in IAM
<code>delete_server_certificate</code>	Deletes the specified server certificate
<code>delete_service_linked_role</code>	Submits a service-linked role deletion request and returns a DeletionTaskArn
<code>delete_service_specific_credential</code>	Deletes the specified service-specific credential
<code>delete_signing_certificate</code>	Deletes a signing certificate associated with the specified IAM user
<code>delete_ssh_public_key</code>	Deletes the specified SSH public key
<code>delete_user</code>	Deletes the specified IAM user
<code>delete_user_permissions_boundary</code>	Deletes the permissions boundary for the specified IAM user
<code>delete_user_policy</code>	Deletes the specified inline policy that is embedded in the specified IAM user
<code>delete_virtual_mfa_device</code>	Deletes a virtual MFA device
<code>detach_group_policy</code>	Removes the specified managed policy from the specified IAM group
<code>detach_role_policy</code>	Removes the specified managed policy from the specified role
<code>detach_user_policy</code>	Removes the specified managed policy from the specified user
<code>disable_organizations_root_credentials_management</code>	Disables the management of privileged root user credentials across member accounts
<code>disable_organizations_root_sessions</code>	Disables root user sessions for privileged tasks across member accounts
<code>enable_mfa_device</code>	Enables the specified MFA device and associates it with the specified IAM user
<code>enable_organizations_root_credentials_management</code>	Enables the management of privileged root user credentials across member accounts
<code>enable_organizations_root_sessions</code>	Allows the management account or delegated administrator to perform privileged tasks across member accounts
<code>generate_credential_report</code>	Generates a credential report for the Amazon Web Services account
<code>generate_organizations_access_report</code>	Generates a report for service last accessed data for Organizations
<code>generate_service_last_accessed_details</code>	Generates a report that includes details about when an IAM resource (such as a user, group, role, or policy) was last accessed
<code>get_access_key_last_used</code>	Retrieves information about when the specified access key was last used
<code>get_account_authorization_details</code>	Retrieves information about all IAM users, groups, roles, and policies
<code>get_account_password_policy</code>	Retrieves the password policy for the Amazon Web Services account
<code>get_account_summary</code>	Retrieves information about IAM entity usage and IAM quotas in the account
<code>get_context_keys_for_custom_policy</code>	Gets a list of all of the context keys referenced in the input policies
<code>get_context_keys_for_principal_policy</code>	Gets a list of all of the context keys referenced in all the IAM policies
<code>get_credential_report</code>	Retrieves a credential report for the Amazon Web Services account
<code>get_group</code>	Returns a list of IAM users that are in the specified IAM group
<code>get_group_policy</code>	Retrieves the specified inline policy document that is embedded in the specified IAM group
<code>get_instance_profile</code>	Retrieves information about the specified instance profile, including the associated role
<code>get_login_profile</code>	Retrieves the user name for the specified IAM user
<code>get_mfa_device</code>	Retrieves information about an MFA device for a specified user

get_open_id_connect_provider	Returns information about the specified OpenID Connect (OIDC) provider
get_organizations_access_report	Retrieves the service last accessed data report for Organizations that was created using the GenerateServiceLastAccessedReport API
get_policy	Retrieves information about the specified managed policy, including the policy's path prefix
get_policy_version	Retrieves information about the specified version of the specified managed policy
get_role	Retrieves information about the specified role, including the role's path prefix
get_role_policy	Retrieves the specified inline policy document that is embedded with the specified IAM role
get_saml_provider	Returns the SAML provider metadocument that was uploaded when the specified SAML provider was created
get_server_certificate	Retrieves information about the specified server certificate stored in IAM
get_service_last_accessed_details	Retrieves a service last accessed report that was created using the GenerateServiceLastAccessedReport API
get_service_last_accessed_details_with_entities	After you generate a group or policy report using the GenerateServiceLastAccessedReport API, this API returns the entities associated with the report
get_service_linked_role_deletion_status	Retrieves the status of your service-linked role deletion
get_ssh_public_key	Retrieves the specified SSH public key, including metadata about the key
get_user	Retrieves information about the specified IAM user, including the user's path prefix
get_user_policy	Retrieves the specified inline policy document that is embedded in the specified IAM user
list_access_keys	Returns information about the access key IDs associated with the specified IAM user
list_account_aliases	Lists the account alias associated with the Amazon Web Services account
list_attached_group_policies	Lists all managed policies that are attached to the specified IAM group
list_attached_role_policies	Lists all managed policies that are attached to the specified IAM role
list_attached_user_policies	Lists all managed policies that are attached to the specified IAM user
list_entities_for_policy	Lists all IAM users, groups, and roles that the specified managed policy is attached to
list_group_policies	Lists the names of the inline policies that are embedded in the specified IAM group
list_groups	Lists the IAM groups that have the specified path prefix
list_groups_for_user	Lists the IAM groups that the specified IAM user belongs to
list_instance_profiles	Lists the instance profiles that have the specified path prefix
list_instance_profiles_for_role	Lists the instance profiles that have the specified associated IAM role
list_instance_profile_tags	Lists the tags that are attached to the specified IAM instance profile
list_mfa_devices	Lists the MFA devices for an IAM user
list_mfa_device_tags	Lists the tags that are attached to the specified IAM virtual multi-factor authentication device
list_open_id_connect_providers	Lists information about the IAM OpenID Connect (OIDC) provider resources
list_open_id_connect_provider_tags	Lists the tags that are attached to the specified OpenID Connect (OIDC) provider resource
list_organizations_features	Lists the centralized root access features enabled for your organization
list_policies	Lists all the managed policies that are available in your Amazon Web Services account
list_policies_granting_service_access	Retrieves a list of policies that the IAM identity (user, group, or role) can use to grant service access
list_policy_tags	Lists the tags that are attached to the specified IAM customer managed policy
list_policy_versions	Lists information about the versions of the specified managed policy, including the policy's path prefix
list_role_policies	Lists the names of the inline policies that are embedded in the specified IAM role
list_roles	Lists the IAM roles that have the specified path prefix
list_role_tags	Lists the tags that are attached to the specified role
list_saml_providers	Lists the SAML provider resource objects defined in IAM in the account
list_saml_provider_tags	Lists the tags that are attached to the specified Security Assertion Markup Language (SAML) provider resource
list_server_certificates	Lists the server certificates stored in IAM that have the specified path prefix
list_server_certificate_tags	Lists the tags that are attached to the specified IAM server certificate
list_service_specific_credentials	Returns information about the service-specific credentials associated with the specified IAM user
list_signing_certificates	Returns information about the signing certificates associated with the specified IAM user
list_ssh_public_keys	Returns information about the SSH public keys associated with the specified IAM user
list_user_policies	Lists the names of the inline policies embedded in the specified IAM user
list_users	Lists the IAM users that have the specified path prefix
list_user_tags	Lists the tags that are attached to the specified IAM user

<code>list_virtual_mfa_devices</code>	Lists the virtual MFA devices defined in the Amazon Web Services account
<code>put_group_policy</code>	Adds or updates an inline policy document that is embedded in the specified IAM group
<code>put_role_permissions_boundary</code>	Adds or updates the policy that is specified as the IAM role's permissions boundary
<code>put_role_policy</code>	Adds or updates an inline policy document that is embedded in the specified IAM role
<code>put_user_permissions_boundary</code>	Adds or updates the policy that is specified as the IAM user's permissions boundary
<code>put_user_policy</code>	Adds or updates an inline policy document that is embedded in the specified IAM user
<code>remove_client_id_from_open_id_connect_provider</code>	Removes the specified client ID (also known as audience) from the list of client IDs for the specified OpenID Connect (OIDC)-compatible identity provider
<code>remove_role_from_instance_profile</code>	Removes the specified IAM role from the specified Amazon EC2 instance profile
<code>remove_user_from_group</code>	Removes the specified user from the specified group
<code>reset_service_specific_credential</code>	Resets the password for a service-specific credential
<code>resync_mfa_device</code>	Synchronizes the specified MFA device with its IAM resource object
<code>set_default_policy_version</code>	Sets the specified version of the specified policy as the policy's default version
<code>set_security_token_service_preferences</code>	Sets the specified version of the global endpoint token as the token version
<code>simulate_custom_policy</code>	Simulate how a set of IAM policies and optionally a resource-based policy works with a specified IAM entity
<code>simulate_principal_policy</code>	Simulate how a set of IAM policies attached to an IAM entity works with a specified resource
<code>tag_instance_profile</code>	Adds one or more tags to an IAM instance profile
<code>tag_mfa_device</code>	Adds one or more tags to an IAM virtual multi-factor authentication (MFA) device
<code>tag_open_id_connect_provider</code>	Adds one or more tags to an OpenID Connect (OIDC)-compatible identity provider
<code>tag_policy</code>	Adds one or more tags to an IAM customer managed policy
<code>tag_role</code>	Adds one or more tags to an IAM role
<code>tag_saml_provider</code>	Adds one or more tags to a Security Assertion Markup Language (SAML) identity provider
<code>tag_server_certificate</code>	Adds one or more tags to an IAM server certificate
<code>tag_user</code>	Adds one or more tags to an IAM user
<code>untag_instance_profile</code>	Removes the specified tags from the IAM instance profile
<code>untag_mfa_device</code>	Removes the specified tags from the IAM virtual multi-factor authentication (MFA) device
<code>untag_open_id_connect_provider</code>	Removes the specified tags from the specified OpenID Connect (OIDC)-compatible identity provider
<code>untag_policy</code>	Removes the specified tags from the customer managed policy
<code>untag_role</code>	Removes the specified tags from the role
<code>untag_saml_provider</code>	Removes the specified tags from the specified Security Assertion Markup Language (SAML) identity provider
<code>untag_server_certificate</code>	Removes the specified tags from the IAM server certificate
<code>untag_user</code>	Removes the specified tags from the user
<code>update_access_key</code>	Changes the status of the specified access key from Active to Inactive, or vice versa
<code>update_account_password_policy</code>	Updates the password policy settings for the Amazon Web Services account
<code>update_assume_role_policy</code>	Updates the policy that grants an IAM entity permission to assume a role
<code>update_group</code>	Updates the name and/or the path of the specified IAM group
<code>update_login_profile</code>	Changes the password for the specified IAM user
<code>update_open_id_connect_provider_thumbprint</code>	Replaces the existing list of server certificate thumbprints associated with the specified OpenID Connect (OIDC)-compatible identity provider
<code>update_role</code>	Updates the description or maximum session duration setting of a role
<code>update_role_description</code>	Use UpdateRole instead
<code>update_saml_provider</code>	Updates the metadata document, SAML encryption settings, and private key for the specified SAML identity provider
<code>update_server_certificate</code>	Updates the name and/or the path of the specified server certificate to the specified IAM user
<code>update_service_specific_credential</code>	Sets the status of a service-specific credential to Active or Inactive
<code>update_signing_certificate</code>	Changes the status of the specified user signing certificate from active to inactive, or vice versa
<code>update_ssh_public_key</code>	Sets the status of an IAM user's SSH public key to active or inactive
<code>update_user</code>	Updates the name and/or the path of the specified IAM user
<code>upload_server_certificate</code>	Uploads a server certificate entity for the Amazon Web Services account
<code>upload_signing_certificate</code>	Uploads an X.509 signing certificate for the specified IAM user
<code>upload_ssh_public_key</code>	Uploads an SSH public key and associates it with the specified IAM user

Examples

```
## Not run:
svc <- iam()
# The following add-client-id-to-open-id-connect-provider command adds the
# client ID my-application-ID to the OIDC provider named
# server.example.com:
svc$add_client_id_to_open_id_connect_provider(
  ClientID = "my-application-ID",
  OpenIDConnectProviderArn = "arn:aws:iam::123456789012:oidc-provider/server.example.com"
)

## End(Not run)
```

iamrolesanywhere *IAM Roles Anywhere*

Description

Identity and Access Management Roles Anywhere provides a secure way for your workloads such as servers, containers, and applications that run outside of Amazon Web Services to obtain temporary Amazon Web Services credentials. Your workloads can use the same IAM policies and roles you have for native Amazon Web Services applications to access Amazon Web Services resources. Using IAM Roles Anywhere eliminates the need to manage long-term credentials for workloads running outside of Amazon Web Services.

To use IAM Roles Anywhere, your workloads must use X.509 certificates issued by their certificate authority (CA). You register the CA with IAM Roles Anywhere as a trust anchor to establish trust between your public key infrastructure (PKI) and IAM Roles Anywhere. If you don't manage your own PKI system, you can use Private Certificate Authority to create a CA and then use that to establish trust with IAM Roles Anywhere.

This guide describes the IAM Roles Anywhere operations that you can call programmatically. For more information about IAM Roles Anywhere, see the [IAM Roles Anywhere User Guide](#).

Usage

```
iamrolesanywhere(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- iamrolesanywhere(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_profile	Creates a profile, a list of the roles that Roles Anywhere service is trusted to assume
create_trust_anchor	Creates a trust anchor to establish trust between IAM Roles Anywhere and your certificate authority
delete_attribute_mapping	Delete an entry from the attribute mapping rules enforced by a given profile
delete_crl	Deletes a certificate revocation list (CRL)
delete_profile	Deletes a profile
delete_trust_anchor	Deletes a trust anchor
disable_crl	Disables a certificate revocation list (CRL)
disable_profile	Disables a profile
disable_trust_anchor	Disables a trust anchor
enable_crl	Enables a certificate revocation list (CRL)
enable_profile	Enables temporary credential requests for a profile
enable_trust_anchor	Enables a trust anchor
get_crl	Gets a certificate revocation list (CRL)
get_profile	Gets a profile
get_subject	Gets a subject, which associates a certificate identity with authentication attempts
get_trust_anchor	Gets a trust anchor
import_crl	Imports the certificate revocation list (CRL)
list_crls	Lists all certificate revocation lists (CRL) in the authenticated account and Amazon Web Services Region
list_profiles	Lists all profiles in the authenticated account and Amazon Web Services Region
list_subjects	Lists the subjects in the authenticated account and Amazon Web Services Region

list_tags_for_resource	Lists the tags attached to the resource
list_trust_anchors	Lists the trust anchors in the authenticated account and Amazon Web Services Region
put_attribute_mapping	Put an entry in the attribute mapping rules that will be enforced by a given profile
put_notification_settings	Attaches a list of notification settings to a trust anchor
reset_notification_settings	Resets the custom notification setting to IAM Roles Anywhere default setting
tag_resource	Attaches tags to a resource
untag_resource	Removes tags from the resource
update_crl	Updates the certificate revocation list (CRL)
update_profile	Updates a profile, a list of the roles that IAM Roles Anywhere service is trusted to assume
update_trust_anchor	Updates a trust anchor

Examples

```
## Not run:
svc <- iamrolesanywhere()
svc$create_profile(
  Foo = 123
)

## End(Not run)
```

identitystore

AWS SSO Identity Store

Description

The Identity Store service used by IAM Identity Center provides a single place to retrieve all of your identities (users and groups). For more information, see the [IAM Identity Center User Guide](#).

This reference guide describes the identity store operations that you can call programmatically and includes detailed information about data types and errors.

IAM Identity Center uses the `sso` and `identitystore` API namespaces.

Usage

```
identitystore(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- identitystore(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_group	Creates a group within the specified identity store
create_group_membership	Creates a relationship between a member and a group
create_user	Creates a user within the specified identity store
delete_group	Delete a group within an identity store given GroupId
delete_group_membership	Delete a membership within a group given MembershipId
delete_user	Deletes a user within an identity store given UserId
describe_group	Retrieves the group metadata and attributes from GroupId in an identity store
describe_group_membership	Retrieves membership metadata and attributes from MembershipId in an identity store
describe_user	Retrieves the user metadata and attributes from the UserId in an identity store
get_group_id	Retrieves GroupId in an identity store
get_group_membership_id	Retrieves the MembershipId in an identity store
get_user_id	Retrieves the UserId in an identity store
is_member_in_groups	Checks the user's membership in all requested groups and returns if the member exists
list_group_memberships	For the specified group in the specified identity store, returns the list of all GroupMemberships
list_group_memberships_for_member	For the specified member in the specified identity store, returns the list of all GroupMemberships
list_groups	Lists all groups in the identity store
list_users	Lists all users in the identity store
update_group	For the specified group in the specified identity store, updates the group metadata and attributes
update_user	For the specified user in the specified identity store, updates the user metadata and attributes

Examples

```
## Not run:
svc <- identitystore()
svc$create_group(
  Foo = 123
)

## End(Not run)
```

inspector

Amazon Inspector

Description

Amazon Inspector enables you to analyze the behavior of your AWS resources and to identify potential security issues. For more information, see [Amazon Inspector User Guide](#).

Usage

```
inspector(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

- config Optional configuration of credentials, endpoint, and/or region.
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
 - **endpoint:** The complete URL to use for the constructed client.
 - **region:** The AWS Region used in instantiating the client.
 - **close_connection:** Immediately close all HTTP connections.
 - **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

	<ul style="list-style-type: none"> • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- inspector(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    )
  )
)
```

```

    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

add_attributes_to_findings	Assigns attributes (key and value pairs) to the findings that are specified by the ARNs of the findings
create_assessment_target	Creates a new assessment target using the ARN of the resource group that is generated by the <code>create_resource_group</code> operation
create_assessment_template	Creates an assessment template for the assessment target that is specified by the ARN of the assessment target
create_exclusions_preview	Starts the generation of an exclusions preview for the specified assessment template
create_resource_group	Creates a resource group using the specified set of tags (key and value pairs) that are used to identify the resource group
delete_assessment_run	Deletes the assessment run that is specified by the ARN of the assessment run
delete_assessment_target	Deletes the assessment target that is specified by the ARN of the assessment target
delete_assessment_template	Deletes the assessment template that is specified by the ARN of the assessment template
describe_assessment_runs	Describes the assessment runs that are specified by the ARNs of the assessment runs
describe_assessment_targets	Describes the assessment targets that are specified by the ARNs of the assessment targets
describe_assessment_templates	Describes the assessment templates that are specified by the ARNs of the assessment templates
describe_cross_account_access_role	Describes the IAM role that enables Amazon Inspector to access your AWS account
describe_exclusions	Describes the exclusions that are specified by the exclusions' ARNs
describe_findings	Describes the findings that are specified by the ARNs of the findings
describe_resource_groups	Describes the resource groups that are specified by the ARNs of the resource groups
describe_rules_packages	Describes the rules packages that are specified by the ARNs of the rules packages
get_assessment_report	Produces an assessment report that includes detailed and comprehensive results of a scan
get_exclusions_preview	Retrieves the exclusions preview (a list of ExclusionPreview objects) specified by the ARN of the assessment template
get_telemetry_metadata	Information about the data that is collected for the specified assessment run
list_assessment_run_agents	Lists the agents of the assessment runs that are specified by the ARNs of the assessment runs
list_assessment_runs	Lists the assessment runs that correspond to the assessment templates that are specified by the ARNs of the assessment templates
list_assessment_targets	Lists the ARNs of the assessment targets within this AWS account
list_assessment_templates	Lists the assessment templates that correspond to the assessment targets that are specified by the ARNs of the assessment targets
list_event_subscriptions	Lists all the event subscriptions for the assessment template that is specified by the ARN of the assessment template
list_exclusions	List exclusions that are generated by the assessment run
list_findings	Lists findings that are generated by the assessment runs that are specified by the ARNs of the assessment runs
list_rules_packages	Lists all available Amazon Inspector rules packages
list_tags_for_resource	Lists all tags associated with an assessment template
preview_agents	Previews the agents installed on the EC2 instances that are part of the specified assessment run
register_cross_account_access_role	Registers the IAM role that grants Amazon Inspector access to AWS Services needed to scan your AWS account
remove_attributes_from_findings	Removes entire attributes (key and value pairs) from the findings that are specified by the ARNs of the findings
set_tags_for_resource	Sets tags (key and value pairs) to the assessment template that is specified by the ARN of the assessment template
start_assessment_run	Starts the assessment run specified by the ARN of the assessment template
stop_assessment_run	Stops the assessment run that is specified by the ARN of the assessment run
subscribe_to_event	Enables the process of sending Amazon Simple Notification Service (SNS) notifications for the specified assessment run
unsubscribe_from_event	Disables the process of sending Amazon Simple Notification Service (SNS) notifications for the specified assessment run
update_assessment_target	Updates the assessment target that is specified by the ARN of the assessment target

Examples

```
## Not run:
svc <- inspector()
# Assigns attributes (key and value pairs) to the findings that are
# specified by the ARNs of the findings.
svc$add_attributes_to_findings(
  attributes = list(
    list(
      key = "Example",
      value = "example"
    )
  ),
  findingArns = list(
    "arn:aws:inspector:us-west-2:123456789012:target/0-0kFIPusq/template/0-..."
  )
)

## End(Not run)
```

inspector2

Inspector2

Description

Amazon Inspector is a vulnerability discovery service that automates continuous scanning for security vulnerabilities within your Amazon EC2, Amazon ECR, and Amazon Web Services Lambda environments.

Usage

```
inspector2(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key

- * **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
 - **endpoint**: The complete URL to use for the constructed client.
 - **region**: The AWS Region used in instantiating the client.
 - **close_connection**: Immediately close all HTTP connections.
 - **timeout**: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.
 - **s3_force_path_style**: Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.
 - **sts_regional_endpoint**: Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>
- credentials Optional credentials shorthand for the config parameter
- **creds**:
 - **access_key_id**: AWS access key ID
 - **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service’s operations using syntax like `svc$operation(...)`, where `svc` is the name you’ve assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- inspector2(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
```

```

        close_connection = "logical",
        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

associate_member	Associates an Amazon Web Services account with an Amazon Inspector
batch_get_account_status	Retrieves the Amazon Inspector status of multiple Amazon Web Servi
batch_get_code_snippet	Retrieves code snippets from findings that Amazon Inspector detected
batch_get_finding_details	Gets vulnerability details for findings
batch_get_free_trial_info	Gets free trial status for multiple Amazon Web Services accounts
batch_get_member_ec_2_deep_inspection_status	Retrieves Amazon Inspector deep inspection activation status of multi
batch_update_member_ec_2_deep_inspection_status	Activates or deactivates Amazon Inspector deep inspection for the pro
cancel_findings_report	Cancels the given findings report
cancel_sbom_export	Cancels a software bill of materials (SBOM) report
create_cis_scan_configuration	Creates a CIS scan configuration
create_filter	Creates a filter resource using specified filter criteria
create_findings_report	Creates a finding report
create_sbom_export	Creates a software bill of materials (SBOM) report
delete_cis_scan_configuration	Deletes a CIS scan configuration
delete_filter	Deletes a filter resource
describe_organization_configuration	Describe Amazon Inspector configuration settings for an Amazon Wel
disable	Disables Amazon Inspector scans for one or more Amazon Web Servi
disable_delegated_admin_account	Disables the Amazon Inspector delegated administrator for your organ
disassociate_member	Disassociates a member account from an Amazon Inspector delegated
enable	Enables Amazon Inspector scans for one or more Amazon Web Servic
enable_delegated_admin_account	Enables the Amazon Inspector delegated administrator for your Organ
get_cis_scan_report	Retrieves a CIS scan report
get_cis_scan_result_details	Retrieves CIS scan result details
get_configuration	Retrieves setting configurations for Inspector scans
get_delegated_admin_account	Retrieves information about the Amazon Inspector delegated administ
get_ec_2_deep_inspection_configuration	Retrieves the activation status of Amazon Inspector deep inspection an
get_encryption_key	Gets an encryption key
get_findings_report_status	Gets the status of a findings report

get_member	Gets member information for your organization
get_sbom_export	Gets details of a software bill of materials (SBOM) report
list_account_permissions	Lists the permissions an account has to configure Amazon Inspector
list_cis_scan_configurations	Lists CIS scan configurations
list_cis_scan_results_aggregated_by_checks	Lists scan results aggregated by checks
list_cis_scan_results_aggregated_by_target_resource	Lists scan results aggregated by a target resource
list_cis_scans	Returns a CIS scan list
list_coverage	Lists coverage details for your environment
list_coverage_statistics	Lists Amazon Inspector coverage statistics for your environment
list_delegated_admin_accounts	Lists information about the Amazon Inspector delegated administrators
list_filters	Lists the filters associated with your account
list_finding_aggregations	Lists aggregated finding data for your environment based on specific criteria
list_findings	Lists findings for your environment
list_members	List members associated with the Amazon Inspector delegated administrator
list_tags_for_resource	Lists all tags attached to a given resource
list_usage_totals	Lists the Amazon Inspector usage totals over the last 30 days
reset_encryption_key	Resets an encryption key
search_vulnerabilities	Lists Amazon Inspector coverage details for a specific vulnerability
send_cis_session_health	Sends a CIS session health
send_cis_session_telemetry	Sends a CIS session telemetry
start_cis_session	Starts a CIS session
stop_cis_session	Stops a CIS session
tag_resource	Adds tags to a resource
untag_resource	Removes tags from a resource
update_cis_scan_configuration	Updates a CIS scan configuration
update_configuration	Updates setting configurations for your Amazon Inspector account
update_ec_2_deep_inspection_configuration	Activates, deactivates Amazon Inspector deep inspection, or updates custom paths
update_encryption_key	Updates an encryption key
update_filter	Specifies the action that is to be applied to the findings that match the filter
update_organization_configuration	Updates the configurations for your Amazon Inspector organization
update_org_ec_2_deep_inspection_configuration	Updates the Amazon Inspector deep inspection custom paths for your organization

Examples

```
## Not run:
svc <- inspector2()
svc$associate_member(
  Foo = 123
)

## End(Not run)
```

Description

Key Management Service

Key Management Service (KMS) is an encryption and key management web service. This guide describes the KMS operations that you can call programmatically. For general information about KMS, see the [Key Management Service Developer Guide](#).

KMS has replaced the term *customer master key (CMK)* with *KMS key* and *KMS key*. The concept has not changed. To prevent breaking changes, KMS is keeping some variations of this term.

Amazon Web Services provides SDKs that consist of libraries and sample code for various programming languages and platforms (Java, Ruby, .Net, macOS, Android, etc.). The SDKs provide a convenient way to create programmatic access to KMS and other Amazon Web Services services. For example, the SDKs take care of tasks such as signing requests (see below), managing errors, and retrying requests automatically. For more information about the Amazon Web Services SDKs, including how to download and install them, see [Tools for Amazon Web Services](#).

We recommend that you use the Amazon Web Services SDKs to make programmatic API calls to KMS.

If you need to use FIPS 140-2 validated cryptographic modules when communicating with Amazon Web Services, use the FIPS endpoint in your preferred Amazon Web Services Region. For more information about the available FIPS endpoints, see [Service endpoints](#) in the Key Management Service topic of the *Amazon Web Services General Reference*.

All KMS API calls must be signed and be transmitted using Transport Layer Security (TLS). KMS recommends you always use the latest supported TLS version. Clients must also support cipher suites with Perfect Forward Secrecy (PFS) such as Ephemeral Diffie-Hellman (DHE) or Elliptic Curve Ephemeral Diffie-Hellman (ECDHE). Most modern systems such as Java 7 and later support these modes.

Signing Requests

Requests must be signed using an access key ID and a secret access key. We strongly recommend that you do not use your Amazon Web Services account root access key ID and secret access key for everyday work. You can use the access key ID and secret access key for an IAM user or you can use the Security Token Service (STS) to generate temporary security credentials and use those to sign requests.

All KMS requests must be signed with [Signature Version 4](#).

Logging API Requests

KMS supports CloudTrail, a service that logs Amazon Web Services API calls and related events for your Amazon Web Services account and delivers them to an Amazon S3 bucket that you specify. By using the information collected by CloudTrail, you can determine what requests were made to KMS, who made the request, when it was made, and so on. To learn more about CloudTrail, including how to turn it on and find your log files, see the [CloudTrail User Guide](#).

Additional Resources

For more information about credentials and request signing, see the following:

- [Amazon Web Services Security Credentials](#) - This topic provides general information about the types of credentials used to access Amazon Web Services.
- [Temporary Security Credentials](#) - This section of the *IAM User Guide* describes how to create and use temporary security credentials.
- [Signature Version 4 Signing Process](#) - This set of topics walks you through the process of signing a request using an access key ID and a secret access key.

Commonly Used API Operations

Of the API operations discussed in this guide, the following will prove the most useful for most applications. You will likely perform operations other than these, such as creating keys and assigning policies, by using the console.

- [encrypt](#)
- [decrypt](#)
- [generate_data_key](#)
- [generate_data_key_without_plaintext](#)

Usage

```
kms(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**

- **access_key_id:** AWS access key ID

- **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- kms(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

<code>cancel_key_deletion</code>	Cancels the deletion of a KMS key
<code>connect_custom_key_store</code>	Connects or reconnects a custom key store to its backing key store
<code>create_alias</code>	Creates a friendly name for a KMS key
<code>create_custom_key_store</code>	Creates a custom key store backed by a key store that you own and manage
<code>create_grant</code>	Adds a grant to a KMS key
<code>create_key</code>	Creates a unique customer managed KMS key in your Amazon Web Services account
<code>decrypt</code>	Decrypts ciphertext that was encrypted by a KMS key using any of the following algorithms
<code>delete_alias</code>	Deletes the specified alias
<code>delete_custom_key_store</code>	Deletes a custom key store
<code>delete_imported_key_material</code>	Deletes key material that was previously imported
<code>derive_shared_secret</code>	Derives a shared secret using a key agreement algorithm
<code>describe_custom_key_stores</code>	Gets information about custom key stores in the account and Region
<code>describe_key</code>	Provides detailed information about a KMS key
<code>disable_key</code>	Sets the state of a KMS key to disabled
<code>disable_key_rotation</code>	Disables automatic rotation of the key material of the specified symmetric encryption key
<code>disconnect_custom_key_store</code>	Disconnects the custom key store from its backing key store
<code>enable_key</code>	Sets the key state of a KMS key to enabled
<code>enable_key_rotation</code>	Enables automatic rotation of the key material of the specified symmetric encryption key
<code>encrypt</code>	Encrypts plaintext of up to 4,096 bytes using a KMS key
<code>generate_data_key</code>	Returns a unique symmetric data key for use outside of KMS
<code>generate_data_key_pair</code>	Returns a unique asymmetric data key pair for use outside of KMS
<code>generate_data_key_pair_without_plaintext</code>	Returns a unique asymmetric data key pair for use outside of KMS
<code>generate_data_key_without_plaintext</code>	Returns a unique symmetric data key for use outside of KMS
<code>generate_mac</code>	Generates a hash-based message authentication code (HMAC) for a message using a KMS key
<code>generate_random</code>	Returns a random byte string that is cryptographically secure
<code>get_key_policy</code>	Gets a key policy attached to the specified KMS key
<code>get_key_rotation_status</code>	Provides detailed information about the rotation status for a KMS key, including whether rotation is enabled
<code>get_parameters_for_import</code>	Returns the public key and an import token you need to import or reimport key material
<code>get_public_key</code>	Returns the public key of an asymmetric KMS key
<code>import_key_material</code>	Imports or reimports key material into an existing KMS key that was created with imported key material
<code>list_aliases</code>	Gets a list of aliases in the caller's Amazon Web Services account and region
<code>list_grants</code>	Gets a list of all grants for the specified KMS key
<code>list_key_policies</code>	Gets the names of the key policies that are attached to a KMS key
<code>list_key_rotations</code>	Returns information about all completed key material rotations for the specified key
<code>list_keys</code>	Gets a list of all KMS keys in the caller's Amazon Web Services account and Region
<code>list_resource_tags</code>	Returns all tags on the specified KMS key
<code>list_retirable_grants</code>	Returns information about all grants in the Amazon Web Services account and Region that are eligible for retirement
<code>put_key_policy</code>	Attaches a key policy to the specified KMS key
<code>re_encrypt</code>	Decrypts ciphertext and then reencrypts it entirely within KMS
<code>replicate_key</code>	Replicates a multi-Region key into the specified Region
<code>retire_grant</code>	Deletes a grant
<code>revoke_grant</code>	Deletes the specified grant
<code>rotate_key_on_demand</code>	Immediately initiates rotation of the key material of the specified symmetric encryption key
<code>schedule_key_deletion</code>	Schedules the deletion of a KMS key
<code>sign</code>	Creates a digital signature for a message or message digest by using the private key of a KMS key
<code>tag_resource</code>	Adds or edits tags on a customer managed key

<code>untag_resource</code>	Deletes tags from a customer managed key
<code>update_alias</code>	Associates an existing KMS alias with a different KMS key
<code>update_custom_key_store</code>	Changes the properties of a custom key store
<code>update_key_description</code>	Updates the description of a KMS key
<code>update_primary_region</code>	Changes the primary key of a multi-Region key
<code>verify</code>	Verifies a digital signature that was generated by the Sign operation
<code>verify_mac</code>	Verifies the hash-based message authentication code (HMAC) for a specified message

Examples

```
## Not run:
svc <- kms()
# The following example cancels deletion of the specified KMS key.
svc$cancel_key_deletion(
  KeyId = "1234abcd-12ab-34cd-56ef-1234567890ab"
)
## End(Not run)
```

macie2

Amazon Macie 2

Description

Amazon Macie

Usage

```
macie2(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.

	<ul style="list-style-type: none"> • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- macie2(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
```

```

    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

accept_invitation	Accepts an Amazon Macie membership invitation that was received from a sp
batch_get_custom_data_identifiers	Retrieves information about one or more custom data identifiers
batch_update_automated_discovery_accounts	Changes the status of automated sensitive data discovery for one or more acco
create_allow_list	Creates and defines the settings for an allow list
create_classification_job	Creates and defines the settings for a classification job
create_custom_data_identifier	Creates and defines the criteria and other settings for a custom data identifier
create_findings_filter	Creates and defines the criteria and other settings for a findings filter
create_invitations	Sends an Amazon Macie membership invitation to one or more accounts
create_member	Associates an account with an Amazon Macie administrator account
create_sample_findings	Creates sample findings
decline_invitations	Declines Amazon Macie membership invitations that were received from speci
delete_allow_list	Deletes an allow list
delete_custom_data_identifier	Soft deletes a custom data identifier
delete_findings_filter	Deletes a findings filter
delete_invitations	Deletes Amazon Macie membership invitations that were received from speci
delete_member	Deletes the association between an Amazon Macie administrator account and
describe_buckets	Retrieves (queries) statistical data and other information about one or more S3
describe_classification_job	Retrieves the status and settings for a classification job
describe_organization_configuration	Retrieves the Amazon Macie configuration settings for an organization in Org
disable_macie	Disables Amazon Macie and deletes all settings and resources for a Macie ac
disable_organization_admin_account	Disables an account as the delegated Amazon Macie administrator account fo
disassociate_from_administrator_account	Disassociates a member account from its Amazon Macie administrator accou
disassociate_from_master_account	(Deprecated) Disassociates a member account from its Amazon Macie admin
disassociate_member	Disassociates an Amazon Macie administrator account from a member accou
enable_macie	Enables Amazon Macie and specifies the configuration settings for a Macie a
enable_organization_admin_account	Designates an account as the delegated Amazon Macie administrator account
get_administrator_account	Retrieves information about the Amazon Macie administrator account for an
get_allow_list	Retrieves the settings and status of an allow list
get_automated_discovery_configuration	Retrieves the configuration settings and status of automated sensitive data dis
get_bucket_statistics	Retrieves (queries) aggregated statistical data about all the S3 buckets that An
get_classification_export_configuration	Retrieves the configuration settings for storing data classification results
get_classification_scope	Retrieves the classification scope settings for an account
get_custom_data_identifier	Retrieves the criteria and other settings for a custom data identifier
get_findings	Retrieves the details of one or more findings

<code>get_findings_filter</code>	Retrieves the criteria and other settings for a findings filter
<code>get_findings_publication_configuration</code>	Retrieves the configuration settings for publishing findings to Security Hub
<code>get_finding_statistics</code>	Retrieves (queries) aggregated statistical data about findings
<code>get_invitations_count</code>	Retrieves the count of Amazon Macie membership invitations that were received
<code>get_macie_session</code>	Retrieves the status and configuration settings for an Amazon Macie account
<code>get_master_account</code>	(Deprecated) Retrieves information about the Amazon Macie administrator account
<code>get_member</code>	Retrieves information about an account that's associated with an Amazon Macie account
<code>get_resource_profile</code>	Retrieves (queries) sensitive data discovery statistics and the sensitivity score
<code>get_reveal_configuration</code>	Retrieves the status and configuration settings for retrieving occurrences of sensitive data
<code>get_sensitive_data_occurrences</code>	Retrieves occurrences of sensitive data reported by a finding
<code>get_sensitive_data_occurrences_availability</code>	Checks whether occurrences of sensitive data can be retrieved for a finding
<code>get_sensitivity_inspection_template</code>	Retrieves the settings for the sensitivity inspection template for an account
<code>get_usage_statistics</code>	Retrieves (queries) quotas and aggregated usage data for one or more accounts
<code>get_usage_totals</code>	Retrieves (queries) aggregated usage data for an account
<code>list_allow_lists</code>	Retrieves a subset of information about all the allow lists for an account
<code>list_automated_discovery_accounts</code>	Retrieves the status of automated sensitive data discovery for one or more accounts
<code>list_classification_jobs</code>	Retrieves a subset of information about one or more classification jobs
<code>list_classification_scopes</code>	Retrieves a subset of information about the classification scope for an account
<code>list_custom_data_identifiers</code>	Retrieves a subset of information about the custom data identifiers for an account
<code>list_findings</code>	Retrieves a subset of information about one or more findings
<code>list_findings_filters</code>	Retrieves a subset of information about all the findings filters for an account
<code>list_invitations</code>	Retrieves information about Amazon Macie membership invitations that were received
<code>list_managed_data_identifiers</code>	Retrieves information about all the managed data identifiers that Amazon Macie has discovered
<code>list_members</code>	Retrieves information about the accounts that are associated with an Amazon Macie account
<code>list_organization_admin_accounts</code>	Retrieves information about the delegated Amazon Macie administrator accounts
<code>list_resource_profile_artifacts</code>	Retrieves information about objects that Amazon Macie selected from an S3 bucket
<code>list_resource_profile_detections</code>	Retrieves information about the types and amount of sensitive data that Amazon Macie discovered
<code>list_sensitivity_inspection_templates</code>	Retrieves a subset of information about the sensitivity inspection template for an account
<code>list_tags_for_resource</code>	Retrieves the tags (keys and values) that are associated with an Amazon Macie resource
<code>put_classification_export_configuration</code>	Adds or updates the configuration settings for storing data classification results
<code>put_findings_publication_configuration</code>	Updates the configuration settings for publishing findings to Security Hub
<code>search_resources</code>	Retrieves (queries) statistical data and other information about Amazon Web Services resources
<code>tag_resource</code>	Adds or updates one or more tags (keys and values) that are associated with a resource
<code>test_custom_data_identifier</code>	Tests criteria for a custom data identifier
<code>untag_resource</code>	Removes one or more tags (keys and values) from an Amazon Macie resource
<code>update_allow_list</code>	Updates the settings for an allow list
<code>update_automated_discovery_configuration</code>	Changes the configuration settings and status of automated sensitive data discovery
<code>update_classification_job</code>	Changes the status of a classification job
<code>update_classification_scope</code>	Updates the classification scope settings for an account
<code>update_findings_filter</code>	Updates the criteria and other settings for a findings filter
<code>update_macie_session</code>	Suspends or re-enables Amazon Macie, or updates the configuration settings for an account
<code>update_member_session</code>	Enables an Amazon Macie administrator to suspend or re-enable Macie for a member account
<code>update_organization_configuration</code>	Updates the Amazon Macie configuration settings for an organization in Organizations
<code>update_resource_profile</code>	Updates the sensitivity score for an S3 bucket
<code>update_resource_profile_detections</code>	Updates the sensitivity scoring settings for an S3 bucket
<code>update_reveal_configuration</code>	Updates the status and configuration settings for retrieving occurrences of sensitive data
<code>update_sensitivity_inspection_template</code>	Updates the settings for the sensitivity inspection template for an account

Examples

```
## Not run:
svc <- macie2()
svc$accept_invitation(
  Foo = 123
)

## End(Not run)
```

pcaconnectorad	<i>PcaConnectorAd</i>
----------------	-----------------------

Description

Amazon Web Services Private CA Connector for Active Directory creates a connector between Amazon Web Services Private CA and Active Directory (AD) that enables you to provision security certificates for AD signed by a private CA that you own. For more information, see [Amazon Web Services Private CA Connector for Active Directory](#).

Usage

```
pcaconnectorad(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

- config Optional configuration of credentials, endpoint, and/or region.
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
 - **endpoint:** The complete URL to use for the constructed client.
 - **region:** The AWS Region used in instantiating the client.
 - **close_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- pcaconnectorad(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_connector	Creates a connector between Amazon Web Services Private CA and an Active Directory
create_directory_registration	Creates a directory registration that authorizes communication between Amazon Web Services Private CA and an Active Directory
create_service_principal_name	Creates a service principal name (SPN) for the service account in Active Directory
create_template	Creates an Active Directory compatible certificate template
create_template_group_access_control_entry	Create a group access control entry
delete_connector	Deletes a connector for Active Directory
delete_directory_registration	Deletes a directory registration
delete_service_principal_name	Deletes the service principal name (SPN) used by a connector to authenticate with Active Directory
delete_template	Deletes a template
delete_template_group_access_control_entry	Deletes a group access control entry
get_connector	Lists information about your connector
get_directory_registration	A structure that contains information about your directory registration
get_service_principal_name	Lists the service principal name that the connector uses to authenticate with Active Directory
get_template	Retrieves a certificate template that the connector uses to issue certificates from Amazon Web Services Private CA
get_template_group_access_control_entry	Retrieves the group access control entries for a template
list_connectors	Lists the connectors that you created by using the https://docs
list_directory_registrations	Lists the directory registrations that you created by using the https://docs
list_service_principal_names	Lists the service principal names that the connector uses to authenticate with Active Directory
list_tags_for_resource	Lists the tags, if any, that are associated with your resource
list_template_group_access_control_entries	Lists group access control entries you created
list_templates	Lists the templates, if any, that are associated with a connector
tag_resource	Adds one or more tags to your resource
untag_resource	Removes one or more tags from your resource
update_template	Update template configuration to define the information included in certificates issued by Amazon Web Services Private CA
update_template_group_access_control_entry	Update a group access control entry you created using CreateTemplateGroupAccessControlEntry

Examples

```

## Not run:
svc <- pcaconnectorad()
svc$create_connector(
  Foo = 123
)

## End(Not run)

```

ram

AWS Resource Access Manager

Description

This is the *Resource Access Manager API Reference*. This documentation provides descriptions and syntax for each of the actions and data types in RAM. RAM is a service that helps you securely share your Amazon Web Services resources to other Amazon Web Services accounts. If you use Organizations to manage your accounts, then you can share your resources with your entire organization or to organizational units (OUs). For supported resource types, you can also share resources with individual Identity and Access Management (IAM) roles and users.

To learn more about RAM, see the following resources:

- [Resource Access Manager product page](#)
- [Resource Access Manager User Guide](#)

Usage

```
ram(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**
 - **access_key_id:** AWS access key ID
 - **secret_access_key:** AWS secret access key
 - **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ram(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[accept_resource_share_invitation](#)
[associate_resource_share](#)
[associate_resource_share_permission](#)
[create_permission](#)
[create_permission_version](#)
[create_resource_share](#)
[delete_permission](#)
[delete_permission_version](#)
[delete_resource_share](#)
[disassociate_resource_share](#)
[disassociate_resource_share_permission](#)
[enable_sharing_with_aws_organization](#)
[get_permission](#)
[get_resource_policies](#)
[get_resource_share_associations](#)
[get_resource_share_invitations](#)
[get_resource_shares](#)
[list_pending_invitation_resources](#)
[list_permission_associations](#)
[list_permissions](#)
[list_permission_versions](#)
[list_principals](#)
[list_replace_permission_associations_work](#)
[list_resources](#)
[list_resource_share_permissions](#)
[list_resource_types](#)
[promote_permission_created_from_policy](#)
[promote_resource_share_created_from_policy](#)
[reject_resource_share_invitation](#)
[replace_permission_associations](#)
[set_default_permission_version](#)
[tag_resource](#)
[untag_resource](#)
[update_resource_share](#)

Accepts an invitation to a resource share from another Amazon Web Services account
 Adds the specified list of principals and list of resources to a resource share
 Adds or replaces the RAM permission for a resource type included in a resource share
 Creates a customer managed permission for a specified resource type that you own
 Creates a new version of the specified customer managed permission
 Creates a resource share
 Deletes the specified customer managed permission in the Amazon Web Services account
 Deletes one version of a customer managed permission
 Deletes the specified resource share
 Removes the specified principals or resources from participating in the specified resource share
 Removes a managed permission from a resource share
 Enables resource sharing within your organization in Organizations
 Retrieves the contents of a managed permission in JSON format
 Retrieves the resource policies for the specified resources that you own and have shared
 Retrieves the lists of resources and principals that associated for resource share
 Retrieves details about invitations that you have received for resource shares
 Retrieves details about the resource shares that you own or that are shared with you
 Lists the resources in a resource share that is shared with you but for which there are no permissions
 Lists information about the managed permission and its associations to any resource types
 Retrieves a list of available RAM permissions that you can use for the supported resource types
 Lists the available versions of the specified RAM permission
 Lists the principals that you are sharing resources with or that are sharing resources with you
 Retrieves the current status of the asynchronous tasks performed by RAM
 Lists the resources that you added to a resource share or the resources that are shared with you
 Lists the RAM permissions that are associated with a resource share
 Lists the resource types that can be shared by RAM
 When you attach a resource-based policy to a resource, RAM automatically creates a managed permission
 When you attach a resource-based policy to a resource, RAM automatically creates a managed permission
 Rejects an invitation to a resource share from another Amazon Web Services account
 Updates all resource shares that use a managed permission to a different managed permission
 Designates the specified version number as the default version for the specified customer managed permission
 Adds the specified tag keys and values to a resource share or managed permission
 Removes the specified tag key and value pairs from the specified resource share
 Modifies some of the properties of the specified resource share

Examples

```

## Not run:
svc <- ram()
svc$accept_resource_share_invitation(
  Foo = 123
)

## End(Not run)

```

secretsmanager

*AWS Secrets Manager***Description**

Amazon Web Services Secrets Manager

Amazon Web Services Secrets Manager provides a service to enable you to store, manage, and retrieve, secrets.

This guide provides descriptions of the Secrets Manager API. For more information about using this service, see the [Amazon Web Services Secrets Manager User Guide](#).

API Version

This version of the Secrets Manager API Reference documents the Secrets Manager API version 2017-10-17.

For a list of endpoints, see [Amazon Web Services Secrets Manager endpoints](#).

Support and Feedback for Amazon Web Services Secrets Manager

We welcome your feedback. Send your comments to awssecretsmanager-feedback@amazon.com, or post your feedback and questions in the Amazon Web Services Secrets Manager Discussion Forum. For more information about the Amazon Web Services Discussion Forums, see [Forums Help](#).

Logging API Requests

Amazon Web Services Secrets Manager supports Amazon Web Services CloudTrail, a service that records Amazon Web Services API calls for your Amazon Web Services account and delivers log files to an Amazon S3 bucket. By using information that's collected by Amazon Web Services CloudTrail, you can determine the requests successfully made to Secrets Manager, who made the request, when it was made, and so on. For more about Amazon Web Services Secrets Manager and support for Amazon Web Services CloudTrail, see [Logging Amazon Web Services Secrets Manager Events with Amazon Web Services CloudTrail](#) in the *Amazon Web Services Secrets Manager User Guide*. To learn more about CloudTrail, including enabling it and find your log files, see the [Amazon Web Services CloudTrail User Guide](#).

Usage

```
secretsmanager(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

	<ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- secretsmanager(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
```

```

    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

batch_get_secret_value	Retrieves the contents of the encrypted fields SecretString or SecretBinary for up to 20 secrets
cancel_rotate_secret	Turns off automatic rotation, and if a rotation is currently in progress, cancels the rotation
create_secret	Creates a new secret
delete_resource_policy	Deletes the resource-based permission policy attached to the secret
delete_secret	Deletes a secret and all of its versions
describe_secret	Retrieves the details of a secret
get_random_password	Generates a random password
get_resource_policy	Retrieves the JSON text of the resource-based policy document attached to the secret
get_secret_value	Retrieves the contents of the encrypted fields SecretString or SecretBinary from the specified secret
list_secrets	Lists the secrets that are stored by Secrets Manager in the Amazon Web Services account
list_secret_version_ids	Lists the versions of a secret
put_resource_policy	Attaches a resource-based permission policy to a secret
put_secret_value	Creates a new version with a new encrypted secret value and attaches it to the secret
remove_regions_from_replication	For a secret that is replicated to other Regions, deletes the secret replicas from the specified Regions
replicate_secret_to_regions	Replicates the secret to a new Regions
restore_secret	Cancels the scheduled deletion of a secret by removing the DeletedDate time stamp
rotate_secret	Configures and starts the asynchronous process of rotating the secret
stop_replication_to_replica	Removes the link between the replica secret and the primary secret and promotes the replica to the primary
tag_resource	Attaches tags to a secret
untag_resource	Removes specific tags from a secret
update_secret	Modifies the details of a secret, including metadata and the secret value
update_secret_version_stage	Modifies the staging labels attached to a version of a secret
validate_resource_policy	Validates that a resource policy does not grant a wide range of principals access to your secrets

Examples

```
## Not run:
svc <- secretsmanager()
# The following example shows how to cancel rotation for a secret. The
# operation sets the RotationEnabled field to false and cancels all
# scheduled rotations. To resume scheduled rotations, you must re-enable
# rotation by calling the rotate-secret operation.
svc$cancel_rotate_secret(
  SecretId = "MyTestDatabaseSecret"
)

## End(Not run)
```

securityhub

AWS SecurityHub

Description

Security Hub provides you with a comprehensive view of your security state in Amazon Web Services and helps you assess your Amazon Web Services environment against security industry standards and best practices.

Security Hub collects security data across Amazon Web Services accounts, Amazon Web Services services, and supported third-party products and helps you analyze your security trends and identify the highest priority security issues.

To help you manage the security state of your organization, Security Hub supports multiple security standards. These include the Amazon Web Services Foundational Security Best Practices (FSBP) standard developed by Amazon Web Services, and external compliance frameworks such as the Center for Internet Security (CIS), the Payment Card Industry Data Security Standard (PCI DSS), and the National Institute of Standards and Technology (NIST). Each standard includes several security controls, each of which represents a security best practice. Security Hub runs checks against security controls and generates control findings to help you assess your compliance against security best practices.

In addition to generating control findings, Security Hub also receives findings from other Amazon Web Services services, such as Amazon GuardDuty and Amazon Inspector, and supported third-party products. This gives you a single pane of glass into a variety of security-related issues. You can also send Security Hub findings to other Amazon Web Services services and supported third-party products.

Security Hub offers automation features that help you triage and remediate security issues. For example, you can use automation rules to automatically update critical findings when a security check fails. You can also leverage the integration with Amazon EventBridge to trigger automatic responses to specific findings.

This guide, the *Security Hub API Reference*, provides information about the Security Hub API. This includes supported resources, HTTP methods, parameters, and schemas. If you're new to Security Hub, you might find it helpful to also review the *Security Hub User Guide*. The user guide explains key concepts and provides procedures that demonstrate how to use Security Hub features.

It also provides information about topics such as integrating Security Hub with other Amazon Web Services services.

In addition to interacting with Security Hub by making calls to the Security Hub API, you can use a current version of an Amazon Web Services command line tool or SDK. Amazon Web Services provides tools and SDKs that consist of libraries and sample code for various languages and platforms, such as PowerShell, Java, Go, Python, C++, and .NET. These tools and SDKs provide convenient, programmatic access to Security Hub and other Amazon Web Services services. They also handle tasks such as signing requests, managing errors, and retrying requests automatically. For information about installing and using the Amazon Web Services tools and SDKs, see [Tools to Build on Amazon Web Services](#).

With the exception of operations that are related to central configuration, Security Hub API requests are executed only in the Amazon Web Services Region that is currently active or in the specific Amazon Web Services Region that you specify in your request. Any configuration or settings change that results from the operation is applied only to that Region. To make the same change in other Regions, call the same API operation in each Region in which you want to apply the change. When you use central configuration, API requests for enabling Security Hub, standards, and controls are executed in the home Region and all linked Regions. For a list of central configuration operations, see the [Central configuration terms and concepts](#) section of the *Security Hub User Guide*.

The following throttling limits apply to Security Hub API operations.

- [batch_enable_standards](#) - RateLimit of 1 request per second. BurstLimit of 1 request per second.
- [get_findings](#) - RateLimit of 3 requests per second. BurstLimit of 6 requests per second.
- [batch_import_findings](#) - RateLimit of 10 requests per second. BurstLimit of 30 requests per second.
- [batch_update_findings](#) - RateLimit of 10 requests per second. BurstLimit of 30 requests per second.
- [update_standards_control](#) - RateLimit of 1 request per second. BurstLimit of 5 requests per second.
- All other operations - RateLimit of 10 requests per second. BurstLimit of 30 requests per second.

Usage

```
securityhub(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**

	<ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- securityhub(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
```

```

    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

accept_administrator_invitation	We recommend using Organizations instead of Security Hub invitations to ma
accept_invitation	This method is deprecated
batch_delete_automation_rules	Deletes one or more automation rules
batch_disable_standards	Disables the standards specified by the provided StandardsSubscriptionArns
batch_enable_standards	Enables the standards specified by the provided StandardsArn
batch_get_automation_rules	Retrieves a list of details for automation rules based on rule Amazon Resource
batch_get_configuration_policy_associations	Returns associations between an Security Hub configuration and a batch of ta
batch_get_security_controls	Provides details about a batch of security controls for the current Amazon We
batch_get_standards_control_associations	For a batch of security controls and standards, identifies whether each control
batch_import_findings	Imports security findings generated by a finding provider into Security Hub
batch_update_automation_rules	Updates one or more automation rules based on rule Amazon Resource Name
batch_update_findings	Used by Security Hub customers to update information about their investigati
batch_update_standards_control_associations	For a batch of security controls and standards, this operation updates the enab
create_action_target	Creates a custom action target in Security Hub
create_automation_rule	Creates an automation rule based on input parameters
create_configuration_policy	Creates a configuration policy with the defined configuration
create_finding_aggregator	The aggregation Region is now called the home Region
create_insight	Creates a custom insight in Security Hub
create_members	Creates a member association in Security Hub between the specified accounts
decline_invitations	We recommend using Organizations instead of Security Hub invitations to ma
delete_action_target	Deletes a custom action target from Security Hub
delete_configuration_policy	Deletes a configuration policy
delete_finding_aggregator	The aggregation Region is now called the home Region
delete_insight	Deletes the insight specified by the InsightArn
delete_invitations	We recommend using Organizations instead of Security Hub invitations to ma

<code>delete_members</code>	Deletes the specified member accounts from Security Hub
<code>describe_action_targets</code>	Returns a list of the custom action targets in Security Hub in your account
<code>describe_hub</code>	Returns details about the Hub resource in your account, including the HubArn
<code>describe_organization_configuration</code>	Returns information about the way your organization is configured in Security Hub
<code>describe_products</code>	Returns information about product integrations in Security Hub
<code>describe_standards</code>	Returns a list of the available standards in Security Hub
<code>describe_standards_controls</code>	Returns a list of security standards controls
<code>disable_import_findings_for_product</code>	Disables the integration of the specified product with Security Hub
<code>disable_organization_admin_account</code>	Disables a Security Hub administrator account
<code>disable_security_hub</code>	Disables Security Hub in your account only in the current Amazon Web Services Region
<code>disassociate_from_administrator_account</code>	Disassociates the current Security Hub member account from the associated administrator account
<code>disassociate_from_master_account</code>	This method is deprecated
<code>disassociate_members</code>	Disassociates the specified member accounts from the associated administrator account
<code>enable_import_findings_for_product</code>	Enables the integration of a partner product with Security Hub
<code>enable_organization_admin_account</code>	Designates the Security Hub administrator account for an organization
<code>enable_security_hub</code>	Enables Security Hub for your account in the current Region or the Region you specify
<code>get_administrator_account</code>	Provides the details for the Security Hub administrator account for the current Region
<code>get_configuration_policy</code>	Provides information about a configuration policy
<code>get_configuration_policy_association</code>	Returns the association between a configuration and a target account, organizational unit, or the root
<code>get_enabled_standards</code>	Returns a list of the standards that are currently enabled
<code>get_finding_aggregator</code>	The aggregation Region is now called the home Region
<code>get_finding_history</code>	Returns history for a Security Hub finding in the last 90 days
<code>get_findings</code>	Returns a list of findings that match the specified criteria
<code>get_insight_results</code>	Lists the results of the Security Hub insight specified by the insight ARN
<code>get_insights</code>	Lists and describes insights for the specified insight ARNs
<code>get_invitations_count</code>	We recommend using Organizations instead of Security Hub invitations to manage your organization
<code>get_master_account</code>	This method is deprecated
<code>get_members</code>	Returns the details for the Security Hub member accounts for the specified administrator account
<code>get_security_control_definition</code>	Retrieves the definition of a security control
<code>invite_members</code>	We recommend using Organizations instead of Security Hub invitations to manage your organization
<code>list_automation_rules</code>	A list of automation rules and their metadata for the calling account
<code>list_configuration_policies</code>	Lists the configuration policies that the Security Hub delegated administrator account has created
<code>list_configuration_policy_associations</code>	Provides information about the associations for your configuration policies and target accounts
<code>list_enabled_products_for_import</code>	Lists all findings-generating solutions (products) that you are subscribed to receive findings for
<code>list_finding_aggregators</code>	If cross-Region aggregation is enabled, then ListFindingAggregators returns the list of aggregation Regions
<code>list_invitations</code>	We recommend using Organizations instead of Security Hub invitations to manage your organization
<code>list_members</code>	Lists details about all member accounts for the current Security Hub administrator account
<code>list_organization_admin_accounts</code>	Lists the Security Hub administrator accounts
<code>list_security_control_definitions</code>	Lists all of the security controls that apply to a specified standard
<code>list_standards_control_associations</code>	Specifies whether a control is currently enabled or disabled in each enabled standard
<code>list_tags_for_resource</code>	Returns a list of tags associated with a resource
<code>start_configuration_policy_association</code>	Associates a target account, organizational unit, or the root with a specified configuration policy
<code>start_configuration_policy_disassociation</code>	Disassociates a target account, organizational unit, or the root from a specified configuration policy
<code>tag_resource</code>	Adds one or more tags to a resource
<code>untag_resource</code>	Removes one or more tags from a resource
<code>update_action_target</code>	Updates the name and description of a custom action target in Security Hub
<code>update_configuration_policy</code>	Updates a configuration policy
<code>update_finding_aggregator</code>	The aggregation Region is now called the home Region

update_findings	UpdateFindings is a deprecated operation
update_insight	Updates the Security Hub insight identified by the specified insight ARN
update_organization_configuration	Updates the configuration of your organization in Security Hub
update_security_control	Updates the properties of a security control
update_security_hub_configuration	Updates configuration options for Security Hub
update_standards_control	Used to control whether an individual security standard control is enabled or

Examples

```
## Not run:
svc <- securityhub()
svc$accept_administrator_invitation(
  Foo = 123
)

## End(Not run)
```

securitylake

Amazon Security Lake

Description

Amazon Security Lake is a fully managed security data lake service. You can use Security Lake to automatically centralize security data from cloud, on-premises, and custom sources into a data lake that's stored in your Amazon Web Services account. Amazon Web Services Organizations is an account management service that lets you consolidate multiple Amazon Web Services accounts into an organization that you create and centrally manage. With Organizations, you can create member accounts and invite existing accounts to join your organization. Security Lake helps you analyze security data for a more complete understanding of your security posture across the entire organization. It can also help you improve the protection of your workloads, applications, and data.

The data lake is backed by Amazon Simple Storage Service (Amazon S3) buckets, and you retain ownership over your data.

Amazon Security Lake integrates with CloudTrail, a service that provides a record of actions taken by a user, role, or an Amazon Web Services service. In Security Lake, CloudTrail captures API calls for Security Lake as events. The calls captured include calls from the Security Lake console and code calls to the Security Lake API operations. If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon S3 bucket, including events for Security Lake. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in Event history. Using the information collected by CloudTrail you can determine the request that was made to Security Lake, the IP address from which the request was made, who made the request, when it was made, and additional details. To learn more about Security Lake information in CloudTrail, see the [Amazon Security Lake User Guide](#).

Security Lake automates the collection of security-related log and event data from integrated Amazon Web Services services and third-party services. It also helps you manage the lifecycle of data

with customizable retention and replication settings. Security Lake converts ingested data into Apache Parquet format and a standard open-source schema called the Open Cybersecurity Schema Framework (OCSF).

Other Amazon Web Services services and third-party services can subscribe to the data that's stored in Security Lake for incident response and security data analytics.

Usage

```
securitylake(
    config = list(),
    credentials = list(),
    endpoint = NULL,
    region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- securitylake(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[create_aws_log_source](#)

[create_custom_log_source](#)

[create_data_lake](#)

[create_data_lake_exception_subscription](#)

[create_data_lake_organization_configuration](#)

[create_subscriber](#)

[create_subscriber_notification](#)

[delete_aws_log_source](#)

Adds a natively supported Amazon Web Services service as an Amazon Security Lake source.

Adds a third-party custom source in Amazon Security Lake, from the Amazon Security Lake console.

Initializes an Amazon Security Lake instance with the provided (or default) configuration.

Creates the specified notification subscription in Amazon Security Lake for the data lake.

Automatically enables Amazon Security Lake for new member accounts in your organization.

Creates a subscriber for accounts that are already enabled in Amazon Security Lake.

Notifies the subscriber when new data is written to the data lake for the source.

Removes a natively supported Amazon Web Services service as an Amazon Security Lake source.

delete_custom_log_source	Removes a custom log source from Amazon Security Lake, to stop sending d
delete_data_lake	When you disable Amazon Security Lake from your account, Security Lake i
delete_data_lake_exception_subscription	Deletes the specified notification subscription in Amazon Security Lake for th
delete_data_lake_organization_configuration	Turns off automatic enablement of Amazon Security Lake for member accoun
delete_subscriber	Deletes the subscription permission and all notification settings for accounts t
delete_subscriber_notification	Deletes the specified subscription notification in Amazon Security Lake for th
deregister_data_lake_delegated_administrator	Deletes the Amazon Security Lake delegated administrator account for the or
get_data_lake_exception_subscription	Retrieves the protocol and endpoint that were provided when subscribing to A
get_data_lake_organization_configuration	Retrieves the configuration that will be automatically set up for accounts add
get_data_lake_sources	Retrieves a snapshot of the current Region, including whether Amazon Secur
get_subscriber	Retrieves the subscription information for the specified subscription ID
list_data_lake_exceptions	Lists the Amazon Security Lake exceptions that you can use to find the source
list_data_lakes	Retrieves the Amazon Security Lake configuration object for the specified AR
list_log_sources	Retrieves the log sources
list_subscribers	Lists all subscribers for the specific Amazon Security Lake account ID
list_tags_for_resource	Retrieves the tags (keys and values) that are associated with an Amazon Secu
register_data_lake_delegated_administrator	Designates the Amazon Security Lake delegated administrator account for the
tag_resource	Adds or updates one or more tags that are associated with an Amazon Securit
untag_resource	Removes one or more tags (keys and values) from an Amazon Security Lake
update_data_lake	You can use UpdateDataLake to specify where to store your security data, ho
update_data_lake_exception_subscription	Updates the specified notification subscription in Amazon Security Lake for t
update_subscriber	Updates an existing subscription for the given Amazon Security Lake accoun
update_subscriber_notification	Updates an existing notification method for the subscription (SQS or HTTP

Examples

```
## Not run:
svc <- securitylake()
svc$create_aws_log_source(
  Foo = 123
)
## End(Not run)
```

 shield

 AWS Shield

Description

Shield Advanced

This is the *Shield Advanced API Reference*. This guide is for developers who need detailed information about the Shield Advanced API actions, data types, and errors. For detailed information about WAF and Shield Advanced features and an overview of how to use the WAF and Shield Advanced APIs, see the [WAF and Shield Developer Guide](#).

Usage

```
shield(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- shield(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

[associate_drt_log_bucket](#)

[associate_drt_role](#)

[associate_health_check](#)

[associate_proactive_engagement_details](#)

[create_protection](#)

[create_protection_group](#)

[create_subscription](#)

[delete_protection](#)

[delete_protection_group](#)

[delete_subscription](#)

[describe_attack](#)

[describe_attack_statistics](#)

[describe_drt_access](#)

Authorizes the Shield Response Team (SRT) to access the specified Amazon

Authorizes the Shield Response Team (SRT) using the specified role, to acc

Adds health-based detection to the Shield Advanced protection for a resourc

Initializes proactive engagement and sets the list of contacts for the Shield R

Enables Shield Advanced for a specific Amazon Web Services resource

Creates a grouping of protected resources so they can be handled as a collect

Activates Shield Advanced for an account

Deletes an Shield Advanced Protection

Removes the specified protection group

Removes Shield Advanced from an account

Describes the details of a DDoS attack

Provides information about the number and type of attacks Shield has detect

Returns the current role and list of Amazon S3 log buckets used by the Shiel

describe_emergency_contact_settings	A list of email addresses and phone numbers that the Shield Response Team
describe_protection	Lists the details of a Protection object
describe_protection_group	Returns the specification for the specified protection group
describe_subscription	Provides details about the Shield Advanced subscription for an account
disable_application_layer_automatic_response	Disable the Shield Advanced automatic application layer DDoS mitigation for
disable_proactive_engagement	Removes authorization from the Shield Response Team (SRT) to notify cont
disassociate_drt_log_bucket	Removes the Shield Response Team's (SRT) access to the specified Amazon
disassociate_drt_role	Removes the Shield Response Team's (SRT) access to your Amazon Web Ser
disassociate_health_check	Removes health-based detection from the Shield Advanced protection for a r
enable_application_layer_automatic_response	Enable the Shield Advanced automatic application layer DDoS mitigation fo
enable_proactive_engagement	Authorizes the Shield Response Team (SRT) to use email and phone to notif
get_subscription_state	Returns the SubscriptionState, either Active or Inactive
list_attacks	Returns all ongoing DDoS attacks or all DDoS attacks during a specified tim
list_protection_groups	Retrieves ProtectionGroup objects for the account
list_protections	Retrieves Protection objects for the account
list_resources_in_protection_group	Retrieves the resources that are included in the protection group
list_tags_for_resource	Gets information about Amazon Web Services tags for a specified Amazon F
tag_resource	Adds or updates tags for a resource in Shield
untag_resource	Removes tags from a resource in Shield
update_application_layer_automatic_response	Updates an existing Shield Advanced automatic application layer DDoS miti
update_emergency_contact_settings	Updates the details of the list of email addresses and phone numbers that the
update_protection_group	Updates an existing protection group
update_subscription	Updates the details of an existing subscription

Examples

```
## Not run:
svc <- shield()
svc$associate_drt_log_bucket(
  Foo = 123
)

## End(Not run)
```

Description

AWS IAM Identity Center (successor to AWS Single Sign-On) Portal is a web service that makes it easy for you to assign user access to IAM Identity Center resources such as the AWS access portal. Users can get AWS account applications and roles assigned to them and get federated into the application.

Although AWS Single Sign-On was renamed, the `sso` and `identitystore` API namespaces will continue to retain their original name for backward compatibility purposes. For more information, see [IAM Identity Center rename](#).

This reference guide describes the IAM Identity Center Portal operations that you can call programmatically and includes detailed information on data types and errors.

AWS provides SDKs that consist of libraries and sample code for various programming languages and platforms, such as Java, Ruby, .Net, iOS, or Android. The SDKs provide a convenient way to create programmatic access to IAM Identity Center and other AWS services. For more information about the AWS SDKs, including how to download and install them, see [Tools for Amazon Web Services](#).

Usage

```
sso(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

<code>config</code>	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
<code>credentials</code>	<p>Optional credentials shorthand for the <code>config</code> parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
<code>endpoint</code>	Optional shorthand for complete URL to use for the constructed client.
<code>region</code>	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- sso(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

get_role_credentials	Returns the STS short-term credentials for a given role name that is assigned to the user
list_account_roles	Lists all roles that are assigned to the user for a given AWS account
list_accounts	Lists all AWS accounts assigned to the user
logout	Removes the locally stored SSO tokens from the client-side cache and sends an API call to the IAM Id

Examples

```
## Not run:
svc <- sso()
svc$get_role_credentials(
  Foo = 123
)

## End(Not run)
```

ssoadmin

*AWS Single Sign-On Admin***Description**

IAM Identity Center (successor to Single Sign-On) helps you securely create, or connect, your workforce identities and manage their access centrally across Amazon Web Services accounts and applications. IAM Identity Center is the recommended approach for workforce authentication and authorization in Amazon Web Services, for organizations of any size and type.

IAM Identity Center uses the `sso` and `identitystore` API namespaces.

This reference guide provides information on single sign-on operations which could be used for access management of Amazon Web Services accounts. For information about IAM Identity Center features, see the [IAM Identity Center User Guide](#).

Many operations in the IAM Identity Center APIs rely on identifiers for users and groups, known as principals. For more information about how to work with principals and principal IDs in IAM Identity Center, see the [Identity Store API Reference](#).

Amazon Web Services provides SDKs that consist of libraries and sample code for various programming languages and platforms (Java, Ruby, .Net, iOS, Android, and more). The SDKs provide a convenient way to create programmatic access to IAM Identity Center and other Amazon Web Services services. For more information about the Amazon Web Services SDKs, including how to download and install them, see [Tools for Amazon Web Services](#).

Usage

```
ssoadmin(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

	<ul style="list-style-type: none"> – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- ssoadmin(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```



```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

attach_customer_managed_policy_reference_to_permission_set	Attaches the specified customer managed policy to the s
attach_managed_policy_to_permission_set	Attaches an Amazon Web Services managed policy AR
create_account_assignment	Assigns access to a principal for a specified Amazon W
create_application	Creates an application in IAM Identity Center for the gi
create_application_assignment	Grant application access to a user or group
create_instance	Creates an instance of IAM Identity Center for a standa
create_instance_access_control_attribute_configuration	Enables the attributes-based access control (ABAC) fea
create_permission_set	Creates a permission set within a specified IAM Identity
create_trusted_token_issuer	Creates a connection to a trusted token issuer in an insta
delete_account_assignment	Deletes a principal's access from a specified Amazon W
delete_application	Deletes the association with the application
delete_application_access_scope	Deletes an IAM Identity Center access scope from an ap
delete_application_assignment	Revoke application access to an application by deleting
delete_application_authentication_method	Deletes an authentication method from an application
delete_application_grant	Deletes a grant from an application
delete_inline_policy_from_permission_set	Deletes the inline policy from a specified permission set
delete_instance	Deletes the instance of IAM Identity Center
delete_instance_access_control_attribute_configuration	Disables the attributes-based access control (ABAC) fea
delete_permissions_boundary_from_permission_set	Deletes the permissions boundary from a specified Perm
delete_permission_set	Deletes the specified permission set
delete_trusted_token_issuer	Deletes a trusted token issuer configuration from an inst
describe_account_assignment_creation_status	Describes the status of the assignment creation request
describe_account_assignment_deletion_status	Describes the status of the assignment deletion request
describe_application	Retrieves the details of an application associated with an
describe_application_assignment	Retrieves a direct assignment of a user or group to an ap
describe_application_provider	Retrieves details about a provider that can be used to co
describe_instance	Returns the details of an instance of IAM Identity Cente
describe_instance_access_control_attribute_configuration	Returns the list of IAM Identity Center identity store att
describe_permission_set	Gets the details of the permission set

<code>describe_permission_set_provisioning_status</code>	Describes the status for the given permission set provisioning
<code>describe_trusted_token_issuer</code>	Retrieves details about a trusted token issuer configuration
<code>detach_customer_managed_policy_reference_from_permission_set</code>	Detaches the specified customer managed policy from the permission set
<code>detach_managed_policy_from_permission_set</code>	Detaches the attached Amazon Web Services managed policy from the permission set
<code>get_application_access_scope</code>	Retrieves the authorized targets for an IAM Identity Center application
<code>get_application_assignment_configuration</code>	Retrieves the configuration of PutApplicationAssignment
<code>get_application_authentication_method</code>	Retrieves details about an authentication method used by an application
<code>get_application_grant</code>	Retrieves details about an application grant
<code>get_inline_policy_for_permission_set</code>	Obtains the inline policy assigned to the permission set
<code>get_permissions_boundary_for_permission_set</code>	Obtains the permissions boundary for a specified PermissionSet
<code>list_account_assignment_creation_status</code>	Lists the status of the Amazon Web Services account assignment
<code>list_account_assignment_deletion_status</code>	Lists the status of the Amazon Web Services account assignment
<code>list_account_assignments</code>	Lists the assignee of the specified Amazon Web Services account
<code>list_account_assignments_for_principal</code>	Retrieves a list of the IAM Identity Center associated Amazon Web Services accounts
<code>list_accounts_for_provisioned_permission_set</code>	Lists all the Amazon Web Services accounts where the permission set is provisioned
<code>list_application_access_scopes</code>	Lists the access scopes and authorized targets associated with an application
<code>list_application_assignments</code>	Lists Amazon Web Services account users that are assigned to an application
<code>list_application_assignments_for_principal</code>	Lists the applications to which a specified principal is assigned
<code>list_application_authentication_methods</code>	Lists all of the authentication methods supported by the application
<code>list_application_grants</code>	List the grants associated with an application
<code>list_application_providers</code>	Lists the application providers configured in the IAM Identity Center instance
<code>list_applications</code>	Lists all applications associated with the instance of IAM Identity Center
<code>list_customer_managed_policy_references_in_permission_set</code>	Lists all customer managed policies attached to a specified permission set
<code>list_instances</code>	Lists the details of the organization and account instances
<code>list_managed_policies_in_permission_set</code>	Lists the Amazon Web Services managed policy that is attached to the permission set
<code>list_permission_set_provisioning_status</code>	Lists the status of the permission set provisioning request
<code>list_permission_sets</code>	Lists the PermissionSets in an IAM Identity Center instance
<code>list_permission_sets_provisioned_to_account</code>	Lists all the permission sets that are provisioned to a specified account
<code>list_tags_for_resource</code>	Lists the tags that are attached to a specified resource
<code>list_trusted_token_issuers</code>	Lists all the trusted token issuers configured in an instance of IAM Identity Center
<code>provision_permission_set</code>	The process by which a specified permission set is provisioned
<code>put_application_access_scope</code>	Adds or updates the list of authorized targets for an IAM Identity Center application
<code>put_application_assignment_configuration</code>	Configure how users gain access to an application
<code>put_application_authentication_method</code>	Adds or updates an authentication method for an application
<code>put_application_grant</code>	Adds a grant to an application
<code>put_inline_policy_to_permission_set</code>	Attaches an inline policy to a permission set
<code>put_permissions_boundary_to_permission_set</code>	Attaches an Amazon Web Services managed or customer managed policy to a permission set
<code>tag_resource</code>	Associates a set of tags with a specified resource
<code>untag_resource</code>	Disassociates a set of tags from a specified resource
<code>update_application</code>	Updates application properties
<code>update_instance</code>	Update the details for the instance of IAM Identity Center
<code>update_instance_access_control_attribute_configuration</code>	Updates the IAM Identity Center identity store attribute configuration
<code>update_permission_set</code>	Updates an existing permission set
<code>update_trusted_token_issuer</code>	Updates the name of the trusted token issuer, or the path to the issuer's configuration file

Examples

```
## Not run:
svc <- ssoadmin()
svc$attach_customer_managed_policy_reference_to_permission_set(
  Foo = 123
)

## End(Not run)
```

ssooidc

AWS SSO OIDC

Description

IAM Identity Center OpenID Connect (OIDC) is a web service that enables a client (such as CLI or a native application) to register with IAM Identity Center. The service also enables the client to fetch the user's access token upon successful authentication and authorization with IAM Identity Center.

API namespaces

IAM Identity Center uses the `sso` and `identitystore` API namespaces. IAM Identity Center OpenID Connect uses the `sso-oidc` namespace.

Considerations for using this guide

Before you begin using this guide, we recommend that you first review the following important information about how the IAM Identity Center OIDC service works.

- The IAM Identity Center OIDC service currently implements only the portions of the OAuth 2.0 Device Authorization Grant standard (<https://tools.ietf.org/html/rfc8628>) that are necessary to enable single sign-on authentication with the CLI.
- With older versions of the CLI, the service only emits OIDC access tokens, so to obtain a new token, users must explicitly re-authenticate. To access the OIDC flow that supports token refresh and doesn't require re-authentication, update to the latest CLI version (1.27.10 for CLI V1 and 2.9.0 for CLI V2) with support for OIDC token refresh and configurable IAM Identity Center session durations. For more information, see [Configure Amazon Web Services access portal session duration](#).
- The access tokens provided by this service grant access to all Amazon Web Services account entitlements assigned to an IAM Identity Center user, not just a particular application.
- The documentation in this guide does not describe the mechanism to convert the access token into Amazon Web Services Auth ("sigv4") credentials for use with IAM-protected Amazon Web Services service endpoints. For more information, see [GetRoleCredentials](#) in the *IAM Identity Center Portal API Reference Guide*.

For general information about IAM Identity Center, see [What is IAM Identity Center?](#) in the *IAM Identity Center User Guide*.

Usage

```
ssooidc(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- ssooidc(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

create_token	Creates and returns access and refresh tokens for clients that are authenticated using client secrets
create_token_with_iam	Creates and returns access and refresh tokens for clients and applications that are authenticated using IAM
register_client	Registers a public client with IAM Identity Center
start_device_authorization	Initiates device authorization by requesting a pair of verification codes from the authorization server

Examples

```

## Not run:
svc <- ssooidc()
svc$create_token(
  Foo = 123
)

```

```
## End(Not run)
```

 sts

AWS Security Token Service

Description

Security Token Service

Security Token Service (STS) enables you to request temporary, limited-privilege credentials for users. This guide provides descriptions of the STS API. For more information about using this service, see [Temporary Security Credentials](#).

Usage

```
sts(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials

Optional credentials shorthand for the config parameter

- **creds:**

- **access_key_id:** AWS access key ID
- **secret_access_key:** AWS secret access key
- **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- sts(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

assume_role	Returns a set of temporary security credentials that you can use to access Amazon Web Services.
assume_role_with_saml	Returns a set of temporary security credentials for users who have been authenticated via a SAML assertion.
assume_role_with_web_identity	Returns a set of temporary security credentials for users who have been authenticated in a web browser.
assume_root	Returns a set of short term credentials you can use to perform privileged tasks on a member account.
decode_authorization_message	Decodes additional information about the authorization status of a request from an encoded message.
get_access_key_info	Returns the account identifier for the specified access key ID.
get_caller_identity	Returns details about the IAM user or role whose credentials are used to call the operation.
get_federation_token	Returns a set of temporary security credentials (consisting of an access key ID, a secret access key, and a session token).
get_session_token	Returns a set of temporary credentials for an Amazon Web Services account or IAM user.

Examples

```
## Not run:
svc <- sts()
#
svc$assume_role(
  ExternalId = "123ABC",
  Policy = "{\"Version\":\"2012-10-17\",\"Statement\":[{\"Sid\":\"Stmt1\",\"Effect\":\"A...\",
  RoleArn = \"arn:aws:iam::123456789012:role/demo\",
  RoleSessionName = \"testAssumeRoleSession\",
  Tags = list(
    list(
      Key = \"Project\",
      Value = \"Unicorn\"
    ),
    list(
      Key = \"Team\",
      Value = \"Automation\"
    ),
    list(
      Key = \"Cost-Center\",
      Value = \"12345\"
    )
  ),
  TransitiveTagKeys = list(
    \"Project\",
    \"Cost-Center\"
  )
)

## End(Not run)
```


Description

Amazon Verified Permissions is a permissions management service from Amazon Web Services. You can use Verified Permissions to manage permissions for your application, and authorize user access based on those permissions. Using Verified Permissions, application developers can grant access based on information about the users, resources, and requested actions. You can also evaluate additional information like group membership, attributes of the resources, and session context, such as time of request and IP addresses. Verified Permissions manages these permissions by letting you create and store authorization policies for your applications, such as consumer-facing web sites and enterprise business systems.

Verified Permissions uses Cedar as the policy language to express your permission requirements. Cedar supports both role-based access control (RBAC) and attribute-based access control (ABAC) authorization models.

For more information about configuring, administering, and using Amazon Verified Permissions in your applications, see the [Amazon Verified Permissions User Guide](#).

For more information about the Cedar policy language, see the [Cedar Policy Language Guide](#).

When you write Cedar policies that reference principals, resources and actions, you can define the unique identifiers used for each of those elements. We strongly recommend that you follow these best practices:

- **Use values like universally unique identifiers (UUIDs) for all principal and resource identifiers.**

For example, if user jane leaves the company, and you later let someone else use the name jane, then that new user automatically gets access to everything granted by policies that still reference `User: "jane"`. Cedar can't distinguish between the new user and the old. This applies to both principal and resource identifiers. Always use identifiers that are guaranteed unique and never reused to ensure that you don't unintentionally grant access because of the presence of an old identifier in a policy.

Where you use a UUID for an entity, we recommend that you follow it with the `//` comment specifier and the 'friendly' name of your entity. This helps to make your policies easier to understand. For example: `principal == User: "a1b2c3d4-e5f6-a1b2-c3d4-EXAMPLE11111", // alice`

- **Do not include personally identifying, confidential, or sensitive information as part of the unique identifier for your principals or resources.** These identifiers are included in log entries shared in CloudTrail trails.

Several operations return structures that appear similar, but have different purposes. As new functionality is added to the product, the structure used in a parameter of one operation might need to change in a way that wouldn't make sense for the same parameter in a different operation. To help you understand the purpose of each, the following naming convention is used for the structures:

- Parameter type structures that end in `Detail` are used in `Get` operations.
- Parameter type structures that end in `Item` are used in `List` operations.
- Parameter type structures that use neither suffix are used in the mutating (create and update) operations.

Usage

```
verifiedpermissions(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- verifiedpermissions(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

batch_get_policy	Retrieves information about a group (batch) of policies
batch_is_authorized	Makes a series of decisions about multiple authorization requests for one principal or resource
batch_is_authorized_with_token	Makes a series of decisions about multiple authorization requests for one token
create_identity_source	Adds an identity source to a policy store—an Amazon Cognito user pool or OpenID Connect provider
create_policy	Creates a Cedar policy and saves it in the specified policy store
create_policy_store	Creates a policy store
create_policy_template	Creates a policy template
delete_identity_source	Deletes an identity source that references an identity provider (IdP) such as Amazon Cognito or OpenID Connect
delete_policy	Deletes the specified policy from the policy store
delete_policy_store	Deletes the specified policy store
delete_policy_template	Deletes the specified policy template from the policy store
get_identity_source	Retrieves the details about the specified identity source
get_policy	Retrieves information about the specified policy

get_policy_store	Retrieves details about a policy store
get_policy_template	Retrieve the details for the specified policy template in the specified policy store
get_schema	Retrieve the details for the specified schema in the specified policy store
is_authorized	Makes an authorization decision about a service request described in the parameters
is_authorized_with_token	Makes an authorization decision about a service request described in the parameters
list_identity_sources	Returns a paginated list of all of the identity sources defined in the specified policy store
list_policies	Returns a paginated list of all policies stored in the specified policy store
list_policy_stores	Returns a paginated list of all policy stores in the calling Amazon Web Services account
list_policy_templates	Returns a paginated list of all policy templates in the specified policy store
put_schema	Creates or updates the policy schema in the specified policy store
update_identity_source	Updates the specified identity source to use a new identity provider (IdP), or to change the
update_policy	Modifies a Cedar static policy in the specified policy store
update_policy_store	Modifies the validation setting for a policy store
update_policy_template	Updates the specified policy template

Examples

```
## Not run:
svc <- verifiedpermissions()
svc$batch_get_policy(
  Foo = 123
)

## End(Not run)
```

waf

AWS WAF

Description

This is **AWS WAF Classic** documentation. For more information, see [AWS WAF Classic](#) in the developer guide.

For the latest version of AWS WAF, use the AWS WAFV2 API and see the [AWS WAF Developer Guide](#). With the latest version, AWS WAF has a single set of endpoints for regional and global use.

This is the *AWS WAF Classic API Reference* for using AWS WAF Classic with Amazon CloudFront. The AWS WAF Classic actions and data types listed in the reference are available for protecting Amazon CloudFront distributions. You can use these actions and data types via the endpoint *waf.amazonaws.com*. This guide is for developers who need detailed information about the AWS WAF Classic API actions, data types, and errors. For detailed information about AWS WAF Classic features and an overview of how to use the AWS WAF Classic API, see the [AWS WAF Classic](#) in the developer guide.

Usage

```
waf(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- waf(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_byte_match_set	This is AWS WAF Classic documentation
create_geo_match_set	This is AWS WAF Classic documentation
create_ip_set	This is AWS WAF Classic documentation
create_rate_based_rule	This is AWS WAF Classic documentation
create_regex_match_set	This is AWS WAF Classic documentation
create_regex_pattern_set	This is AWS WAF Classic documentation
create_rule	This is AWS WAF Classic documentation
create_rule_group	This is AWS WAF Classic documentation
create_size_constraint_set	This is AWS WAF Classic documentation
create_sql_injection_match_set	This is AWS WAF Classic documentation
create_web_acl	This is AWS WAF Classic documentation
create_web_acl_migration_stack	Creates an AWS CloudFormation WAFV2 template for the specified web ACL in the sp
create_xss_match_set	This is AWS WAF Classic documentation
delete_byte_match_set	This is AWS WAF Classic documentation
delete_geo_match_set	This is AWS WAF Classic documentation
delete_ip_set	This is AWS WAF Classic documentation
delete_logging_configuration	This is AWS WAF Classic documentation
delete_permission_policy	This is AWS WAF Classic documentation
delete_rate_based_rule	This is AWS WAF Classic documentation
delete_regex_match_set	This is AWS WAF Classic documentation

delete_regex_pattern_set	This is AWS WAF Classic documentation
delete_rule	This is AWS WAF Classic documentation
delete_rule_group	This is AWS WAF Classic documentation
delete_size_constraint_set	This is AWS WAF Classic documentation
delete_sql_injection_match_set	This is AWS WAF Classic documentation
delete_web_acl	This is AWS WAF Classic documentation
delete_xss_match_set	This is AWS WAF Classic documentation
get_byte_match_set	This is AWS WAF Classic documentation
get_change_token	This is AWS WAF Classic documentation
get_change_token_status	This is AWS WAF Classic documentation
get_geo_match_set	This is AWS WAF Classic documentation
get_ip_set	This is AWS WAF Classic documentation
get_logging_configuration	This is AWS WAF Classic documentation
get_permission_policy	This is AWS WAF Classic documentation
get_rate_based_rule	This is AWS WAF Classic documentation
get_rate_based_rule_managed_keys	This is AWS WAF Classic documentation
get_regex_match_set	This is AWS WAF Classic documentation
get_regex_pattern_set	This is AWS WAF Classic documentation
get_rule	This is AWS WAF Classic documentation
get_rule_group	This is AWS WAF Classic documentation
get_sampled_requests	This is AWS WAF Classic documentation
get_size_constraint_set	This is AWS WAF Classic documentation
get_sql_injection_match_set	This is AWS WAF Classic documentation
get_web_acl	This is AWS WAF Classic documentation
get_xss_match_set	This is AWS WAF Classic documentation
list_activated_rules_in_rule_group	This is AWS WAF Classic documentation
list_byte_match_sets	This is AWS WAF Classic documentation
list_geo_match_sets	This is AWS WAF Classic documentation
list_ip_sets	This is AWS WAF Classic documentation
list_logging_configurations	This is AWS WAF Classic documentation
list_rate_based_rules	This is AWS WAF Classic documentation
list_regex_match_sets	This is AWS WAF Classic documentation
list_regex_pattern_sets	This is AWS WAF Classic documentation
list_rule_groups	This is AWS WAF Classic documentation
list_rules	This is AWS WAF Classic documentation
list_size_constraint_sets	This is AWS WAF Classic documentation
list_sql_injection_match_sets	This is AWS WAF Classic documentation
list_subscribed_rule_groups	This is AWS WAF Classic documentation
list_tags_for_resource	This is AWS WAF Classic documentation
list_web_acl_ls	This is AWS WAF Classic documentation
list_xss_match_sets	This is AWS WAF Classic documentation
put_logging_configuration	This is AWS WAF Classic documentation
put_permission_policy	This is AWS WAF Classic documentation
tag_resource	This is AWS WAF Classic documentation
untag_resource	This is AWS WAF Classic documentation
update_byte_match_set	This is AWS WAF Classic documentation
update_geo_match_set	This is AWS WAF Classic documentation
update_ip_set	This is AWS WAF Classic documentation

update_rate_based_rule	This is AWS WAF Classic documentation
update_regex_match_set	This is AWS WAF Classic documentation
update_regex_pattern_set	This is AWS WAF Classic documentation
update_rule	This is AWS WAF Classic documentation
update_rule_group	This is AWS WAF Classic documentation
update_size_constraint_set	This is AWS WAF Classic documentation
update_sql_injection_match_set	This is AWS WAF Classic documentation
update_web_acl	This is AWS WAF Classic documentation
update_xss_match_set	This is AWS WAF Classic documentation

Examples

```
## Not run:
svc <- waf()
# The following example creates an IP match set named MyIPSetFriendlyName.
svc$create_ip_set(
  ChangeToken = "abcd12f2-46da-4fdb-b8d5-fbd4c466928f",
  Name = "MyIPSetFriendlyName"
)

## End(Not run)
```

wafregional

AWS WAF Regional

Description

This is **AWS WAF Classic Regional** documentation. For more information, see [AWS WAF Classic](#) in the developer guide.

For the latest version of AWS WAF, use the AWS WAFV2 API and see the [AWS WAF Developer Guide](#). With the latest version, AWS WAF has a single set of endpoints for regional and global use.

This is the *AWS WAF Regional Classic API Reference* for using AWS WAF Classic with the AWS resources, Elastic Load Balancing (ELB) Application Load Balancers and API Gateway APIs. The AWS WAF Classic actions and data types listed in the reference are available for protecting Elastic Load Balancing (ELB) Application Load Balancers and API Gateway APIs. You can use these actions and data types by means of the endpoints listed in [AWS Regions and Endpoints](#). This guide is for developers who need detailed information about the AWS WAF Classic API actions, data types, and errors. For detailed information about AWS WAF Classic features and an overview of how to use the AWS WAF Classic API, see the [AWS WAF Classic](#) in the developer guide.

Usage

```
wafregional(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- wafregional(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

associate_web_acl	This is AWS WAF Classic Regional documentation
create_byte_match_set	This is AWS WAF Classic documentation
create_geo_match_set	This is AWS WAF Classic documentation
create_ip_set	This is AWS WAF Classic documentation
create_rate_based_rule	This is AWS WAF Classic documentation
create_regex_match_set	This is AWS WAF Classic documentation
create_regex_pattern_set	This is AWS WAF Classic documentation
create_rule	This is AWS WAF Classic documentation
create_rule_group	This is AWS WAF Classic documentation
create_size_constraint_set	This is AWS WAF Classic documentation
create_sql_injection_match_set	This is AWS WAF Classic documentation
create_web_acl	This is AWS WAF Classic documentation
create_web_acl_migration_stack	Creates an AWS CloudFormation WAFV2 template for the specified web ACL in the sp

create_xss_match_set	This is AWS WAF Classic documentation
delete_byte_match_set	This is AWS WAF Classic documentation
delete_geo_match_set	This is AWS WAF Classic documentation
delete_ip_set	This is AWS WAF Classic documentation
delete_logging_configuration	This is AWS WAF Classic documentation
delete_permission_policy	This is AWS WAF Classic documentation
delete_rate_based_rule	This is AWS WAF Classic documentation
delete_regex_match_set	This is AWS WAF Classic documentation
delete_regex_pattern_set	This is AWS WAF Classic documentation
delete_rule	This is AWS WAF Classic documentation
delete_rule_group	This is AWS WAF Classic documentation
delete_size_constraint_set	This is AWS WAF Classic documentation
delete_sql_injection_match_set	This is AWS WAF Classic documentation
delete_web_acl	This is AWS WAF Classic documentation
delete_xss_match_set	This is AWS WAF Classic documentation
disassociate_web_acl	This is AWS WAF Classic Regional documentation
get_byte_match_set	This is AWS WAF Classic documentation
get_change_token	This is AWS WAF Classic documentation
get_change_token_status	This is AWS WAF Classic documentation
get_geo_match_set	This is AWS WAF Classic documentation
get_ip_set	This is AWS WAF Classic documentation
get_logging_configuration	This is AWS WAF Classic documentation
get_permission_policy	This is AWS WAF Classic documentation
get_rate_based_rule	This is AWS WAF Classic documentation
get_rate_based_rule_managed_keys	This is AWS WAF Classic documentation
get_regex_match_set	This is AWS WAF Classic documentation
get_regex_pattern_set	This is AWS WAF Classic documentation
get_rule	This is AWS WAF Classic documentation
get_rule_group	This is AWS WAF Classic documentation
get_sampled_requests	This is AWS WAF Classic documentation
get_size_constraint_set	This is AWS WAF Classic documentation
get_sql_injection_match_set	This is AWS WAF Classic documentation
get_web_acl	This is AWS WAF Classic documentation
get_web_acl_for_resource	This is AWS WAF Classic Regional documentation
get_xss_match_set	This is AWS WAF Classic documentation
list_activated_rules_in_rule_group	This is AWS WAF Classic documentation
list_byte_match_sets	This is AWS WAF Classic documentation
list_geo_match_sets	This is AWS WAF Classic documentation
list_ip_sets	This is AWS WAF Classic documentation
list_logging_configurations	This is AWS WAF Classic documentation
list_rate_based_rules	This is AWS WAF Classic documentation
list_regex_match_sets	This is AWS WAF Classic documentation
list_regex_pattern_sets	This is AWS WAF Classic documentation
list_resources_for_web_acl	This is AWS WAF Classic Regional documentation
list_rule_groups	This is AWS WAF Classic documentation
list_rules	This is AWS WAF Classic documentation
list_size_constraint_sets	This is AWS WAF Classic documentation
list_sql_injection_match_sets	This is AWS WAF Classic documentation

list_subscribed_rule_groups	This is AWS WAF Classic documentation
list_tags_for_resource	This is AWS WAF Classic documentation
list_web_acl	This is AWS WAF Classic documentation
list_xss_match_sets	This is AWS WAF Classic documentation
put_logging_configuration	This is AWS WAF Classic documentation
put_permission_policy	This is AWS WAF Classic documentation
tag_resource	This is AWS WAF Classic documentation
untag_resource	This is AWS WAF Classic documentation
update_byte_match_set	This is AWS WAF Classic documentation
update_geo_match_set	This is AWS WAF Classic documentation
update_ip_set	This is AWS WAF Classic documentation
update_rate_based_rule	This is AWS WAF Classic documentation
update_regex_match_set	This is AWS WAF Classic documentation
update_regex_pattern_set	This is AWS WAF Classic documentation
update_rule	This is AWS WAF Classic documentation
update_rule_group	This is AWS WAF Classic documentation
update_size_constraint_set	This is AWS WAF Classic documentation
update_sql_injection_match_set	This is AWS WAF Classic documentation
update_web_acl	This is AWS WAF Classic documentation
update_xss_match_set	This is AWS WAF Classic documentation

Examples

```
## Not run:
svc <- wafregional()
# The following example creates an IP match set named MyIPSetFriendlyName.
svc$create_ip_set(
  ChangeToken = "abcd12f2-46da-4fdb-b8d5-fbd4c466928f",
  Name = "MyIPSetFriendlyName"
)

## End(Not run)
```

wafv2

AWS WAFV2

Description

WAF

This is the latest version of the **WAF** API, released in November, 2019. The names of the entities that you use to access this API, like endpoints and namespaces, all have the versioning information added, like "V2" or "v2", to distinguish from the prior version. We recommend migrating your resources to this version, because it has a number of significant improvements.

If you used WAF prior to this release, you can't use this WAFV2 API to access any WAF resources that you created before. WAF Classic support will end on September 30, 2025.

For information about WAF, including how to migrate your WAF Classic resources to this version, see the [WAF Developer Guide](#).

WAF is a web application firewall that lets you monitor the HTTP and HTTPS requests that are forwarded to a protected resource. Protected resource types include Amazon CloudFront distribution, Amazon API Gateway REST API, Application Load Balancer, AppSync GraphQL API, Amazon Cognito user pool, App Runner service, and Amazon Web Services Verified Access instance. WAF also lets you control access to your content, to protect the Amazon Web Services resource that WAF is monitoring. Based on conditions that you specify, such as the IP addresses that requests originate from or the values of query strings, the protected resource responds to requests with either the requested content, an HTTP 403 status code (Forbidden), or with a custom response.

This API guide is for developers who need detailed information about WAF API actions, data types, and errors. For detailed information about WAF features and guidance for configuring and using WAF, see the [WAF Developer Guide](#).

You can make calls using the endpoints listed in [WAF endpoints and quotas](#).

- For regional resources, you can use any of the endpoints in the list. A regional application can be an Application Load Balancer (ALB), an Amazon API Gateway REST API, an AppSync GraphQL API, an Amazon Cognito user pool, an App Runner service, or an Amazon Web Services Verified Access instance.
- For Amazon CloudFront, you must use the API endpoint listed for US East (N. Virginia): us-east-1.

Alternatively, you can use one of the Amazon Web Services SDKs to access an API that's tailored to the programming language or platform that you're using. For more information, see [Amazon Web Services SDKs](#).

Usage

```
wafv2(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

- | | |
|--------|---|
| config | Optional configuration of credentials, endpoint, and/or region. |
|--------|---|
- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
 - **endpoint:** The complete URL to use for the constructed client.
 - **region:** The AWS Region used in instantiating the client.
 - **close_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- wafv2(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

associate_web_acl	Associates a web ACL with a resource, to protect the resource
check_capacity	Returns the web ACL capacity unit (WCU) requirements for a specified scope
create_api_key	Creates an API key that contains a set of token domains
create_ip_set	Creates an IPSet, which you use to identify web requests that originate from
create_regex_pattern_set	Creates a RegexPatternSet, which you reference in a RegexPatternSetReference
create_rule_group	Creates a RuleGroup per the specifications provided
create_web_acl	Creates a WebACL per the specifications provided
delete_api_key	Deletes the specified API key
delete_firewall_manager_rule_groups	Deletes all rule groups that are managed by Firewall Manager from the specified
delete_ip_set	Deletes the specified IPSet
delete_logging_configuration	Deletes the LoggingConfiguration from the specified web ACL
delete_permission_policy	Permanently deletes an IAM policy from the specified rule group
delete_regex_pattern_set	Deletes the specified RegexPatternSet
delete_rule_group	Deletes the specified RuleGroup
delete_web_acl	Deletes the specified WebACL
describe_all_managed_products	Provides high-level information for the Amazon Web Services Managed Rule Groups
describe_managed_products_by_vendor	Provides high-level information for the managed rule groups owned by a specific
describe_managed_rule_group	Provides high-level information for a managed rule group, including description
disassociate_web_acl	Disassociates the specified resource from its web ACL association, if it has
generate_mobile_sdk_release_url	Generates a presigned download URL for the specified release of the mobile SDK
get_decrypted_api_key	Returns your API key in decrypted form
get_ip_set	Retrieves the specified IPSet
get_logging_configuration	Returns the LoggingConfiguration for the specified web ACL
get_managed_rule_set	Retrieves the specified managed rule set
get_mobile_sdk_release	Retrieves information for the specified mobile SDK release, including release
get_permission_policy	Returns the IAM policy that is attached to the specified rule group
get_rate_based_statement_managed_keys	Retrieves the IP addresses that are currently blocked by a rate-based rule in
get_regex_pattern_set	Retrieves the specified RegexPatternSet
get_rule_group	Retrieves the specified RuleGroup
get_sampled_requests	Gets detailed information about a specified number of requests—a sample—the
get_web_acl	Retrieves the specified WebACL
get_web_acl_for_resource	Retrieves the WebACL for the specified resource
list_api_keys	Retrieves a list of the API keys that you've defined for the specified scope
list_available_managed_rule_groups	Retrieves an array of managed rule groups that are available for you to use
list_available_managed_rule_group_versions	Returns a list of the available versions for the specified managed rule group
list_ip_sets	Retrieves an array of IPSetSummary objects for the IP sets that you manage

<code>list_logging_configurations</code>	Retrieves an array of your LoggingConfiguration objects
<code>list_managed_rule_sets</code>	Retrieves the managed rule sets that you own
<code>list_mobile_sdk_releases</code>	Retrieves a list of the available releases for the mobile SDK and the specified resource
<code>list_regex_pattern_sets</code>	Retrieves an array of RegexPatternSetSummary objects for the regex pattern sets that you own
<code>list_resources_for_web_acl</code>	Retrieves an array of the Amazon Resource Names (ARNs) for the resources that you own
<code>list_rule_groups</code>	Retrieves an array of RuleGroupSummary objects for the rule groups that you own
<code>list_tags_for_resource</code>	Retrieves the TagInfoForResource for the specified resource
<code>list_web_acl_ls</code>	Retrieves an array of WebACLSummary objects for the web ACLs that you own
<code>put_logging_configuration</code>	Enables the specified LoggingConfiguration, to start logging from a web ACL
<code>put_managed_rule_set_versions</code>	Defines the versions of your managed rule set that you are offering to the customer
<code>put_permission_policy</code>	Use this to share a rule group with other accounts
<code>tag_resource</code>	Associates tags with the specified Amazon Web Services resource
<code>untag_resource</code>	Disassociates tags from an Amazon Web Services resource
<code>update_ip_set</code>	Updates the specified IPSet
<code>update_managed_rule_set_version_expiry_date</code>	Updates the expiration information for your managed rule set
<code>update_regex_pattern_set</code>	Updates the specified RegexPatternSet
<code>update_rule_group</code>	Updates the specified RuleGroup
<code>update_web_acl</code>	Updates the specified WebACL

Examples

```
## Not run:
svc <- wafv2()
svc$associate_web_acl(
  Foo = 123
)

## End(Not run)
```


Index

accept_administrator_invitation, [51](#), [92](#)
accept_invitation, [41](#), [51](#), [78](#), [92](#)
accept_primary_email_update, [9](#)
accept_resource_share_invitation, [85](#)
accept_shared_directory, [44](#)
accessanalyzer, [3](#)
account, [7](#)
acm, [9](#)
acmpca, [12](#)
add_attributes_to_findings, [67](#)
add_client_id_to_open_id_connect_provider, [55](#)
add_custom_attributes, [33](#)
add_facet_to_object, [20](#)
add_ip_routes, [44](#)
add_region, [44](#)
add_role_to_instance_profile, [55](#)
add_tags_to_certificate, [11](#)
add_tags_to_resource, [24](#), [44](#)
add_user_to_group, [55](#)
admin_add_user_to_group, [33](#)
admin_confirm_sign_up, [33](#)
admin_create_user, [33](#)
admin_delete_user, [33](#)
admin_delete_user_attributes, [33](#)
admin_disable_provider_for_user, [33](#)
admin_disable_user, [33](#)
admin_enable_user, [33](#)
admin_forget_device, [33](#)
admin_get_device, [33](#)
admin_get_user, [33](#)
admin_initiate_auth, [33](#)
admin_link_provider_for_user, [33](#)
admin_list_devices, [33](#)
admin_list_groups_for_user, [33](#)
admin_list_user_auth_events, [33](#)
admin_remove_user_from_group, [33](#)
admin_reset_user_password, [33](#)
admin_respond_to_auth_challenge, [33](#)
admin_set_user_mfa_preference, [33](#)
admin_set_user_password, [33](#)
admin_set_user_settings, [33](#)
admin_update_auth_event_feedback, [33](#)
admin_update_device_status, [33](#)
admin_update_user_attributes, [33](#)
admin_user_global_sign_out, [33](#)
apply_archive_rule, [6](#)
apply_schema, [20](#)
archive_findings, [51](#)
associate_admin_account, [48](#)
associate_drt_log_bucket, [99](#)
associate_drt_role, [99](#)
associate_health_check, [99](#)
associate_member, [70](#)
associate_proactive_engagement_details, [99](#)
associate_resource_share, [85](#)
associate_resource_share_permission, [85](#)
associate_software_token, [33](#)
associate_third_party_firewall, [48](#)
associate_web_acl, [122](#), [127](#)
assume_role, [112](#)
assume_role_with_saml, [112](#)
assume_role_with_web_identity, [112](#)
assume_root, [112](#)
attach_customer_managed_policy_reference_to_permission_set, [105](#)
attach_group_policy, [55](#)
attach_managed_policy_to_permission_set, [105](#)
attach_object, [20](#)
attach_policy, [20](#)
attach_role_policy, [55](#)
attach_to_index, [20](#)
attach_typed_link, [20](#)
attach_user_policy, [55](#)
batch_associate_resource, [48](#)

- batch_delete_automation_rules, [92](#)
- batch_disable_standards, [92](#)
- batch_disassociate_resource, [48](#)
- batch_enable_standards, [90](#), [92](#)
- batch_get_account_status, [70](#)
- batch_get_automation_rules, [92](#)
- batch_get_code_snippet, [70](#)
- batch_get_configuration_policy_associations, [92](#)
- batch_get_custom_data_identifiers, [78](#)
- batch_get_finding_details, [70](#)
- batch_get_free_trial_info, [70](#)
- batch_get_graph_member_datasources, [41](#)
- batch_get_member_ec_2_deep_inspection_status, [70](#)
- batch_get_membership_datasources, [41](#)
- batch_get_policy, [115](#)
- batch_get_secret_value, [88](#)
- batch_get_security_controls, [92](#)
- batch_get_standards_control_associations, [92](#)
- batch_import_findings, [90](#), [92](#)
- batch_is_authorized, [115](#)
- batch_is_authorized_with_token, [115](#)
- batch_read, [20](#)
- batch_update_automated_discovery_accounts, [78](#)
- batch_update_automation_rules, [92](#)
- batch_update_findings, [90](#), [92](#)
- batch_update_member_ec_2_deep_inspection_status, [70](#)
- batch_update_standards_control_associations, [92](#)
- batch_write, [20](#)
- bulk_publish, [38](#)

- cancel_findings_report, [70](#)
- cancel_key_deletion, [75](#)
- cancel_policy_generation, [6](#)
- cancel_rotate_secret, [88](#)
- cancel_sbom_export, [70](#)
- cancel_schema_extension, [44](#)
- cancel_trained_model, [17](#)
- cancel_trained_model_inference_job, [17](#)
- change_password, [33](#), [55](#)
- check_access_not_granted, [6](#)
- check_capacity, [127](#)
- check_no_new_access, [6](#)
- check_no_public_access, [6](#)

- cleanroomsml, [15](#)
- clouddirectory, [18](#)
- cloudhsm, [22](#)
- cloudhsmv2, [25](#)
- cognitoidentity, [27](#)
- cognitoidentityprovider, [30](#)
- cognitosync, [35](#)
- complete_web_authn_registration, [33](#)
- confirm_device, [33](#)
- confirm_forgot_password, [33](#)
- confirm_sign_up, [33](#)
- connect_custom_key_store, [75](#)
- connect_directory, [44](#)
- copy_backup_to_region, [26](#)
- create_access_key, [55](#)
- create_access_preview, [6](#)
- create_account_alias, [55](#)
- create_account_assignment, [105](#)
- create_action_target, [92](#)
- create_alias, [44](#), [75](#)
- create_allow_list, [78](#)
- create_analyzer, [6](#)
- create_api_key, [127](#)
- create_application, [105](#)
- create_application_assignment, [105](#)
- create_archive_rule, [6](#)
- create_assessment_target, [67](#)
- create_assessment_template, [67](#)
- create_audience_model, [17](#)
- create_automation_rule, [92](#)
- create_aws_log_source, [96](#)
- create_byte_match_set, [118](#), [122](#)
- create_certificate_authority, [14](#)
- create_certificate_authority_audit_report, [14](#)
- create_cis_scan_configuration, [70](#)
- create_classification_job, [78](#)
- create_cluster, [26](#)
- create_computer, [44](#)
- create_conditional_forwarder, [44](#)
- create_configuration_policy, [92](#)
- create_configured_audience_model, [17](#)
- create_configured_model_algorithm, [17](#)
- create_configured_model_algorithm_association, [17](#)
- create_connector, [82](#)
- create_custom_data_identifier, [78](#)
- create_custom_key_store, [75](#)

create_custom_log_source, 96
create_data_lake, 96
create_data_lake_exception_subscription, 96
create_data_lake_organization_configuration, 96
create_detector, 51
create_directory, 20, 44
create_directory_registration, 82
create_exclusions_preview, 67
create_facet, 20
create_filter, 51, 70
create_finding_aggregator, 92
create_findings_filter, 78
create_findings_report, 70
create_geo_match_set, 118, 122
create_grant, 75
create_graph, 41
create_group, 33, 55, 64
create_group_membership, 64
create_hapg, 24
create_hsm, 24, 26
create_identity_pool, 29
create_identity_provider, 33
create_identity_source, 115
create_index, 20
create_insight, 92
create_instance, 105
create_instance_access_control_attribute_configuration, 105
create_instance_profile, 55
create_invitations, 78
create_ip_set, 51, 118, 122, 127
create_key, 75
create_log_subscription, 44
create_login_profile, 55
create_luna_client, 24
create_malware_protection_plan, 51
create_managed_login_branding, 33
create_member, 78
create_members, 41, 51, 92
create_microsoft_ad, 44
create_ml_input_channel, 17
create_object, 20
create_open_id_connect_provider, 55
create_permission, 14, 85
create_permission_set, 105
create_permission_version, 85
create_policy, 55, 115
create_policy_store, 115
create_policy_template, 115
create_policy_version, 55
create_profile, 61
create_protection, 99
create_protection_group, 99
create_publishing_destination, 52
create_rate_based_rule, 118, 122
create_regex_match_set, 118, 122
create_regex_pattern_set, 118, 122, 127
create_resource_group, 67
create_resource_server, 34
create_resource_share, 85
create_role, 55
create_rule, 118, 122
create_rule_group, 118, 122, 127
create_saml_provider, 55
create_sample_findings, 52, 78
create_sbom_export, 70
create_schema, 20
create_secret, 88
create_service_linked_role, 55
create_service_principal_name, 82
create_service_specific_credential, 55
create_size_constraint_set, 118, 122
create_snapshot, 44
create_sql_injection_match_set, 118, 122
create_subscriber, 96
create_subscriber_notification, 96
create_subscription, 99
create_template, 82
create_template_group_access_control_entry, 82
create_threat_intel_set, 52
create_token, 109
create_token_with_iam, 109
create_trained_model, 17
create_training_dataset, 17
create_trust, 45
create_trust_anchor, 61
create_trusted_token_issuer, 105
create_typed_link_facet, 21
create_user, 55, 64
create_user_import_job, 34
create_user_pool, 34
create_user_pool_client, 34

- create_user_pool_domain, [34](#)
- create_virtual_mfa_device, [56](#)
- create_web_acl, [118](#), [122](#), [127](#)
- create_web_acl_migration_stack, [118](#), [122](#)
- create_xss_match_set, [118](#), [123](#)

- deactivate_mfa_device, [56](#)
- decline_invitations, [52](#), [78](#), [92](#)
- decode_authorization_message, [112](#)
- decrypt, [73](#), [75](#)
- delete_access_key, [56](#)
- delete_account_alias, [56](#)
- delete_account_assignment, [105](#)
- delete_account_password_policy, [56](#)
- delete_action_target, [92](#)
- delete_alias, [75](#)
- delete_allow_list, [78](#)
- delete_alternate_contact, [9](#)
- delete_analyzer, [6](#)
- delete_api_key, [127](#)
- delete_application, [105](#)
- delete_application_access_scope, [105](#)
- delete_application_assignment, [105](#)
- delete_application_authentication_method, [105](#)
- delete_application_grant, [105](#)
- delete_apps_list, [48](#)
- delete_archive_rule, [6](#)
- delete_assessment_run, [67](#)
- delete_assessment_target, [67](#)
- delete_assessment_template, [67](#)
- delete_attribute_mapping, [61](#)
- delete_audience_generation_job, [17](#)
- delete_audience_model, [17](#)
- delete_aws_log_source, [96](#)
- delete_backup, [27](#)
- delete_byte_match_set, [118](#), [123](#)
- delete_certificate, [11](#)
- delete_certificate_authority, [14](#)
- delete_cis_scan_configuration, [70](#)
- delete_cluster, [27](#)
- delete_conditional_forwarder, [45](#)
- delete_configuration_policy, [92](#)
- delete_configured_audience_model, [17](#)
- delete_configured_audience_model_policy, [17](#)
- delete_configured_model_algorithm, [17](#)
- delete_configured_model_algorithm_association, [17](#)
- delete_connector, [82](#)
- delete_crl, [61](#)
- delete_custom_data_identifier, [78](#)
- delete_custom_key_store, [75](#)
- delete_custom_log_source, [97](#)
- delete_data_lake, [97](#)
- delete_data_lake_exception_subscription, [97](#)
- delete_data_lake_organization_configuration, [97](#)
- delete_dataset, [38](#)
- delete_detector, [52](#)
- delete_directory, [21](#), [45](#)
- delete_directory_registration, [82](#)
- delete_facet, [21](#)
- delete_filter, [52](#), [70](#)
- delete_finding_aggregator, [92](#)
- delete_findings_filter, [78](#)
- delete_firewall_manager_rule_groups, [127](#)
- delete_geo_match_set, [118](#), [123](#)
- delete_graph, [41](#)
- delete_group, [34](#), [56](#), [64](#)
- delete_group_membership, [64](#)
- delete_group_policy, [56](#)
- delete_hapg, [24](#)
- delete_hsm, [24](#), [27](#)
- delete_identities, [29](#)
- delete_identity_pool, [29](#)
- delete_identity_provider, [34](#)
- delete_identity_source, [115](#)
- delete_imported_key_material, [75](#)
- delete_inline_policy_from_permission_set, [105](#)
- delete_insight, [92](#)
- delete_instance, [105](#)
- delete_instance_access_control_attribute_configuration, [105](#)
- delete_instance_profile, [56](#)
- delete_invitations, [52](#), [78](#), [92](#)
- delete_ip_set, [52](#), [118](#), [123](#), [127](#)
- delete_log_subscription, [45](#)
- delete_logging_configuration, [118](#), [123](#), [127](#)
- delete_login_profile, [56](#)
- delete_luna_client, [24](#)

- delete_malware_protection_plan, [52](#)
- delete_managed_login_branding, [34](#)
- delete_member, [78](#)
- delete_members, [41](#), [52](#), [93](#)
- delete_ml_configuration, [17](#)
- delete_ml_input_channel_data, [17](#)
- delete_notification_channel, [48](#)
- delete_object, [21](#)
- delete_open_id_connect_provider, [56](#)
- delete_permission, [14](#), [85](#)
- delete_permission_policy, [118](#), [123](#), [127](#)
- delete_permission_set, [105](#)
- delete_permission_version, [85](#)
- delete_permissions_boundary_from_permission_set, [105](#)
- delete_policy, [14](#), [48](#), [56](#), [115](#)
- delete_policy_store, [115](#)
- delete_policy_template, [115](#)
- delete_policy_version, [56](#)
- delete_profile, [61](#)
- delete_protection, [99](#)
- delete_protection_group, [99](#)
- delete_protocols_list, [48](#)
- delete_publishing_destination, [52](#)
- delete_rate_based_rule, [118](#), [123](#)
- delete_regex_match_set, [118](#), [123](#)
- delete_regex_pattern_set, [119](#), [123](#), [127](#)
- delete_resource_policy, [27](#), [88](#)
- delete_resource_server, [34](#)
- delete_resource_set, [48](#)
- delete_resource_share, [85](#)
- delete_role, [56](#)
- delete_role_permissions_boundary, [56](#)
- delete_role_policy, [56](#)
- delete_rule, [119](#), [123](#)
- delete_rule_group, [119](#), [123](#), [127](#)
- delete_saml_provider, [56](#)
- delete_schema, [21](#)
- delete_secret, [88](#)
- delete_server_certificate, [56](#)
- delete_service_linked_role, [56](#)
- delete_service_principal_name, [82](#)
- delete_service_specific_credential, [56](#)
- delete_signing_certificate, [56](#)
- delete_size_constraint_set, [119](#), [123](#)
- delete_snapshot, [45](#)
- delete_sql_injection_match_set, [119](#), [123](#)
- delete_ssh_public_key, [56](#)
- delete_subscriber, [97](#)
- delete_subscriber_notification, [97](#)
- delete_subscription, [99](#)
- delete_template, [82](#)
- delete_template_group_access_control_entry, [82](#)
- delete_threat_intel_set, [52](#)
- delete_trained_model_output, [17](#)
- delete_training_dataset, [17](#)
- delete_trust, [45](#)
- delete_trust_anchor, [61](#)
- delete_trusted_token_issuer, [105](#)
- delete_typed_link_facet, [21](#)
- delete_user, [34](#), [56](#), [64](#)
- delete_user_attributes, [34](#)
- delete_user_permissions_boundary, [56](#)
- delete_user_policy, [56](#)
- delete_user_pool, [34](#)
- delete_user_pool_client, [34](#)
- delete_user_pool_domain, [34](#)
- delete_virtual_mfa_device, [56](#)
- delete_web_acl, [119](#), [123](#), [127](#)
- delete_web_authn_credential, [34](#)
- delete_xss_match_set, [119](#), [123](#)
- deregister_certificate, [45](#)
- deregister_data_lake_delegated_administrator, [97](#)
- deregister_event_topic, [45](#)
- derive_shared_secret, [75](#)
- describe_account_assignment_creation_status, [105](#)
- describe_account_assignment_deletion_status, [105](#)
- describe_action_targets, [93](#)
- describe_all_managed_products, [127](#)
- describe_application, [105](#)
- describe_application_assignment, [105](#)
- describe_application_provider, [105](#)
- describe_assessment_runs, [67](#)
- describe_assessment_targets, [67](#)
- describe_assessment_templates, [67](#)
- describe_attack, [99](#)
- describe_attack_statistics, [99](#)
- describe_backups, [27](#)
- describe_buckets, [78](#)
- describe_certificate, [11](#), [45](#)
- describe_certificate_authority, [14](#)

- describe_certificate_authority_audit_report, [14](#)
- describe_classification_job, [78](#)
- describe_client_authentication_settings, [45](#)
- describe_clusters, [27](#)
- describe_conditional_forwarders, [45](#)
- describe_cross_account_access_role, [67](#)
- describe_custom_key_stores, [75](#)
- describe_dataset, [38](#)
- describe_directories, [45](#)
- describe_directory_data_access, [45](#)
- describe_domain_controllers, [45](#)
- describe_drt_access, [99](#)
- describe_emergency_contact_settings, [100](#)
- describe_event_topics, [45](#)
- describe_exclusions, [67](#)
- describe_findings, [67](#)
- describe_group, [64](#)
- describe_group_membership, [64](#)
- describe_hapg, [24](#)
- describe_hsm, [24](#)
- describe_hub, [93](#)
- describe_identity, [29](#)
- describe_identity_pool, [29](#)
- describe_identity_pool_usage, [38](#)
- describe_identity_provider, [34](#)
- describe_identity_usage, [38](#)
- describe_instance, [105](#)
- describe_instance_access_control_attribute_configuration, [105](#)
- describe_key, [75](#)
- describe_ldaps_settings, [45](#)
- describe_luna_client, [24](#)
- describe_malware_scans, [52](#)
- describe_managed_login_branding, [34](#)
- describe_managed_login_branding_by_client, [34](#)
- describe_managed_products_by_vendor, [127](#)
- describe_managed_rule_group, [127](#)
- describe_organization_configuration, [41](#), [52](#), [70](#), [78](#), [93](#)
- describe_permission_set, [105](#)
- describe_permission_set_provisioning_status, [106](#)
- describe_products, [93](#)
- describe_protection, [100](#)
- describe_protection_group, [100](#)
- describe_publishing_destination, [52](#)
- describe_regions, [45](#)
- describe_resource_groups, [67](#)
- describe_resource_server, [34](#)
- describe_risk_configuration, [34](#)
- describe_rules_packages, [67](#)
- describe_secret, [88](#)
- describe_settings, [45](#)
- describe_shared_directories, [45](#)
- describe_snapshots, [45](#)
- describe_standards, [93](#)
- describe_standards_controls, [93](#)
- describe_subscription, [100](#)
- describe_trusted_token_issuer, [106](#)
- describe_trusts, [45](#)
- describe_update_directory, [45](#)
- describe_user, [64](#)
- describe_user_import_job, [34](#)
- describe_user_pool, [34](#)
- describe_user_pool_client, [34](#)
- describe_user_pool_domain, [34](#)
- detach_customer_managed_policy_reference_from_permission_set, [106](#)
- detach_from_index, [21](#)
- detach_group_policy, [56](#)
- detach_managed_policy_from_permission_set, [106](#)
- detach_object, [21](#)
- detach_role_policy, [21](#)
- detach_role_policy, [56](#)
- detach_typed_link, [21](#)
- detach_user_policy, [56](#)
- detective, [38](#)
- directoryservice, [42](#)
- disable, [70](#)
- disable_application_layer_automatic_response, [100](#)
- disable_client_authentication, [45](#)
- disable_crl, [61](#)
- disable_delegated_admin_account, [70](#)
- disable_directory, [21](#)
- disable_directory_data_access, [45](#)
- disable_import_findings_for_product, [93](#)
- disable_key, [75](#)
- disable_key_rotation, [75](#)

- disable_ldaps, [45](#)
- disable_macie, [78](#)
- disable_organization_admin_account, [41](#),
[52](#), [78](#), [93](#)
- disable_organizations_root_credentials_management, [56](#)
- disable_organizations_root_sessions, [56](#)
- disable_proactive_engagement, [100](#)
- disable_profile, [61](#)
- disable_radius, [45](#)
- disable_region, [9](#)
- disable_security_hub, [93](#)
- disable_sso, [45](#)
- disable_trust_anchor, [61](#)
- disassociate_admin_account, [48](#)
- disassociate_drt_log_bucket, [100](#)
- disassociate_drt_role, [100](#)
- disassociate_from_administrator_account, [52](#), [78](#), [93](#)
- disassociate_from_master_account, [52](#),
[78](#), [93](#)
- disassociate_health_check, [100](#)
- disassociate_member, [70](#), [78](#)
- disassociate_members, [52](#), [93](#)
- disassociate_membership, [41](#)
- disassociate_resource_share, [85](#)
- disassociate_resource_share_permission, [85](#)
- disassociate_third_party_firewall, [48](#)
- disassociate_web_acl, [123](#), [127](#)
- disconnect_custom_key_store, [75](#)
- enable, [70](#)
- enable_application_layer_automatic_response, [100](#)
- enable_client_authentication, [45](#)
- enable_crl, [61](#)
- enable_delegated_admin_account, [70](#)
- enable_directory, [21](#)
- enable_directory_data_access, [45](#)
- enable_import_findings_for_product, [93](#)
- enable_key, [75](#)
- enable_key_rotation, [75](#)
- enable_ldaps, [45](#)
- enable_macie, [78](#)
- enable_mfa_device, [56](#)
- enable_organization_admin_account, [41](#),
[52](#), [78](#), [93](#)
- enable_organizations_root_credentials_management, [56](#)
- enable_organizations_root_sessions, [56](#)
- enable_proactive_engagement, [100](#)
- enable_profile, [61](#)
- enable_radius, [45](#)
- enable_region, [9](#)
- enable_security_hub, [93](#)
- enable_sharing_with_aws_organization, [85](#)
- enable_sso, [45](#)
- enable_trust_anchor, [61](#)
- encrypt, [73](#), [75](#)
- export_certificate, [11](#)
- fms, [46](#)
- forget_device, [34](#)
- forgot_password, [34](#)
- generate_credential_report, [56](#)
- generate_data_key, [73](#), [75](#)
- generate_data_key_pair, [75](#)
- generate_data_key_pair_without_plaintext, [75](#)
- generate_data_key_without_plaintext, [73](#), [75](#)
- generate_finding_recommendation, [6](#)
- generate_mac, [75](#)
- generate_mobile_sdk_release_url, [127](#)
- generate_organizations_access_report, [56](#)
- generate_random, [75](#)
- generate_service_last_accessed_details, [56](#)
- get_access_key_info, [112](#)
- get_access_key_last_used, [56](#)
- get_access_preview, [6](#)
- get_account_authorization_details, [56](#)
- get_account_configuration, [11](#)
- get_account_password_policy, [56](#)
- get_account_summary, [56](#)
- get_admin_account, [48](#)
- get_admin_scope, [48](#)
- get_administrator_account, [52](#), [78](#), [93](#)
- get_allow_list, [78](#)
- get_alternate_contact, [9](#)
- get_analyzed_resource, [6](#)
- get_analyzer, [6](#)
- get_application_access_scope, [106](#)

- get_application_assignment_configuration, [106](#)
- get_application_authentication_method, [106](#)
- get_application_grant, [106](#)
- get_applied_schema_version, [21](#)
- get_apps_list, [48](#)
- get_archive_rule, [6](#)
- get_assessment_report, [67](#)
- get_audience_generation_job, [17](#)
- get_audience_model, [17](#)
- get_automated_discovery_configuration, [78](#)
- get_bucket_statistics, [78](#)
- get_bulk_publish_details, [38](#)
- get_byte_match_set, [119](#), [123](#)
- get_caller_identity, [112](#)
- get_certificate, [11](#), [14](#)
- get_certificate_authority_certificate, [14](#)
- get_certificate_authority_csr, [14](#)
- get_change_token, [119](#), [123](#)
- get_change_token_status, [119](#), [123](#)
- get_cis_scan_report, [70](#)
- get_cis_scan_result_details, [70](#)
- get_classification_export_configuration, [78](#)
- get_classification_scope, [78](#)
- get_cognito_events, [38](#)
- get_collaboration_configured_model_algorithm_association, [17](#)
- get_collaboration_ml_input_channel, [17](#)
- get_collaboration_trained_model, [17](#)
- get_compliance_detail, [48](#)
- get_config, [24](#)
- get_configuration, [70](#)
- get_configuration_policy, [93](#)
- get_configuration_policy_association, [93](#)
- get_configured_audience_model, [17](#)
- get_configured_audience_model_policy, [17](#)
- get_configured_model_algorithm, [17](#)
- get_configured_model_algorithm_association, [17](#)
- get_connector, [82](#)
- get_contact_information, [9](#)
- get_context_keys_for_custom_policy, [56](#)
- get_context_keys_for_principal_policy, [56](#)
- get_coverage_statistics, [52](#)
- get_credential_report, [56](#)
- get_credentials_for_identity, [29](#)
- get_crl, [61](#)
- get_csv_header, [34](#)
- get_custom_data_identifier, [78](#)
- get_data_lake_exception_subscription, [97](#)
- get_data_lake_organization_configuration, [97](#)
- get_data_lake_sources, [97](#)
- get_decrypted_api_key, [127](#)
- get_delegated_admin_account, [70](#)
- get_detector, [52](#)
- get_device, [34](#)
- get_directory, [21](#)
- get_directory_limits, [45](#)
- get_directory_registration, [82](#)
- get_ec_2_deep_inspection_configuration, [70](#)
- get_enabled_standards, [93](#)
- get_encryption_key, [70](#)
- get_exclusions_preview, [67](#)
- get_facet, [21](#)
- get_federation_token, [112](#)
- get_filter, [52](#)
- get_finding, [6](#)
- get_finding_aggregator, [93](#)
- get_finding_history, [93](#)
- get_finding_recommendation, [6](#)
- get_finding_statistics, [79](#)
- get_finding_v2, [6](#)
- get_findings, [52](#), [78](#), [90](#), [93](#)
- get_findings_filter, [79](#)
- get_findings_publication_configuration, [79](#)
- get_findings_report_status, [70](#)
- get_findings_statistics, [6](#), [52](#)
- get_generated_policy, [6](#)
- get_geo_match_set, [119](#), [123](#)
- get_group, [34](#), [56](#)
- get_group_id, [64](#)
- get_group_membership_id, [64](#)
- get_group_policy, [56](#)
- get_id, [29](#)
- get_identity_pool_configuration, [38](#)

- get_identity_pool_roles, [29](#)
- get_identity_provider_by_identifier, [34](#)
- get_identity_source, [115](#)
- get_inline_policy_for_permission_set, [106](#)
- get_insight_results, [93](#)
- get_insights, [93](#)
- get_instance_profile, [56](#)
- get_investigation, [41](#)
- get_invitations_count, [52](#), [79](#), [93](#)
- get_ip_set, [52](#), [119](#), [123](#), [127](#)
- get_key_policy, [75](#)
- get_key_rotation_status, [75](#)
- get_link_attributes, [21](#)
- get_log_delivery_configuration, [34](#)
- get_logging_configuration, [119](#), [123](#), [127](#)
- get_login_profile, [56](#)
- get_macie_session, [79](#)
- get_malware_protection_plan, [52](#)
- get_malware_scan_settings, [52](#)
- get_managed_rule_set, [127](#)
- get_master_account, [52](#), [79](#), [93](#)
- get_member, [71](#), [79](#)
- get_member_detectors, [52](#)
- get_members, [41](#), [52](#), [93](#)
- get_mfa_device, [56](#)
- get_ml_configuration, [17](#)
- get_ml_input_channel, [17](#)
- get_mobile_sdk_release, [127](#)
- get_notification_channel, [48](#)
- get_object_attributes, [21](#)
- get_object_information, [21](#)
- get_open_id_connect_provider, [57](#)
- get_open_id_token, [29](#)
- get_open_id_token_for_developer_identity, [29](#)
- get_organization_statistics, [52](#)
- get_organizations_access_report, [57](#)
- get_parameters_for_import, [75](#)
- get_permission, [85](#)
- get_permission_policy, [119](#), [123](#), [127](#)
- get_permissions_boundary_for_permission_set, [106](#)
- get_policy, [14](#), [48](#), [57](#), [115](#)
- get_policy_store, [116](#)
- get_policy_template, [116](#)
- get_policy_version, [57](#)
- get_primary_email, [9](#)
- get_principal_tag_attribute_map, [29](#)
- get_profile, [61](#)
- get_protection_status, [48](#)
- get_protocols_list, [48](#)
- get_public_key, [75](#)
- get_random_password, [88](#)
- get_rate_based_rule, [119](#), [123](#)
- get_rate_based_rule_managed_keys, [119](#), [123](#)
- get_rate_based_statement_managed_keys, [127](#)
- get_regex_match_set, [119](#), [123](#)
- get_regex_pattern_set, [119](#), [123](#), [127](#)
- get_region_opt_status, [9](#)
- get_remaining_free_trial_days, [52](#)
- get_resource_policies, [85](#)
- get_resource_policy, [27](#), [88](#)
- get_resource_profile, [79](#)
- get_resource_set, [48](#)
- get_resource_share_associations, [85](#)
- get_resource_share_invitations, [85](#)
- get_resource_shares, [85](#)
- get_reveal_configuration, [79](#)
- get_role, [57](#)
- get_role_credentials, [102](#)
- get_role_policy, [57](#)
- get_rule, [119](#), [123](#)
- get_rule_group, [119](#), [123](#), [127](#)
- get_saml_provider, [57](#)
- get_sampled_requests, [119](#), [123](#), [127](#)
- get_sbom_export, [71](#)
- get_schema, [116](#)
- get_schema_as_json, [21](#)
- get_secret_value, [88](#)
- get_security_control_definition, [93](#)
- get_sensitive_data_occurrences, [79](#)
- get_sensitive_data_occurrences_availability, [79](#)
- get_sensitivity_inspection_template, [79](#)
- get_server_certificate, [57](#)
- get_service_last_accessed_details, [57](#)
- get_service_last_accessed_details_with_entities, [57](#)
- get_service_linked_role_deletion_status, [57](#)
- get_service_principal_name, [82](#)

- get_session_token, [112](#)
- get_signing_certificate, [34](#)
- get_size_constraint_set, [119](#), [123](#)
- get_snapshot_limits, [45](#)
- get_sql_injection_match_set, [119](#), [123](#)
- get_ssh_public_key, [57](#)
- get_subject, [61](#)
- get_subscriber, [97](#)
- get_subscription_state, [100](#)
- get_telemetry_metadata, [67](#)
- get_template, [82](#)
- get_template_group_access_control_entry, [82](#)
- get_third_party_firewall_association_status, [48](#)
- get_threat_intel_set, [52](#)
- get_trained_model, [17](#)
- get_trained_model_inference_job, [17](#)
- get_training_dataset, [17](#)
- get_trust_anchor, [61](#)
- get_typed_link_facet_information, [21](#)
- get_ui_customization, [34](#)
- get_usage_statistics, [52](#), [79](#)
- get_usage_totals, [79](#)
- get_user, [34](#), [57](#)
- get_user_attribute_verification_code, [34](#)
- get_user_auth_factors, [34](#)
- get_user_id, [64](#)
- get_user_policy, [57](#)
- get_user_pool_mfa_config, [34](#)
- get_violation_details, [48](#)
- get_web_acl, [119](#), [123](#), [127](#)
- get_web_acl_for_resource, [123](#), [127](#)
- get_xss_match_set, [119](#), [123](#)
- global_sign_out, [34](#)
- guardduty, [49](#)

- iam, [53](#)
- iamrolesanywhere, [59](#)
- identitystore, [62](#)
- import_certificate, [11](#)
- import_certificate_authority_certificate, [14](#)
- import_crl, [61](#)
- import_key_material, [75](#)
- initialize_cluster, [27](#)
- initiate_auth, [34](#)
- inspector, [65](#)
- inspector2, [68](#)
- invite_members, [52](#), [93](#)
- is_authorized, [116](#)
- is_authorized_with_token, [116](#)
- is_member_in_groups, [64](#)
- issue_certificate, [14](#)

- kms, [72](#)

- list_access_keys, [57](#)
- list_access_preview_findings, [6](#)
- list_access_previews, [6](#)
- list_account_aliases, [57](#)
- list_account_assignment_creation_status, [106](#)
- list_account_assignment_deletion_status, [106](#)
- list_account_assignments, [106](#)
- list_account_assignments_for_principal, [106](#)
- list_account_permissions, [71](#)
- list_account_roles, [102](#)
- list_accounts, [102](#)
- list_accounts_for_provisioned_permission_set, [106](#)
- list_activated_rules_in_rule_group, [119](#), [123](#)
- list_admin_accounts_for_organization, [48](#)
- list_admins_managing_account, [48](#)
- list_aliases, [75](#)
- list_allow_lists, [79](#)
- list_analyzed_resources, [6](#)
- list_analyzers, [6](#)
- list_api_keys, [127](#)
- list_application_access_scopes, [106](#)
- list_application_assignments, [106](#)
- list_application_assignments_for_principal, [106](#)
- list_application_authentication_methods, [106](#)
- list_application_grants, [106](#)
- list_application_providers, [106](#)
- list_applications, [106](#)
- list_applied_schema_arns, [21](#)
- list_apps_lists, [48](#)
- list_archive_rules, [6](#)
- list_assessment_run_agents, [67](#)
- list_assessment_runs, [67](#)

- list_assessment_targets, [67](#)
- list_assessment_templates, [67](#)
- list_attached_group_policies, [57](#)
- list_attached_indices, [21](#)
- list_attached_role_policies, [57](#)
- list_attached_user_policies, [57](#)
- list_attacks, [100](#)
- list_audience_export_jobs, [17](#)
- list_audience_generation_jobs, [17](#)
- list_audience_models, [17](#)
- list_automated_discovery_accounts, [79](#)
- list_automation_rules, [93](#)
- list_available_managed_rule_group_versions, [127](#)
- list_available_managed_rule_groups, [127](#)
- list_available_zones, [24](#)
- list_byte_match_sets, [119](#), [123](#)
- list_certificate_authorities, [14](#)
- list_certificates, [11](#), [45](#)
- list_cis_scan_configurations, [71](#)
- list_cis_scan_results_aggregated_by_checks, [71](#)
- list_cis_scan_results_aggregated_by_target_resources, [71](#)
- list_cis_scans, [71](#)
- list_classification_jobs, [79](#)
- list_classification_scopes, [79](#)
- list_collaboration_configured_model_algorithm_associations, [17](#)
- list_collaboration_ml_input_channels, [17](#)
- list_collaboration_trained_model_export_jobs, [17](#)
- list_collaboration_trained_model_inference_jobs, [17](#)
- list_collaboration_trained_models, [18](#)
- list_compliance_status, [48](#)
- list_configuration_policies, [93](#)
- list_configuration_policy_associations, [93](#)
- list_configured_audience_models, [18](#)
- list_configured_model_algorithm_associations, [18](#)
- list_configured_model_algorithms, [18](#)
- list_connectors, [82](#)
- list_coverage, [52](#), [71](#)
- list_coverage_statistics, [71](#)
- list_crls, [61](#)
- list_custom_data_identifiers, [79](#)
- list_customer_managed_policy_references_in_permission_sets, [106](#)
- list_data_lake_exceptions, [97](#)
- list_data_lakes, [97](#)
- list_datasets, [38](#)
- list_datasource_packages, [42](#)
- list_delegated_admin_accounts, [71](#)
- list_detectors, [52](#)
- list_development_schema_arns, [21](#)
- list_devices, [34](#)
- list_directories, [21](#)
- list_directory_registrations, [82](#)
- list_discovered_resources, [48](#)
- list_enabled_products_for_import, [93](#)
- list_entities_for_policy, [57](#)
- list_event_subscriptions, [67](#)
- list_exclusions, [67](#)
- list_facet_attributes, [21](#)
- list_facet_names, [21](#)
- list_filters, [52](#), [71](#)
- list_finding_aggregations, [71](#)
- list_finding_aggregators, [93](#)
- list_findings, [6](#), [52](#), [67](#), [71](#), [79](#)
- list_findings_filters, [79](#)
- list_findings_v2, [6](#)
- list_geo_match_sets, [119](#), [123](#)
- list_group_registrations, [75](#)
- list_graphs, [42](#)
- list_group_memberships, [64](#)
- list_group_memberships_for_member, [64](#)
- list_group_policies, [57](#)
- list_groups, [34](#), [57](#), [64](#)
- list_groups_for_user, [57](#)
- list_haps, [24](#)
- list_hsms, [24](#)
- list_identities, [29](#)
- list_identity_pool_usage, [38](#)
- list_identity_pools, [29](#)
- list_identity_providers, [34](#)
- list_identity_sources, [116](#)
- list_incoming_typed_links, [21](#)
- list_index, [21](#)
- list_indicators, [42](#)
- list_instance_profile_tags, [57](#)
- list_instance_profiles, [57](#)
- list_instance_profiles_for_role, [57](#)

- list_instances, [106](#)
- list_investigations, [42](#)
- list_invitations, [42](#), [52](#), [79](#), [93](#)
- list_ip_routes, [45](#)
- list_ip_sets, [52](#), [119](#), [123](#), [127](#)
- list_key_policies, [75](#)
- list_key_rotations, [75](#)
- list_keys, [75](#)
- list_log_sources, [97](#)
- list_log_subscriptions, [45](#)
- list_logging_configurations, [119](#), [123](#), [128](#)
- list_luna_clients, [24](#)
- list_malware_protection_plans, [52](#)
- list_managed_data_identifiers, [79](#)
- list_managed_policies_in_permission_set, [106](#)
- list_managed_rule_sets, [128](#)
- list_managed_schema_arns, [21](#)
- list_member_accounts, [48](#)
- list_members, [42](#), [52](#), [71](#), [79](#), [93](#)
- list_mfa_device_tags, [57](#)
- list_mfa_devices, [57](#)
- list_ml_input_channels, [18](#)
- list_mobile_sdk_releases, [128](#)
- list_object_attributes, [21](#)
- list_object_children, [21](#)
- list_object_parent_paths, [21](#)
- list_object_parents, [21](#)
- list_object_policies, [21](#)
- list_open_id_connect_provider_tags, [57](#)
- list_open_id_connect_providers, [57](#)
- list_organization_admin_accounts, [42](#), [52](#), [79](#), [93](#)
- list_organizations_features, [57](#)
- list_outgoing_typed_links, [21](#)
- list_pending_invitation_resources, [85](#)
- list_permission_associations, [85](#)
- list_permission_set_provisioning_status, [106](#)
- list_permission_sets, [106](#)
- list_permission_sets_provisioned_to_account, [106](#)
- list_permission_versions, [85](#)
- list_permissions, [14](#), [85](#)
- list_policies, [48](#), [57](#), [116](#)
- list_policies_granting_service_access, [57](#)
- list_policy_attachments, [21](#)
- list_policy_generations, [6](#)
- list_policy_stores, [116](#)
- list_policy_tags, [57](#)
- list_policy_templates, [116](#)
- list_policy_versions, [57](#)
- list_principals, [85](#)
- list_profiles, [61](#)
- list_protection_groups, [100](#)
- list_protections, [100](#)
- list_protocols_lists, [49](#)
- list_published_schema_arns, [21](#)
- list_publishing_destinations, [52](#)
- list_rate_based_rules, [119](#), [123](#)
- list_records, [38](#)
- list_regex_match_sets, [119](#), [123](#)
- list_regex_pattern_sets, [119](#), [123](#), [128](#)
- list_regions, [9](#)
- list_replace_permission_associations_work, [85](#)
- list_resource_profile_artifacts, [79](#)
- list_resource_profile_detections, [79](#)
- list_resource_servers, [34](#)
- list_resource_set_resources, [49](#)
- list_resource_sets, [49](#)
- list_resource_share_permissions, [85](#)
- list_resource_tags, [75](#)
- list_resource_types, [85](#)
- list_resources, [85](#)
- list_resources_for_web_acl, [123](#), [128](#)
- list_resources_in_protection_group, [100](#)
- list_retirable_grants, [75](#)
- list_role_policies, [57](#)
- list_role_tags, [57](#)
- list_roles, [57](#)
- list_rule_groups, [119](#), [123](#), [128](#)
- list_rules, [119](#), [123](#)
- list_rules_packages, [67](#)
- list_saml_provider_tags, [57](#)
- list_saml_providers, [57](#)
- list_schema_extensions, [45](#)
- list_secret_version_ids, [88](#)
- list_secrets, [88](#)
- list_security_control_definitions, [93](#)
- list_sensitivity_inspection_templates, [79](#)
- list_server_certificate_tags, [57](#)

- list_server_certificates, [57](#)
- list_service_principal_names, [82](#)
- list_service_specific_credentials, [57](#)
- list_signing_certificates, [57](#)
- list_size_constraint_sets, [119](#), [123](#)
- list_sql_injection_match_sets, [119](#), [123](#)
- list_ssh_public_keys, [57](#)
- list_standards_control_associations, [93](#)
- list_subjects, [61](#)
- list_subscribed_rule_groups, [119](#), [124](#)
- list_subscribers, [97](#)
- list_tags, [14](#), [27](#)
- list_tags_for_certificate, [11](#)
- list_tags_for_resource, [6](#), [18](#), [21](#), [24](#), [30](#), [34](#), [42](#), [45](#), [49](#), [53](#), [62](#), [67](#), [71](#), [79](#), [82](#), [93](#), [97](#), [100](#), [106](#), [119](#), [124](#), [128](#)
- list_template_group_access_control_entries, [82](#)
- list_templates, [82](#)
- list_third_party_firewall_firewall_policies, [49](#)
- list_threat_intel_sets, [53](#)
- list_trained_model_inference_jobs, [18](#)
- list_trained_models, [18](#)
- list_training_datasets, [18](#)
- list_trust_anchors, [62](#)
- list_trusted_token_issuers, [106](#)
- list_typed_link_facet_attributes, [21](#)
- list_typed_link_facet_names, [21](#)
- list_usage_totals, [71](#)
- list_user_import_jobs, [34](#)
- list_user_policies, [57](#)
- list_user_pool_clients, [34](#)
- list_user_pools, [34](#)
- list_user_tags, [57](#)
- list_users, [34](#), [57](#), [64](#)
- list_users_in_group, [35](#)
- list_virtual_mfa_devices, [58](#)
- list_web_ac_ls, [119](#), [124](#), [128](#)
- list_web_authn_credentials, [35](#)
- list_xss_match_sets, [119](#), [124](#)
- logout, [102](#)
- lookup_developer_identity, [30](#)
- lookup_policy, [21](#)

- macie2, [76](#)
- merge_developer_identities, [30](#)
- modify_backup_attributes, [27](#)
- modify_cluster, [27](#)
- modify_hapg, [24](#)
- modify_hsm, [24](#)
- modify_luna_client, [24](#)

- pcaconnectorad, [80](#)
- preview_agents, [67](#)
- promote_permission_created_from_policy, [85](#)
- promote_resource_share_created_from_policy, [85](#)
- provision_permission_set, [106](#)
- publish_schema, [21](#)
- put_account_configuration, [11](#)
- put_admin_account, [49](#)
- put_alternate_contact, [9](#)
- put_application_access_scope, [106](#)
- put_application_assignment_configuration, [106](#)
- put_application_authentication_method, [106](#)
- put_application_grant, [106](#)
- put_apps_list, [49](#)
- put_attribute_mapping, [62](#)
- put_classification_export_configuration, [79](#)
- put_configured_audience_model_policy, [18](#)
- put_contact_information, [9](#)
- put_findings_publication_configuration, [79](#)
- put_group_policy, [58](#)
- put_inline_policy_to_permission_set, [106](#)
- put_key_policy, [75](#)
- put_logging_configuration, [119](#), [124](#), [128](#)
- put_managed_rule_set_versions, [128](#)
- put_ml_configuration, [18](#)
- put_notification_channel, [49](#)
- put_notification_settings, [62](#)
- put_permission_policy, [119](#), [124](#), [128](#)
- put_permissions_boundary_to_permission_set, [106](#)
- put_policy, [14](#), [49](#)
- put_protocols_list, [49](#)
- put_resource_policy, [27](#), [88](#)
- put_resource_set, [49](#)
- put_role_permissions_boundary, [58](#)
- put_role_policy, [58](#)

- put_schema, [116](#)
- put_schema_from_json, [21](#)
- put_secret_value, [88](#)
- put_user_permissions_boundary, [58](#)
- put_user_policy, [58](#)
- ram, [83](#)
- re_encrypt, [75](#)
- register_certificate, [45](#)
- register_client, [109](#)
- register_cross_account_access_role, [67](#)
- register_data_lake_delegated_administrator, [97](#)
- register_device, [38](#)
- register_event_topic, [45](#)
- reject_invitation, [42](#)
- reject_resource_share_invitation, [85](#)
- reject_shared_directory, [45](#)
- remove_attributes_from_findings, [67](#)
- remove_client_id_from_open_id_connect_provider, [58](#)
- remove_facet_from_object, [21](#)
- remove_ip_routes, [45](#)
- remove_region, [45](#)
- remove_regions_from_replication, [88](#)
- remove_role_from_instance_profile, [58](#)
- remove_tags_from_certificate, [11](#)
- remove_tags_from_resource, [24](#), [45](#)
- remove_user_from_group, [58](#)
- renew_certificate, [11](#)
- replace_permission_associations, [85](#)
- replicate_key, [75](#)
- replicate_secret_to_regions, [88](#)
- request_certificate, [11](#)
- resend_confirmation_code, [35](#)
- resend_validation_email, [11](#)
- reset_encryption_key, [71](#)
- reset_notification_settings, [62](#)
- reset_service_specific_credential, [58](#)
- reset_user_password, [45](#)
- respond_to_auth_challenge, [35](#)
- restore_backup, [27](#)
- restore_certificate_authority, [14](#)
- restore_from_snapshot, [45](#)
- restore_secret, [88](#)
- resync_mfa_device, [58](#)
- retire_grant, [75](#)
- revoke_certificate, [14](#)
- revoke_grant, [75](#)
- revoke_token, [35](#)
- rotate_key_on_demand, [75](#)
- rotate_secret, [88](#)
- schedule_key_deletion, [75](#)
- search_resources, [79](#)
- search_vulnerabilities, [71](#)
- secretsmanager, [86](#)
- securityhub, [89](#)
- securitylake, [94](#)
- send_cis_session_health, [71](#)
- send_cis_session_telemetry, [71](#)
- set_cognito_events, [38](#)
- set_default_permission_version, [85](#)
- set_default_policy_version, [58](#)
- set_identity_pool_configuration, [38](#)
- set_identity_pool_roles, [30](#)
- set_log_delivery_configuration, [35](#)
- set_principal_tag_attribute_map, [30](#)
- set_risk_configuration, [35](#)
- set_security_token_service_preferences, [58](#)
- set_tags_for_resource, [67](#)
- set_ui_customization, [35](#)
- set_user_mfa_preference, [35](#)
- set_user_pool_mfa_config, [35](#)
- set_user_settings, [35](#)
- share_directory, [45](#)
- shield, [97](#)
- sign, [75](#)
- sign_up, [35](#)
- simulate_custom_policy, [58](#)
- simulate_principal_policy, [58](#)
- sso, [100](#)
- ssoadmin, [103](#)
- ssooidc, [107](#)
- start_assessment_run, [67](#)
- start_audience_export_job, [18](#)
- start_audience_generation_job, [18](#)
- start_cis_session, [71](#)
- start_configuration_policy_association, [93](#)
- start_configuration_policy_disassociation, [93](#)
- start_device_authorization, [109](#)
- start_investigation, [42](#)
- start_malware_scan, [53](#)
- start_monitoring_member, [42](#)
- start_monitoring_members, [53](#)

- start_policy_generation, 6
- start_primary_email_update, 9
- start_resource_scan, 6
- start_schema_extension, 46
- start_trained_model_export_job, 18
- start_trained_model_inference_job, 18
- start_user_import_job, 35
- start_web_authn_registration, 35
- stop_assessment_run, 67
- stop_cis_session, 71
- stop_monitoring_members, 53
- stop_replication_to_replica, 88
- stop_user_import_job, 35
- sts, 110
- subscribe_to_dataset, 38
- subscribe_to_event, 67

- tag_certificate_authority, 14
- tag_instance_profile, 58
- tag_mfa_device, 58
- tag_open_id_connect_provider, 58
- tag_policy, 58
- tag_resource, 6, 18, 21, 27, 30, 35, 42, 49, 53, 62, 71, 75, 79, 82, 85, 88, 93, 97, 100, 106, 119, 124, 128
- tag_role, 58
- tag_saml_provider, 58
- tag_server_certificate, 58
- tag_user, 58
- test_custom_data_identifier, 79

- unarchive_findings, 53
- unlink_developer_identity, 30
- unlink_identity, 30
- unshare_directory, 46
- unsubscribe_from_dataset, 38
- unsubscribe_from_event, 67
- untag_certificate_authority, 14
- untag_instance_profile, 58
- untag_mfa_device, 58
- untag_open_id_connect_provider, 58
- untag_policy, 58
- untag_resource, 6, 18, 21, 27, 30, 35, 42, 49, 53, 62, 71, 76, 79, 82, 85, 88, 93, 97, 100, 106, 119, 124, 128
- untag_role, 58
- untag_saml_provider, 58
- untag_server_certificate, 58
- untag_user, 58

- update_access_key, 58
- update_account_password_policy, 58
- update_action_target, 93
- update_alias, 76
- update_allow_list, 79
- update_analyzer, 6
- update_application, 106
- update_application_layer_automatic_response, 100
- update_archive_rule, 6
- update_assessment_target, 67
- update_assume_role_policy, 58
- update_auth_event_feedback, 35
- update_automated_discovery_configuration, 79
- update_byte_match_set, 119, 124
- update_certificate_authority, 14
- update_certificate_options, 11
- update_cis_scan_configuration, 71
- update_classification_job, 79
- update_classification_scope, 79
- update_conditional_forwarder, 46
- update_configuration, 71
- update_configuration_policy, 93
- update_configured_audience_model, 18
- update_crl, 62
- update_custom_key_store, 76
- update_data_lake, 97
- update_data_lake_exception_subscription, 97
- update_datasource_packages, 42
- update_detector, 53
- update_device_status, 35
- update_directory_setup, 46
- update_ec_2_deep_inspection_configuration, 71
- update_emergency_contact_settings, 100
- update_encryption_key, 71
- update_facet, 21
- update_filter, 53, 71
- update_finding_aggregator, 93
- update_findings, 6, 94
- update_findings_feedback, 53
- update_findings_filter, 79
- update_geo_match_set, 119, 124
- update_group, 35, 58, 64
- update_identity_pool, 30
- update_identity_provider, 35

- update_identity_source, [116](#)
- update_insight, [94](#)
- update_instance, [106](#)
- update_instance_access_control_attribute_configuration, [106](#)
- update_investigation_state, [42](#)
- update_ip_set, [53](#), [119](#), [124](#), [128](#)
- update_key_description, [76](#)
- update_link_attributes, [21](#)
- update_login_profile, [58](#)
- update_macie_session, [79](#)
- update_malware_protection_plan, [53](#)
- update_malware_scan_settings, [53](#)
- update_managed_login_branding, [35](#)
- update_managed_rule_set_version_expiry_date, [128](#)
- update_member_detectors, [53](#)
- update_member_session, [79](#)
- update_number_of_domain_controllers, [46](#)
- update_object_attributes, [22](#)
- update_open_id_connect_provider_thumbprint, [58](#)
- update_org_ec_2_deep_inspection_configuration, [71](#)
- update_organization_configuration, [42](#), [53](#), [71](#), [79](#), [94](#)
- update_permission_set, [106](#)
- update_policy, [116](#)
- update_policy_store, [116](#)
- update_policy_template, [116](#)
- update_primary_region, [76](#)
- update_profile, [62](#)
- update_protection_group, [100](#)
- update_publishing_destination, [53](#)
- update_radius, [46](#)
- update_rate_based_rule, [120](#), [124](#)
- update_records, [38](#)
- update_regex_match_set, [120](#), [124](#)
- update_regex_pattern_set, [120](#), [124](#), [128](#)
- update_resource_profile, [79](#)
- update_resource_profile_detections, [79](#)
- update_resource_server, [35](#)
- update_resource_share, [85](#)
- update_reveal_configuration, [79](#)
- update_role, [58](#)
- update_role_description, [58](#)
- update_rule, [120](#), [124](#)
- update_rule_group, [120](#), [124](#), [128](#)
- update_saml_provider, [58](#)
- update_schema, [22](#)
- update_secret, [88](#)
- update_secret_version_stage, [88](#)
- update_security_control, [94](#)
- update_security_hub_configuration, [94](#)
- update_sensitivity_inspection_template, [79](#)
- update_server_certificate, [58](#)
- update_service_specific_credential, [58](#)
- update_settings, [46](#)
- update_signing_certificate, [58](#)
- update_size_constraint_set, [120](#), [124](#)
- update_sql_injection_match_set, [120](#), [124](#)
- update_ssh_public_key, [58](#)
- update_standards_control, [90](#), [94](#)
- update_subscriber, [97](#)
- update_subscriber_notification, [97](#)
- update_subscription, [100](#)
- update_template, [82](#)
- update_template_group_access_control_entry, [82](#)
- update_threat_intel_set, [53](#)
- update_trust, [46](#)
- update_trust_anchor, [62](#)
- update_trusted_token_issuer, [106](#)
- update_typed_link_facet, [22](#)
- update_user, [58](#), [64](#)
- update_user_attributes, [35](#)
- update_user_pool, [35](#)
- update_user_pool_client, [35](#)
- update_user_pool_domain, [35](#)
- update_web_acl, [120](#), [124](#), [128](#)
- update_xss_match_set, [120](#), [124](#)
- upgrade_applied_schema, [22](#)
- upgrade_published_schema, [22](#)
- upload_server_certificate, [58](#)
- upload_signing_certificate, [58](#)
- upload_ssh_public_key, [58](#)
- validate_policy, [6](#)
- validate_resource_policy, [88](#)
- verifiedpermissions, [112](#)
- verify, [76](#)
- verify_mac, [76](#)
- verify_software_token, [35](#)
- verify_trust, [46](#)

`verify_user_attribute`, [35](#)

`waf`, [116](#)

`wafregional`, [120](#)

`wafv2`, [124](#)