FDb.InfiniumMethylation.hg19

September 24, 2013

 ${\it getPlatform} \qquad {\it Retrieve annotations for HumanMethylation 27 or HumanMethylation 450 chips}$

Description

FDb.InfiniumMethylation.hg19 is an omnibus package that merges all of the existing Illumina Infinium DNA methylation probe annotations into one FDb. However, most users will be analyzing one of the two chips at any given time. The utility functions getPlatform(platform), get450k(), and get27k() retrieve a compact GenomicRanges form of the annotations for the requested platform.

Author(s)

Tim Triche, Jr.

Examples

```
hm450.hg19 <- getPlatform(platform='HM450', genome='hg19')
show(hm450.hg19)

hm27.hg19 <- get27k()
genome(hm27.hg19)</pre>
```

2 miscData

	hg19.islands	CpG islands found by Wu, Irizarry, and Feinberg via hidden Markov model
--	--------------	---

Description

This GRanges object was constructed from the data provided at http://rafalab.jhsph.edu/CGI/model-based-cpg-islands-hg19.txt

Additional species and software to run the model can be found at http://rafalab.jhsph.edu/CGI/index.html

Author(s)

Tim Triche, Jr. (with data from Wu, Irizarry, and Feinberg)

Examples

```
data(hg19.islands)
split(hg19.islands, seqnames(hg19.islands))
```

miscData

miscellaneous data used in the construction of this FeatureDb package

Description

In the subdirectory inst/build/, there are several scripts that rebuild this FeatureDb from scratch. A handful of intermediate results from dbSNP and comparison of existing datasets are required to patch small gaps in the Illumina manifests. These datasets supply those intermediate results.

Author(s)

Tim Triche, Jr.

Examples

```
data(hm450.rsProbes)
data(hm27.SNP.colors)
```

FDb.InfiniumMethylation.hg19

Annotation package for Illumina Infinium DNA methylation probes

Description

This package loads one or more FeatureDb objects. Such FeatureDb objects are an R interface to prefabricated databases contained by this package. In the case of the Infinium methylation FDb, it is FDb.InfiniumMethylation.hg19 (for the moment; hg18 may come later, or alternatively users can use liftOver() from rtracklayer to do it).

Author(s)

Tim Triche, Jr.

See Also

features makeFeatureDbFromUCSC import.bed getPlatform get450k get27k

Examples

```
## load the library
library(FDb.InfiniumMethylation.hg19)
## list the contents that are loaded into memory
ls('package:FDb.InfiniumMethylation.hg19')
## show the db object that is loaded by calling it's name
FDb.InfiniumMethylation.hg19
## extract features for use in constructing SummarizedExperiments
## or comparing chip features against other data (e.g. ChIP-seq)
InfiniumMethylation <- features(FDb.InfiniumMethylation.hg19)</pre>
## we'd prefer if R would stop us from comparing across assemblies:
met <- metadata(FDb.InfiniumMethylation.hg19) ## need to fetch genome</pre>
genome(InfiniumMethylation) <- met[which(met[,'name']=='Genome'),'value']</pre>
## last but not least, sort the probes in genomic order
InfiniumMethylation <- sort(InfiniumMethylation)</pre>
show(InfiniumMethylation)
## Example: probes that overlap Irizarry's HMM CpG islands
data(hg19.islands)
CGI.probes <- subsetByOverlaps(InfiniumMethylation, hg19.islands)</pre>
head(CGI.probes)
tail(CGI.probes)
```

Index

```
*Topic data
    FDb.InfiniumMethylation.hg19,3
    hg19.islands, 2
    miscData, 2
*Topic package
    FDb.InfiniumMethylation.hg19,3
FDb.InfiniumMethylation.hg19,3
FDb.InfiniumMethylation.hg19-package
        (FDb.InfiniumMethylation.hg19),
features, 3
get27k, 3
{\tt get27k}\,({\tt getPlatform}),\, 1
get450k, 3
{\tt get450k}\,({\tt getPlatform}),\,1
getPlatform, 1, 3
hg18ToHg19 (miscData), 2
hg19.islands, 2
hm27.controls(miscData), 2
hm27.SNP.colors(miscData), 2
hm450.controls(miscData), 2
hm450k.rsProbes (miscData), 2
import.bed, 3
{\tt makeFeatureDbFromUCSC}, {\it 3}
miscData, 2
```