

# Package ‘ATACseqQC’

April 15, 2020

**Type** Package

**Title** ATAC-seq Quality Control

**Version** 1.10.4

**Author** Jianhong Ou, Haibo Liu, Feng Yan, Jun Yu, Michelle Kelliher,  
Lucio Castilla, Nathan Lawson, Lihua Julie Zhu

**Maintainer** Jianhong Ou <jianhong.ou@duke.com>

**Description** ATAC-seq, an assay for Transposase-Accessible Chromatin using sequencing, is a rapid and sensitive method for chromatin accessibility analysis. It was developed as an alternative method to MNase-seq, FAIRE-seq and DNase-seq. Comparing to the other methods, ATAC-seq requires less amount of the biological samples and time to process. In the process of analyzing several ATAC-seq dataset produced in our labs, we learned some of the unique aspects of the quality assessment for ATAC-seq data. To help users to quickly assess whether their ATAC-seq experiment is successful, we developed ATACseqQC package partially following the guideline published in Nature Method 2013 (Greenleaf et al.), including diagnostic plot of fragment size distribution, proportion of mitochondria reads, nucleosome positioning pattern, and CTCF or other Transcript Factor footprints.

**Depends** R (>= 3.4), BiocGenerics, S4Vectors

**Imports** BSgenome, Biostrings, ChIPpeakAnno, IRanges, GenomicRanges, GenomicAlignments, GenomeInfoDb, GenomicScores, graphics, grid, limma, Rsamtools (>= 1.31.2), randomForest, rtracklayer, stats, motifStack, preseqR, utils, KernSmooth, edgeR

**Suggests** BiocStyle, knitr, BSgenome.Hsapiens.UCSC.hg19, TxDb.Hsapiens.UCSC.hg19.knownGene, phastCons100way.UCSC.hg19, MotifDb, trackViewer, testthat

**License** GPL (>= 2)

**LazyData** TRUE

**VignetteBuilder** knitr

**RoxygenNote** 7.1.0

**biocViews** Sequencing, DNaseSeq, ATACSeq, GeneRegulation, QualityControl, Coverage, NucleosomePositioning, ImmunoOncology

**Encoding** UTF-8

**git\_url** <https://git.bioconductor.org/packages/ATACseqQC>

**git\_branch** RELEASE\_3\_10

**git\_last\_commit** 2434b83

**git\_last\_commit\_date** 2020-04-09

**Date/Publication** 2020-04-14

## R topics documented:

ATACseqQC-package . . . . .	2
bamQC . . . . .	3
DB . . . . .	3
distanceDyad . . . . .	4
enrichedFragments . . . . .	5
estimateLibComplexity . . . . .	6
factorFootprints . . . . .	7
footprintsScanner . . . . .	9
fragSizeDist . . . . .	11
NFRscore . . . . .	12
peakdet . . . . .	13
plotCorrelation . . . . .	13
plotFootprints . . . . .	14
PTscore . . . . .	15
pwmscores . . . . .	16
readBamFile . . . . .	17
readsDupFreq . . . . .	18
saturationPlot . . . . .	19
shiftGAlignmentsList . . . . .	20
shiftReads . . . . .	21
splitBam . . . . .	21
splitGAlignmentsByCut . . . . .	23
TSSEscore . . . . .	25
vPlot . . . . .	26
writeListOfGAlignments . . . . .	27
<b>Index</b>	<b>29</b>

---

ATACseqQC-package	<i>ATAC-seq Quality Control</i>
-------------------	---------------------------------

---

## Description

ATAC-seq, an assay for Transposase-Accessible Chromatin using sequencing, is a rapid and sensitive method for chromatin accessibility analysis. It was developed as an alternative method to MNase-seq, FAIRE-seq and DNase-seq. Comparing to the other methods, ATAC-seq requires less amount of the biological samples and time to process. In the process of analyzing several ATAC-seq dataset produced in our labs, we learned some of the unique aspects of the quality assessment for ATAC-seq data. To help users to quickly assess whether their ATAC-seq experiment is successful, we developed ATACseqQC package partially following the guideline published in Nature Method 2013 (Greenleaf et al.), including diagnostic plot of fragment size distribution, proportion of mitochondria reads, nucleosome positioning pattern, and CTCF or other Transcript Factor footprints.

---

**bamQC***Mapping quality control*

---

**Description**

Check the mapping rate, PCR duplication rate, and mitochondria reads contamination.

**Usage**

```
bamQC(  
  bamfile,  
  index = bamfile,  
  mitochondria = "chrM",  
  outPath = sub(".bam", ".clean.bam", basename(bamfile)),  
  doubleCheckDup = FALSE  
)
```

**Arguments**

**bamfile** character(1). File name of bam.  
**index** character(1). File name of index file.  
**mitochondria** character(1). Sequence name of mitochondria.  
**outPath** character(1). File name of cleaned bam.  
**doubleCheckDup** logical(1). Double check duplicates or not if there is no tags for that.

**Value**

A list of quality summary.

**Author(s)**

Jianhong Ou

**Examples**

```
bamfile <- system.file("extdata", "GL1.bam", package="ATACseqQC")  
bamQC(bamfile, outPath=NULL)
```

---

**DB***helper function for differential binding*

---

**Description**

helper function for differential binding

**Usage**

```
DB(counts, libSize, group, default.bcv = 0.3)
```

**Arguments**

counts	count table
libSize	library size
group	group design
default.bcv	a reasonable dispersion value

**Value**

topTable

---

distanceDyad	<i>Distance of potential nucleosome dyad</i>
--------------	--

---

**Description**

Calculate the distance of potential nucleosome dyad and the linear model for V.

**Usage**

```
distanceDyad(vPlotOut, fragLenRanges = c(60, 180, 250), draw = TRUE, ...)
```

**Arguments**

vPlotOut	The output of <a href="#">vPlot</a> .
fragLenRanges	A numeric vector (length=3) for fragment size of nucleosome free and mono-nucleosome. Default c(60, 180, 250).
draw	Plot the results or not. Default TRUE.
...	Parameters could be passed to plot.

**Value**

an invisible list with distance of nucleosome and the linear model.

**Author(s)**

Jianhong Ou

**See Also**

[vPlot](#)

**Examples**

```

bamfile <- system.file("extdata", "GL1.bam",
                      package="ATACseqQC")

library(MotifDb)
CTCF <- query(MotifDb, c("CTCF"))
CTCF <- as.list(CTCF)
library(BSgenome.Hsapiens.UCSC.hg19)
vp <- vPlot(bamfile, pfm=CTCF[[1]],
           genome=Hsapiens,
           min.score="95%", seqlev="chr1",
           draw=FALSE)
distanceDyad(vp)

```

---

enrichedFragments	<i>enrichment for nucleosome-free fragments and nucleosome signals</i>
-------------------	--

---

**Description**

Get the enrichment signals for nucleosome-free fragments and nucleosomes.

**Usage**

```

enrichedFragments(
  bamfiles,
  index = bamfiles,
  gal,
  TSS,
  librarySize,
  upstream = 1010L,
  downstream = 1010L,
  n.tile = 101L,
  normal.method = "quantile",
  adjustFragmentLength = 80L,
  TSS.filter = 0.5,
  seqlev = paste0("chr", c(1:22, "X", "Y"))
)

```

**Arguments**

bamfiles	A vector of characters indicates the file names of bams.
index	The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.
gal	A GAlignmentsList object or a list of GAlignmentPairs. If bamfiles is missing, gal is required.
TSS	an object of <a href="#">GRanges</a> indicates the transcript start sites. All the width of TSS should equal to 1. Otherwise, TSS will be reset to the center of input TSS.
librarySize	A vector of numeric indicates the library size. Output of <a href="#">estLibSize</a>
upstream, downstream	numeric(1) or integer(1). Upstream and downstream size from each TSS.

n.tile	numeric(1) or integer(1). The number of tiles to generate for each element of TSS.
normal.method	character(1). Normalization methods, could be "none" or "quantile". See <a href="#">normalizeBetweenArrays</a> .
adjustFragmentLength	numeric(1) or integer(1). The size of fragment to be adjusted to. Default is set to half of the nucleosome size (80)
TSS.filter	numeric(1). The filter for signal strength of each TSS. Default 0.5 indicates the average signal strength for the TSS from upstream to downstream bins should be greater than 0.5.
seqlev	A vector of character indicates the sequence names to be considered.

**Value**

A list of matrixes. In each matrix, each row record the signals for corresponding feature.

**Author(s)**

Jianhong Ou

**Examples**

```

bamfiles <- system.file("extdata", "splited",
                       c("NucleosomeFree.bam",
                         "mononucleosome.bam",
                         "dinucleosome.bam",
                         "trinucleosome.bam"), package="ATACseqQC")
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
TSS <- promoters(txs, upstream=0, downstream=1)
library(ChIPpeakAnno)
librarySize <- estLibSize(bamfiles)
sigs <- enrichedFragments(bamfiles, TSS=TSS, librarySize=librarySize,
                          seqlev="chr1", TSS.filter=0)
sigs.log2 <- lapply(sigs, function(.ele) log2(.ele+1))
featureAlignedHeatmap(sigs.log2, reCenterPeaks(TSS, width=2020),
                      zeroAt=.5, n.tile=101, upper.extreme=2)
featureAlignedDistribution(sigs, reCenterPeaks(TSS, width=2020),
                          zeroAt=.5, n.tile=101, type="l")

```

---

estimateLibComplexity *Library complexity estimation*

---

**Description**

Estimating the library complexity.

**Usage**

```
estimateLibComplexity(  
  histFile,  
  times = 100,  
  interpolate.sample.sizes = seq(0.1, 1, by = 0.1),  
  extrapolate.sample.sizes = seq(5, 20, by = 5)  
)
```

**Arguments**

**histFile** A two-column matrix of integers. The 1st column is the frequency  $j = 1, 2, 3, \dots$ . The 2nd column is the number of genomic regions with the same frequency ( $j$ ) of duplication. This file should be sorted by the first column in ascending order. For example, one row of a histogram file: 10 20 means there are 10 genomic regions, each of which is covered by 20 identical fragments at a given sequencing depth of a sequencing library.

**times** An positive integer representing the minimum required number of successful estimation. Default is 100.

**interpolate.sample.sizes**  
A numeric vector with values between (0, 1].

**extrapolate.sample.sizes**  
A numeric vector with values greater than 1.

**Value**

invisible estimates, a data frame of 3 columns: relative sequence depth, number of distinct fragments, number of putative sequenced reads.

**Author(s)**

Haibo Liu, Feng Yan

**See Also**

[readsDupFreq](#)

**Examples**

```
library(preseqR)  
data(FisherButterfly)  
estimateLibComplexity(histFile=FisherButterfly, times=100)
```

---

factorFootprints

*plot ATAC-seq footprints infer factor occupancy genome wide*

---

**Description**

Aggregate ATAC-seq footprint for a given motif generated over binding sites within the genome.

**Usage**

```
factorFootprints(
  bamfiles,
  index = bamfiles,
  pfm,
  genome,
  min.score = "95%",
  bindingSites,
  seqlev = paste0("chr", c(1:22, "X", "Y")),
  upstream = 100,
  downstream = 100,
  maxSiteNum = 1e+06,
  anchor = "cut site",
  group = "strand",
  ...
)
```

**Arguments**

bamfiles	A vector of characters indicates the file names of bams. All the bamfiles will be pulled together.
index	The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.
pfm	A Position frequency Matrix represented as a numeric matrix with row names A, C, G and T.
genome	An object of <a href="#">BSgenome</a> .
min.score	The minimum score for counting a match. Can be given as a character string containing a percentage (e.g. "95 score or as a single number. See <a href="#">matchPWM</a> .
bindingSites	A object of <a href="#">GRanges</a> indicates candidate binding sites (eg. the output of fimo).
seqlev	A vector of characters indicates the sequence levels.
upstream, downstream	numeric(1) or integer(1). Upstream and downstream of the binding region for aggregate ATAC-seq footprint.
maxSiteNum	numeric(1). Maximal number of predicted binding sites. if predicted binding sites is more than this number, top maxSiteNum binding sites will be used.
anchor	"cut site" or "fragment center". If "fragment center" is used, the input bamfiles must be paired-end.
group	Group information for the bamfiles. Default by strand. Otherwise, a factor or vector of characters with same length of bamfiles. The group is limited to 2 groups.
...	xlab, legTitle, xlim or ylim could be used by <a href="#">plotFootprints</a>

**Value**

an invisible list of matrixes with the signals for plot. It includes: - signal mean values of coverage for positive strand and negative strand in feature regions - spearman.correlation spearman correlations of cleavage counts in the highest 10-nucleotide-window and binding prediction score. - bindingSites predicted binding sites.

**Author(s)**

Jianhong Ou, Julie Zhu

**References**

Chen, K., Xi, Y., Pan, X., Li, Z., Kaestner, K., Tyler, J., Dent, S., He, X. and Li, W., 2013. DANPOS: dynamic analysis of nucleosome position and occupancy by sequencing. *Genome research*, 23(2), pp.341-351.

**Examples**

```
bamfile <- system.file("extdata", "GL1.bam",
                      package="ATACseqQC")
library(MotifDb)
CTCF <- query(MotifDb, c("CTCF"))
CTCF <- as.list(CTCF)
library(BSgenome.Hsapiens.UCSC.hg19)
factorFootprints(bamfile, pfm=CTCF[[1]],
                 genome=Hsapiens,
                 min.score="95%", seqlev="chr1",
                 upstream=100, downstream=100)
```

---

footprintsScanner      *scan ATAC-seq footprints infer factor occupancy genome wide*

---

**Description**

Aggregate ATAC-seq footprint for a bunch of motifs generated over binding sites within the genome.

**Usage**

```
footprintsScanner(
  bamExp,
  bamCtl,
  indexExp = bamExp,
  indexCtl = bamCtl,
  bindingSitesList,
  seqlev = paste0("chr", c(1:25, "X", "Y")),
  proximal = 40L,
  distal = proximal,
  gap = 10L,
  maximalBindingWidth = NA,
  cutoffLogFC = log2(1.5),
  cutoffPValue = 0.05,
  correlatedFactorCutoff = 3/4
)

prepareBindingSitesList(
  pfms,
  genome,
```

```

seqlev = paste0("chr", c(1:22, "X", "Y")),
expSiteNum = 5000
)

```

### Arguments

**bamExp** A vector of characters indicates the file names of experiment bams. The bam file must be the one with shifted reads.

**bamCtl** A vector of characters indicates the file names of control bams. The bam file must be the one with shifted reads.

**indexExp, indexCtl** The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.

**bindingSitesList** A object of [GRangesList](#) indicates candidate binding sites (eg. the output of [fimo](#)).

**seqlev** A vector of characters indicates the sequence levels.

**proximal, distal** numeric(1) or integer(1). basepair for open region from binding sites (proximal) and extended region for background (distal) of the binding region for aggregate ATAC-seq footprint.

**gap** numeric(1) or integer(1). basepair for gaps among binding sites, proximal, and distal. default is 5L.

**maximalBindingWidth** numeric(1) or integer(1). Maximal binding sites width for all the motifs. If setted, all motif binding sites will be re-sized to this value.

**cutoffLogFC, cutoffPValue** numeric(1). Cutoff value for differential bindings.

**correlatedFactorCutoff** numeric(1). Cutoff value for correlated factors. If the overlapping binding site within 100bp is more than cutoff, the TFs will be treated as correlated factors.

**pfms** A list of Position frequency Matrix represented as a numeric matrix with row names A, C, G and T.

**genome** An object of [BSgenome](#).

**expSiteNum** numeric(1). Expect number of predicted binding sites. if predicted binding sites is more than this number, top expSiteNum binding sites will be used.

### Value

a list. It includes: - bindingSites GRanges of binding site with hits of reads - data a list with test result for each binding site - results a data.frame with open score and enrichment score of motifs

### Author(s)

Jianhong Ou

### Examples

```

bamfile <- system.file("extdata", "GL1.bam",
package="ATACseqQC")

```

```

bsl <- system.file("extdata", "jolma2013.motifs.bindingList.95.rds",
                  package="ATACseqQC")
bindingSitesList <- readRDS(bsl)
footprintsScanner(bamfile, seqlev="chr1", bindingSitesList=bindingSitesList)

library(MotifDb)
motifs <- query(MotifDb, c("Hsapiens"))
motifs <- as.list(motifs)
library(BSgenome.Hsapiens.UCSC.hg19)
#bindingSitesList <- prepareBindingSitesList(motifs, genome=Hsapiens)

```

---

fragSizeDist	<i>fragment size distribution</i>
--------------	-----------------------------------

---

## Description

estimate the fragment size of bams

## Usage

```

fragSizeDist(
  bamFiles,
  bamFiles.labels,
  index = bamFiles,
  ylim = NULL,
  logYlim = NULL
)

```

## Arguments

bamFiles	A vector of characters indicates the file names of bams.
bamFiles.labels	labels of the bam files, used for pdf file naming.
index	The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.
ylim	numeric(2). ylim of the histogram.
logYlim	numeric(2). ylim of log-transformed histogram for the insert.

## Value

Invisible fragment length distribution list.

## Author(s)

Jianhong Ou

## Examples

```

bamFiles <- dir(system.file("extdata", package="ATACseqQC"), "GL.*.bam$", full.names=TRUE)
bamFiles.labels <- sub(".bam", "", basename(bamFiles))
fragSizeDist(bamFiles, bamFiles.labels)

```

NFRscore

*Nucleosome Free Regions (NFR) score***Description**

NFR score is a ratio between cut signal adjacent to TSS and that flanking the corresponding TSS. Each TSS window of 400 bp is first separated into 3 sub-regions: the most upstream 150 bp (n1), the most downstream of 150 bp (n2), and the middle 100 bp (nf). Then the number of fragments with 5' ends overlapping each region are calculated for each TSS. The NFR score for each TSS is calculated as  $NFR\text{-score} = \log_2(nf) - \log_2((n1+n2)/2)$ . A plot can be generated with the NFR scores as Y-axis and the average signals of 400 bp window as X-axis, very like a MA plot for gene expression data.

**Usage**

```
NFRscore(
  obj,
  txs,
  seqlev = intersect(seqlevels(obj), seqlevels(txs)),
  nucleosomeSize = 150,
  nucleosomeFreeSize = 100
)
```

**Arguments**

obj                    an object of [GAlignments](#)  
txs                    GRanges of transcripts  
seqlev                A vector of characters indicates the sequence levels.  
nucleosomeSize      numeric(1) or integer(1). Default is 150  
nucleosomeFreeSize    numeric(1) or integer(1). Default is 100

**Value**

A object of [GRanges](#) with NFR scores

**Author(s)**

Jianhong Ou

**Examples**

```
library(GenomicRanges)
bamfile <- system.file("extdata", "GL1.bam",
  package="ATACseqQC", mustWork=TRUE)
gal1 <- readBamFile(bamFile=bamfile, tag=character(0),
  which=GRanges("chr1", IRanges(1, 1e6)),
  asMates=FALSE)
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
nfr <- NFRscore(gal1, txs)
```

---

peakdet	<i>Detect peak positions</i>
---------	------------------------------

---

**Description**

Detect the peaks positions and valley positions. The algorithm is modified from `github::dgromer/peakdet`

**Usage**

```
peakdet(y, delta = 0, silence = TRUE)
```

**Arguments**

<code>y</code>	A vector of numeric where to search peaks
<code>delta</code>	A numeric of length 1, defining the local threshold for peak detection. If it is set to 0, the delta will be set to 1/10 of the range of <code>y</code> .
<code>silence</code>	<code>logical(1)</code> . If false, echo the delta value when delta is set as 0.

**Value**

A list with `peakpos` and `valleypos`. Both `peakpos` and `valleypos` are vectors of numeric which indicate the positions of peak or valley.

---

plotCorrelation	<i>plot Correlations of multiple samples</i>
-----------------	--

---

**Description**

plot PCA or heatmap for multiple bamfiles. The correlation is calculated by the counts in promoter regions.

**Usage**

```
plotCorrelation(
  objs,
  txs,
  seqlev = intersect(seqlevels(objs[[1]]), seqlevels(txs)),
  upstream = 2000,
  downstream = 500,
  type = c("heatmap", "PCA"),
  ...
)
```

**Arguments**

objs	an object of <a href="#">GAlignmentsList</a>
txs	GRanges of transcripts
seqlev	A vector of characters indicates the sequence levels.
upstream	numeric(1) or integer(1). Start position of promoter. Default is 2000
downstream	numeric(1) or integer(1). End position of promoter. Default is 500
type	Figure type, heatmap or PCA plot.
...	parameters could be passed to downstream functions such as plot for pca or heatmap for heatmap.

**Value**

A invisible object of [GRanges](#) with counts

**Author(s)**

Jianhong Ou

**Examples**

```
library(GenomicRanges)
library(GenomicAlignments)
path <- system.file("extdata", package="ATACseqQC", mustWork=TRUE)
bamfiles <- dir(path, "*.bam$", full.name=TRUE)
gals <- lapply(bamfiles, function(bamfile){
  readBamFile(bamFile=bamfile, tag=character(0),
              which=GRanges("chr1", IRanges(1, 1e6)),
              asMates=FALSE)
})
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
plotCorrelation(GAlignmentsList(gals), txs, seqlev="chr1")
```

---

plotFootprints

*Plots a footprint estimated by Centipede*

---

**Description**

Visualizing the footprint profile

**Usage**

```
plotFootprints(
  Profile,
  Mlen = 0,
  xlab = "Dist. to motif (bp)",
  ylab = "Cut-site probability",
  legLabels = c("For. strand", "Rev. strand"),
  legTitle,
  xlim,
```

```

ylim,
newpage = TRUE,
motif,
segmentation
)

```

### Arguments

Profile	A vector with the profile estimated by CENTIPEDE
Mlen	Length of the motif for drawing vertical lines delimiting it
xlab	Label of the x axis
ylab	Label for the y axis
legLabels	Labels for legend.
legTitle	Title for one of the plot corners
xlim	xlim
ylim	ylim
newpage	Plot the figure in a new page?
motif	a pfm object.
segmentation	the segmentation position and abundance

### Value

Null.

### Author(s)

Jianhong Ou

### Examples

```

library(MotifDb)
CTCF <- query(MotifDb, c("CTCF"))
CTCF <- as.list(CTCF)
motif <- new("pfm", mat=CTCF[[1]], name="CTCF")
ATACseqQC::plotFootprints(Profile=sample.int(500),
                           Mlen=ncol(CTCF[[1]]), motif=motif)

```

---

PTscore

*Promoter/Transcript body (PT) score*

---

### Description

PT score is calculated for coverage of promoter divided by the coverage of transcripts body. PT score will show if the signal is enriched in promoters.

**Usage**

```
PTscore(
  obj,
  txs,
  seqlev = intersect(seqlevels(obj), seqlevels(txs)),
  upstream = 2000,
  downstream = 500
)
```

**Arguments**

obj	an object of <a href="#">GAlignments</a>
txs	<a href="#">GRanges</a> of transcripts
seqlev	A vector of characters indicates the sequence levels.
upstream	numeric(1) or integer(1). Start position of promoter. Default is 2000
downstream	numeric(1) or integer(1). End position of promoter. Default is 500

**Value**

A object of [GRanges](#) with PT scores

**Author(s)**

Jianhong Ou

**Examples**

```
library(GenomicRanges)
bamfile <- system.file("extdata", "GL1.bam",
  package="ATACseqQC", mustWork=TRUE)
gal1 <- readBamFile(bamFile=bamfile, tag=character(0),
  which=GRanges("chr1", IRanges(1, 1e6)),
  asMates=FALSE)
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
pt <- PTscore(gal1, txs)
```

---

pwmcores

*max PWM scores for sequences*

---

**Description**

calculate the maximal PWM scores for each given sequences

**Usage**

```
pwmcores(pwm, subject)
```

**Arguments**

pwm	A Position Weight Matrix represented as a numeric matrix with row names A, C, G and T.
subject	Typically a <a href="#">DNAStrng</a> object. A <a href="#">Views</a> object on a <a href="#">DNAStrng</a> subject, a <a href="#">MaskedDNAStrng</a> object, or a single character string, are also supported. IU-PAC ambiguity letters in subject are ignored (i.e. assigned weight 0) with a warning.

**Value**

a numeric vector

**Author(s)**

Jianhong

---

readBamFile	<i>read in bam files</i>
-------------	--------------------------

---

**Description**

wrapper for readGAlignments/readGAlignmentsList to read in bam files.

**Usage**

```
readBamFile(
  bamFile,
  which,
  tag = character(),
  what = c("qname", "flag", "mapq", "isize", "seq", "qual", "mrnm"),
  flag = scanBamFlag(isSecondaryAlignment = FALSE, isUnmappedQuery = FALSE,
    isNotPassingQualityControls = FALSE, isSupplementaryAlignment = FALSE),
  asMates = FALSE,
  bigFile = FALSE,
  ...
)
```

**Arguments**

bamFile	character(1). Bam file name.
which	A <a href="#">GRanges</a> , <a href="#">IntegerRangesList</a> , or any object that can be coerced to a Ranges-List, or missing object, from which a IRangesList instance will be constructed. See <a href="#">ScanBamParam</a> .
tag	A vector of characters indicates the tag names to be read. See <a href="#">ScanBamParam</a> .
what	A character vector naming the fields to return. Fields are described on the <a href="#">Rsamtools[scanBam]</a> help page.
flag	An integer(2) vector used to filter reads based on their 'flag' entry. This is most easily created with the
asMates	logical(1). Paired ends or not

`bigFile` If the file take too much memory, set it to true to avoid read the reads into memory. [scanBamFlag](#) helper function.

... parameters used by [readGAlignmentsList](#) or [readGAlignments](#)

**Value**

A `GAlignmentsList` object when `asMats=TRUE`, otherwise A `GAlignments` object. If `bigFile` is set to `TRUE`, no reads will be read into memory at this step and empty `GAlignments/GAlignmentsList` will be returned.

**Author(s)**

Jianhong Ou

**Examples**

```
library(BSgenome.Hsapiens.UCSC.hg19)
which <- as(seqinfo(Hsapiens)["chr1"], "GRanges")
bamfile <- system.file("extdata", "GL1.bam",
                      package="ATACseqQC", mustWork=TRUE)
readBamFile(bamfile, which=which, asMates=TRUE)
```

---

readsDupFreq

*Calculating duplication frequency*

---

**Description**

Calculating the frequency of read duplication based on alignment status determined by `rname`, `strand`, `pos`, `cigar`, `mrnm`, `mpos` and `isize`.

**Usage**

```
readsDupFreq(bamFile, index = bamFile)
```

**Arguments**

`bamFile` A character vector of length 1L containing the name of a BAM file. Only a BAM file with duplication reads are meaningful for estimating the library complexity. For example, a raw BAM file output by aligners, or a BAM file with mitochondrial reads removed.

`index` A character vector of length 1L containing the name of a BAM index file.

**Value**

A two-column matrix of integers. The 1st column is the frequency  $j = 1, 2, 3, \dots$ . The 2nd column is the number of genomic regions with the same fequency ( $j$ ) of duplication. The frequency column is in ascending order.

**Author(s)**

Haibo Liu

**Examples**

```
bamFile <- system.file("extdata", "GL1.bam", package = "ATACseqQC")
freq <- readsDupFreq(bamFile)
```

---

saturationPlot	<i>Plotting Saturation curves</i>
----------------	-----------------------------------

---

**Description**

Plotting the saturation curves.

**Usage**

```
saturationPlot(
  subsamplingPeakFiles,
  subsamplingSizes,
  sep = "\t",
  header = FALSE,
  fdr = 0.05,
  fdrCol = 9,
  startCol = 2,
  endCol = 3,
  skipLines = 1,
  peakCaller = "MACS2",
  outPrefix,
  span = 2,
  degree = 2
)
```

**Arguments**

subsamplingPeakFiles	A character vector containing peak files from peak calling tools, such as MACS2. Currently only MACS2 output is supported.
subsamplingSizes	A named vector of integers, which are the sizes of subsamples for peak calling. The names of subsamplingPeakFiles should be identical to the basenames of subsamplingPeakFiles.
sep	A character vector of length 1L, which is the column separator used in peak files.
header	A boolean (TRUE or FALSE) vector of length 1L, showing whether there are column headers in the peak files.
fdr	A decimal between 0 and 1, a cutoff of statistical significance of peak detection.
fdrCol	An integer, column index for fdr.
startCol	An integer, column index for start positions of peak regions.
endCol	An integer, column index for end positions of peak regions.
skipLines	An integer, the number of lines (comments or instruction) to skip when peak files are read into R.

peakCaller	A character vector of length 1L containing the name of the peak caller used to generate the peak files, such as "MACS2". Currently only MACS2 output (XXX.narrowPeak or XXX.broadPeak) is supported.
outPrefix	A character vector of length 1L, the file prefix for outputting saturation plots.
span	An integer, the span parameter for loess smoothing to fit a smoothed saturation curve.
degree	An integer, the degree of local polynomial used for loess.

**Value**

A data frame of three columns: subsamplingSizes, the number of subsampled fragments; numPeaks, the number of peaks with fdr less than a given threshold when a given number of fragments are subsampled; breadth, the total breadth of peaks with fdr less than a given threshold for given subsampling when a given number of fragments are subsampled.

**Author(s)**

Haibo Liu

**Examples**

```
if(interactive()){
}
```

---

shiftGAlignmentsList *shift 5' ends*

---

**Description**

shift the GAlignmentsLists by 5' ends. All reads aligning to the positive strand will be offset by +4bp, and all reads aligning to the negative strand will be offset -5bp by default.

**Usage**

```
shiftGAlignmentsList(gal, positive = 4L, negative = 5L, outbam)
```

**Arguments**

gal	An object of <a href="#">GAlignmentsList</a> .
positive	integer(1). the size to be shift for positive strand
negative	integer(1). the size to be shift for negative strand
outbam	file path to save shift reads. If missing, no file will be write.

**Value**

An object of [GAlignments](#) with 5' end shifted reads.

**Author(s)**

Jianhong Ou

**Examples**

```

bamfile <- system.file("extdata", "GL1.bam", package="ATACseqQC")
tags <- c("AS", "XN", "XM", "XO", "XG", "NM", "MD", "YS", "YT")
library(BSgenome.Hsapiens.UCSC.hg19)
which <- as(seqinfo(Hsapiens)["chr1"], "GRanges")
gal <- readBamFile(bamfile, tag=tags, which=which, asMates=TRUE)
objs <- shiftGAlignmentsList(gal)
export(objs, "shift.bam")

```

---

shiftReads	<i>shift read for 5' end</i>
------------	------------------------------

---

**Description**

shift reads for 5' ends

**Usage**

```
shiftReads(x, positive = 4L, negative = 5L)
```

**Arguments**

x	an object of GAlignments
positive	integer(1). the size to be shift for positive strand
negative	integer(1). the size to be shift for negative strand

**Value**

an object of GAlignments

**Author(s)**

Jianhong Ou

---

splitBam	<i>prepare bam files for downstream analysis</i>
----------	--

---

**Description**

shift the bam files by 5' ends and split the bam files.

**Usage**

```

splitBam(
  bamfile,
  tags,
  index = bamfile,
  outPath = NULL,
  txs,
  genome,
  conservation,
  positive = 4L,
  negative = 5L,
  breaks = c(0, 100, 180, 247, 315, 473, 558, 615, Inf),
  labels = c("NucleosomeFree", "inter1", "mononucleosome", "inter2", "dinucleosome",
    "inter3", "trinucleosome", "others"),
  seqlev = paste0("chr", c(1:22, "X", "Y")),
  cutoff = 0.8
)

```

**Arguments**

bamfile	character(1). File name of bam.
tags	A vector of characters indicates the tags in bam file.
index	The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.
outPath	Output file path.
txs	<a href="#">GRanges</a> of transcripts.
genome	An object of <a href="#">BSgenome</a>
conservation	An object of <a href="#">GScores</a> .
positive	integer(1). the size to be shift for positive strand
negative	integer(1). the size to be shift for negative strand
breaks	A numeric vector for fragment size of nucleosome free, mononucleosome, dinucleosome and trinucleosome
labels	A vector of characters indicates the labels for the levels of the resulting category. The length of labels = length of breaks - 1
seqlev	A vector of characters indicates the sequence levels.
cutoff	numeric(1). Cutoff value for prediction by <a href="#">randomForest</a> .

**Value**

an invisible list of [GAlignments](#)

**Author(s)**

Jianhong Ou

**See Also**

[shiftGAlignmentsList](#), [splitGAlignmentsByCut](#), and [writeListOfGAlignments](#)

**Examples**

```

if(Sys.getenv("USER")=="jianhongou"){
bamfile <- system.file("extdata", "GL1.bam", package="ATACseqQC")
tags <- c("AS", "XN", "XM", "XO", "XG", "NM", "MD", "YS", "YT")
library(BSgenome.Hsapiens.UCSC.hg19)
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
library(phastCons100way.UCSC.hg19)
objs <- splitBam(bamfile, tags,
                 txs=txs, genome=Hsapiens,
                 conservation=phastCons100way.UCSC.hg19,
                 seqlev="chr1")
}

```

---

splitGAlignmentsByCut *split bams into nucleosome free, mononucleosome, dinucleosome and trinucleosome*

---

**Description**

use random forest to split the reads into nucleosome free, mononucleosome, dinucleosome and trinucleosome. The features used in random forest including fragment length, GC content, and UCSC phastCons conservation scores.

**Usage**

```

splitGAlignmentsByCut(
  obj,
  txs,
  genome,
  conservation,
  outPath,
  breaks = c(0, 100, 180, 247, 315, 473, 558, 615, Inf),
  labels = c("NucleosomeFree", "inter1", "mononucleosome", "inter2", "dinucleosome",
            "inter3", "trinucleosome", "others"),
  labelsOfNucleosomeFree = "NucleosomeFree",
  labelsOfMononucleosome = "mononucleosome",
  trainingSetPercentage = 0.15,
  cutoff = 0.8,
  halfSizeOfNucleosome = 80L
)

```

**Arguments**

obj	an object of <a href="#">GAlignments</a>
txs	<a href="#">GRanges</a> of transcripts
genome	an object of <a href="#">BSgenome</a>
conservation	an object of <a href="#">GScores</a> .
outPath	folder to save the splitted alignments. If outPath is setting, the return of the function will not contain seq and qual fields.

breaks	a numeric vector for fragment size of nucleosome free, mononucleosome, dinucleosome and trinucleosome. The breaks pre-defined here is following the description of Greenleaf's paper (see reference).
labels	a character vector for labels of the levels of the resulting category.
labelsOfNucleosomeFree, labelsOfMononucleosome	character(1). The label for nucleosome free and mononucleosome.
trainingSetPercentage	numeric(1) between 0 and 1. Percentage of training set from top coverage.
cutoff	numeric(1) between 0 and 1. cutoff value for prediction.
halfSizeOfNucleosome	numeric(1) or integer(1). Thre read length will be adjusted to half of the nucleosome size to enhance the signal-to-noise ratio.

**Value**

a list of GAlignments

**Author(s)**

Jianhong Ou

**References**

Buenrostro, J.D., Giresi, P.G., Zaba, L.C., Chang, H.Y. and Greenleaf, W.J., 2013. Transposition of native chromatin for fast and sensitive epigenomic profiling of open chromatin, DNA-binding proteins and nucleosome position. *Nature methods*, 10(12), pp.1213-1218.

Chen, K., Xi, Y., Pan, X., Li, Z., Kaestner, K., Tyler, J., Dent, S., He, X. and Li, W., 2013. DANPOS: dynamic analysis of nucleosome position and occupancy by sequencing. *Genome research*, 23(2), pp.341-351.

**Examples**

```
library(GenomicRanges)
bamfile <- system.file("extdata", "GL1.bam",
                      package="ATACseqQC", mustWork=TRUE)
tags <- c("AS", "XN", "XM", "XO", "XG", "NM", "MD", "YS", "YT")
gal1 <- readBamFile(bamfile=bamfile, tag=tags,
                  which=GRanges("chr1", IRanges(1, 1e6)),
                  asMates=FALSE)
names(gal1) <- mcols(gal1)$qname
library(BSgenome.Hsapiens.UCSC.hg19)
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)
library(phastCons100way.UCSC.hg19)
splitGAlignmentsByCut(gal1, txs=txs, genome=Hsapiens,
                     conservation=phastCons100way.UCSC.hg19)
```

---

TSSEscore	<i>Transcription Start Site (TSS) Enrichment Score</i>
-----------	--

---

### Description

TSS score is a ratio between aggregate distribution of reads centered on TSSs and that flanking the corresponding TSSs. TSS score = the depth of TSS (1000 bp each side) / the depth of end flanks (100bp each end).

### Usage

```
TSSEscore(  
  obj,  
  txs,  
  seqlev = intersect(seqlevels(obj), seqlevels(txs)),  
  upstream = 1000,  
  downstream = 1000,  
  endSize = 100  
)
```

### Arguments

obj	an object of <a href="#">GAlignments</a>
txs	<a href="#">GRanges</a> of transcripts
seqlev	A vector of characters indicates the sequence levels.
upstream, downstream	numeric(1) or integer(1). upstream and downstream of TSS. Default is 1000
endSize	numeric(1) or integer(1). the size of the end flanks. Default is 100

### Value

A object of [GRanges](#) with TSS scores

### Author(s)

Jianhong Ou

### References

<https://www.encodeproject.org/data-standards/terms/#enrichment>

### Examples

```
library(GenomicRanges)  
bamfile <- system.file("extdata", "GL1.bam",  
  package="ATACseqQC", mustWork=TRUE)  
gal1 <- readBamFile(bamFile=bamfile, tag=character(0),  
  which=GRanges("chr1", IRanges(1, 1e6)),  
  asMates=FALSE)  
library(TxDb.Hsapiens.UCSC.hg19.knownGene)  
txs <- transcripts(TxDb.Hsapiens.UCSC.hg19.knownGene)  
tsse <- TSSEscore(gal1, txs)
```

vPlot

*V-plot***Description**

Aggregate ATAC-seq Fragment Midpoint vs. Length for a given motif generated over binding sites within the genome.

**Usage**

```
vPlot(
  bamfiles,
  index = bamfiles,
  pfm,
  genome,
  min.score = "95%",
  bindingSites,
  seqlev = paste0("chr", c(1:22, "X", "Y")),
  upstream = 200,
  downstream = 200,
  maxSiteNum = 1e+06,
  draw = TRUE,
  ...
)
```

**Arguments**

bamfiles	A vector of characters indicates the file names of bams. All the bamfiles will be pulled together.
index	The names of the index file of the 'BAM' file being processed; This is given without the '.bai' extension.
pfm	A Position frequency Matrix represented as a numeric matrix with row names A, C, G and T.
genome	An object of <a href="#">BSgenome</a> .
min.score	The minimum score for counting a match. Can be given as a character string containing a percentage (e.g. "95 score or as a single number. See <a href="#">matchPWM</a> ).
bindingSites	A object of <a href="#">GRanges</a> indicates candidate binding sites (eg. the output of <a href="#">fimo</a> ).
seqlev	A vector of characters indicates the sequence levels.
upstream, downstream	numeric(1) or integer(1). Upstream and downstream of the binding region for aggregate ATAC-seq footprint.
maxSiteNum	numeric(1). Maximal number of predicted binding sites. if predicted binding sites is more than this number, top maxSiteNum binding sites will be used.
draw	Plot or not. Default TRUE.
...	parameters could be used by <a href="#">smoothScatter</a>

**Value**

an invisible data.frame for plot.

**Author(s)**

Jianhong Ou

**References**

Jorja G. Henikoff, Jason A. Belsky, Kristina Krassovsky, David M. MacAlpine, and Steven Henikoff. Epigenome characterization at single base-pair resolution. PNAS 2011 108 (45) 18318-18323

**Examples**

```
bamfile <- system.file("extdata", "GL1.bam",
                      package="ATACseqQC")
library(MotifDb)
CTCF <- query(MotifDb, c("CTCF"))
CTCF <- as.list(CTCF)
library(BSgenome.Hsapiens.UCSC.hg19)
vPlot(bamfile, pfm=CTCF[[1]],
      genome=Hsapiens,
      min.score="95%", seqlev="chr1",
      ylim=c(30, 250))
```

---

`writeListOfGAlignments`*export list of GAlignments into bam files*

---

**Description**

wrapper for [export](#) to export list of GAlignment into bam files.

**Usage**

```
writeListOfGAlignments(objs, outPath = ".")
```

**Arguments**

<code>objs</code>	A list of <a href="#">GAlignments</a> .
<code>outPath</code>	character(1). Output file path.

**Value**

status of export.

**Author(s)**

Jianhong Ou

**Examples**

```
library(GenomicAlignments)
gal1 <- GAlignments(seqnames=Rle("chr1"), pos=1L, cigar="10M",
                   strand=Rle(strand(c("+"))), names="a", score=1)
galist <- GAlignmentsList(a=gal1)
writeListOfGAlignments(galist)
```

# Index

ATACseqQC (ATACseqQC-package), 2  
ATACseqQC-package, 2

bamQC, 3  
BSgenome, 8, 10, 22, 26

DB, 3  
distanceDyad, 4  
DNAStrng, 17

enrichedFragments, 5  
estimateLibComplexity, 6  
estLibSize, 5  
export, 27

factorFootprints, 7  
footprintsScanner, 9  
fragSizeDist, 11

GAlignments, 12, 16, 20, 22, 23, 25, 27  
GAlignmentsList, 14, 20  
GRanges, 5, 8, 12, 14, 16, 17, 22, 25, 26  
GRangesList, 10  
GScores, 22, 23

IntegerRangesList, 17

MaskedDNAStrng, 17  
matchPWM, 8, 26

NFRscore, 12  
normalizeBetweenArrays, 6

peakdet, 13  
plotCorrelation, 13  
plotFootprints, 8, 14  
prepareBindingSitesList  
    (footprintsScanner), 9  
PTscore, 15  
pwmScores, 16

randomForest, 22  
readBamFile, 17  
readGAlignments, 18  
readGAlignmentsList, 18

readsDupFreq, 7, 18  
Rsamtools, 17

saturationPlot, 19  
scanBamFlag, 18  
ScanBamParam, 17  
shiftGAlignmentsList, 20, 22  
shiftReads, 21  
smoothScatter, 26  
splitBam, 21  
splitGAlignmentsByCut, 22, 23

TSSScore, 25

Views, 17  
vPlot, 4, 26

writeListOfGAlignments, 22, 27