Package 'Travel'

April 12, 2022

Title An utility to create an ALTREP object with a virtual pointer **Version** 1.2.0

Description Creates a virtual pointer for R's ALTREP object which does not have the data allocates in memory. The pointer is made by the file mapping of a virtual file so it behaves exactly the same as a regular pointer. All the requests to access the pointer will be sent to the underlying file system and eventually handled by a customized data-reading function.

The main purpose of the package is to reduce the memory consumption when using R's vector to represent a large data. The use cases of the package include on-disk data representation, compressed vector(e.g. RLE) and etc.

License GPL-3
biocViews Infrastructure
Encoding UTF-8
LazyData true
Roxygen list(markdown = TRUE)
RoxygenNote 7.1.1
SystemRequirements C++11 Windown

SystemRequirements C++11 Windows: Dokan Linux&Mac: fuse, pkg-config

LinkingTo Rcpp Imports Rcpp

Suggests testthat, BiocStyle, knitr, rmarkdown, inline, parallel

VignetteBuilder knitr

URL https://github.com/Jiefei-Wang/Travel

BugReports https://github.com/Jiefei-Wang/Travel/issues

git_url https://git.bioconductor.org/packages/Travel

git_branch RELEASE_3_14

git_last_commit 90ae232

git_last_commit_date 2021-10-26

Date/Publication 2022-04-12

Author Jiefei Wang [aut, cre]

Maintainer Jiefei Wang <szwjf08@gmail.com>

2 wrap_altrep

R topics documented:

Index 3

wrap_altrep

Create a new ALTREP object from an R ALTREP

Description

Create a new ALTREP object from an R ALTREP, the new ALTREP object owns a data pointer. However, it is a dummy pointer in the sense that the data is not in the memory. The pointer can be operated as a normal pointer but the request of accessing the data will be send to the wrapped ALTREP object.

Usage

```
wrap_altrep(x)
```

Arguments

Х

an ALTREP object

Value

A new ALTREP object

Examples

```
x <- 1:10
y <- wrap_altrep(x)</pre>
```

Index

wrap_altrep, 2