

Package ‘QuaternaryProd’

October 18, 2017

Type Package

Title Computes the Quaternary Dot Product Scoring Statistic for Signed and Unsigned Causal Graphs

Version 1.4.0

Date 2015-10-22

Description QuaternaryProd is an R package that performs causal reasoning on biological networks, including publicly available networks such as String-db. QuaternaryProd is a free alternative to commercial products such as Quiagen and Ingenuity pathway analysis. For a given a set of differentially expressed genes, QuaternaryProd computes the significance of upstream regulators in the network by performing causal reasoning using the Quaternary Dot Product Scoring Statistic (Quaternary Statistic), Ternary Dot product Scoring Statistic (Ternary Statistic) and Fisher's exact test. The Quaternary Statistic handles signed, unsigned and ambiguous edges in the network. Ambiguity arises when the direction of causality is unknown, or when the source node (e.g., a protein) has edges with conflicting signs for the same target gene. On the other hand, the Ternary Statistic provides causal reasoning using the signed and unambiguous edges only. The Vignette provides more details on the Quaternary Statistic and illustrates an example of how to perform causal reasoning using String-db.

License GPL (>=3)

biocViews GraphAndNetwork, GeneExpression, Transcription

Depends R (>= 3.2.0), Rcpp (>= 0.11.3)

Suggests readr, org.Hs.eg.db, dplyr, stringr, knitr, fdrtool

LinkingTo Rcpp

LazyData true

VignetteBuilder knitr

RoxygenNote 5.0.1

NeedsCompilation yes

Author Carl Tony Fakhry [cre, aut],
Ping Chen [ths],
Kourosh Zarringhalam [aut, ths]

Maintainer Carl Tony Fakhry <cfakhry@cs.umb.edu>

R topics documented:

QuaternaryProd-package 2

BioQCREtoNet	3
QP_Pmf	6
QP_Probability	8
QP_Pvalue	9
QP_SigPvalue	10
QP_Support	11

Index	13
--------------	-----------

QuaternaryProd-package

Computes the Quaternary Dot Product Scoring Statistic for Signed and Unsigned Causal Graphs

Description

QuaternaryProd is an R package that performs causal reasoning on biological networks, including publicly available networks such as String-db. QuaternaryProd is a free alternative to commercial products such as Quiagen and Ingenuity pathway analysis. For a given a set of differentially expressed genes, QuaternaryProd computes the significance of upstream regulators in the network by performing causal reasoning using the Quaternary Dot Product Scoring Statistic (Quaternary Statistic), Ternary Dot product Scoring Statistic (Ternary Statistic) and Fisher's exact test. The Quaternary Statistic handles signed, unsigned and ambiguous edges in the network. Ambiguity arises when the direction of causality is unknown, or when the source node (e.g., a protein) has edges with conflicting signs for the same target gene. On the other hand, the Ternary Statistic provides causal reasoning using the signed and unambiguous edges only. The Vignette provides more details on the Quaternary Statistic and illustrates an example of how to perform causal reasoning using String-db.

Details

Package: QuaternaryProd
 Type: Package
 Version: 1.0.6
 Date: 2015-10-22
 License: GPL (>= 2)

Author(s)

Carl Tony Fakhry, Ping Chen and Kourosh Zarringhalam

Maintainer: Carl Tony Fakhry <cfakhry@cs.umb.edu>

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kourosh Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: 'Nucleic Acids Res. 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

BioQCREtoNet

Compute the Quaternary Dot Product Scoring Statistic for a biological causal network.

Description

This function computes the Quaternary Dot Product Scoring Statistic for all source nodes in a causal network once new gene expression data is presented. This is a Causal Relation Engine (CRE) on the levels of a causal network of predictions and a new set of realizations that arise in real world situations.

Usage

```
BioQCREtoNet(relations, evidence, entities, method = "Quaternary",
              fc.thresh = log2(1.3), is.Logfc = TRUE, pval.thresh = 0.05)
```

Arguments

relations	A data frame containing pairs of connected entities in a causal network (e.g Protein-Protein interactions), and the type of causal relation between them. The data frame must have three columns with column names: <i>srcuid</i> , <i>trguid</i> and <i>mode</i> respective of order. <i>srcuid</i> stands for source entity, <i>trguid</i> stands for target entity and <i>mode</i> stands for the type of relation between <i>srcuid</i> and <i>trguid</i> . The relation has to be one of <i>increases</i> , <i>decreases</i> or <i>regulates</i> . All three columns must be of type character.
evidence	A data frame of entities which are target nodes in the causal network and have new experimental values (e.g gene expression data). The <i>evidence</i> data frame must have three columns <i>entrez</i> , <i>fc</i> and <i>pvalue</i> . <i>entrez</i> denotes the entrez id of a given gene, <i>fc</i> denotes the fold change of a gene, and <i>pvalue</i> denotes the p-value. The <i>entrez</i> column must be of type character, and the <i>fc</i> and <i>pvalue</i> columns must be numeric values.
entities	A data frame of mappings for all entities present in data frame <i>relations</i> . <i>entities</i> must contain four columns: <i>uid</i> , <i>id</i> , <i>symbol</i> and <i>type</i> respective of order. All four columns must be of type character. <i>uid</i> includes every source and target node in the network (i.e <i>relations</i>), <i>id</i> is the id of <i>uid</i> (e.g entrez id of an mRNA), <i>symbol</i> is the symbol of <i>id</i> and <i>type</i> is the type of entity of <i>id</i> which can be one of mRNA, protein, drug or compound. All target nodes must be of type mRNA.
method	Choose one of <i>Quaternary</i> , <i>Ternary</i> or <i>Enrichment</i> . Default is <i>Quaternary</i> .
fc.thresh	Threshold for fold change in <i>evidence</i> data frame. Any row in evidence with absolute value <i>fc</i> smaller than <i>fc.thresh</i> will be ignored. Default value is $\log_2(1.3)$. If <i>is.Logfc</i> = <i>FALSE</i> then <i>fc</i> column in <i>evidence</i> is converted to log scale.
is.Logfc	Boolean value to indicate if the fold change is in log scale. Default value is TRUE.
pval.thresh	Threshold for p-values in <i>evidence</i> data frame. All rows in <i>evidence</i> with p-values greater than <i>pval.thresh</i> will be ingnored. Default value is 0.05.

Value

This function returns a data frame containing parameters concerning the Quaternary Dot Product Scoring Statistic. The p-values of each of the source nodes is also computed, and the data frame is in increasing order of p-values of the goodness of fit score for the given source nodes. The column names of the data frame are:

- *uid* The source node in the network.
- *name* symbols of the source nodes.
- *regulation* Direction of change of source node.
- *correct.pred* Number of correct predictions in *evidence* when compared to predictions made by the network.
- *incorrect.pred* Number of incorrect predictions in *evidence* when compared to predictions made by the network.
- *score* The number of correct predictions minus the number of incorrect predictions.
- *total.reachable* Total number of *trguids* connected to a *srcuid*.
- *significant.reachable* number of *trguids* connected to a *srcuid* that are also regulated in *evidence*.
- *total.ambiguous* Total number of children of a given *srcuid* with relation type *regulates* or children which share both *increase* and *decrease* relation with *srcuid*.
- *significant.ambiguous* Total number of similar type of relations as with *total.ambiguous* but with the restriction that the children are regulated in *evidence*.
- *unknown* Number of *trguids* which do not interact with the given *srcuid*.
- *pvalue* P-value of the score.

Author(s)

Carl Tony Fakhry, Ping Chen and Kourosh Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kourosh Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

Examples

```
# We provide an example of one possible way to parse the Stringdb
# Homo Sapien protein actions network and prepare
# it to be used with our package. First, we need to
# upload the network which is attached to QuaternaryProd
# for convenience.

library(readr)
library(org.Hs.eg.db)
library(dplyr)
library(stringr)
```

```

library(fdrtool)

# Get the full file name containing the STRINGdb relations
ff <- system.file("extdata", "9606.protein.actions.v10.txt.gz"
                  , package="QuaternaryProd")
all_rels <- read_tsv(gzfile(ff), col_names = TRUE)

# Next, we filter out the important columns and important
# relations. We remove all rows which do not have a relation
# activation, inhibition and expression. Moreover, we
# also consider reverse causality for any relation which has
# a direction value equal to 0.

# Set new names for columns
names(all_rels) <- c("srcuid", "trguid", "mode", "action", "direction", "score")
Rels <- all_rels[, c("srcuid", "trguid", "mode", "direction")]

# Get all rows with causal relations
Rels <- Rels[Rels$mode %in% c("activation", "inhibition", "expression"),]

# Get causal relations where direction is not specified,
# and consider reversed direction of causality as a valid
# causal relation
Bidirectional <- Rels[Rels$direction == 0 ,
                    c("trguid", "srcuid", "mode", "direction")]
names(Bidirectional) <- c("srcuid", "trguid", "mode", "direction")
Rels <- unique(bind_rows(Rels, Bidirectional))
Rels$direction <- NULL

# Rename activation as increases, inhibition as decreases,
# expression as regulates
Rels$mode <- sub("activation", "increases", Rels$mode)
Rels$mode <- sub("inhibition", "decreases", Rels$mode)
Rels$mode <- sub("expression", "regulates", Rels$mode)
Rels <- unique(Rels)

# Get a subset of the network: Skip this step if you want the p-values
# of the scores corresponding to the source nodes computed over the
# entire network.
Rels <- Rels[sample(1:nrow(Rels), 40000, replace=FALSE),]

# Third, we extract the protein entities from the network, and
# we map them to their respective genes. Note, the entities could
# have been possibly a drug or compound, but we are working with
# this protein interactions network for the purpose of providing
# a nontrivial example.

# Get all unique protein ensemble ids in the causal network
allEns <- unique(c(Rels$srcuid, Rels$trguid))

# Map ensemble protein ids to entrez gene ids
map <- org.Hs.egENSEMBLPROT2EG
id <- unlist(mget(sub("9606.", "", allEns), map, ifnotfound=NA))
id[is.na(id)] <- "-1"
uid <- paste("9606.", names(id), sep="")

```

```

# Function to map entrez ids to gene symbols
map <- org.Hs.egSYMBOL
symbol <- unlist(mget(id, map, ifnotfound=NA))
symbol[is.na(symbol)] <- "-1"

# Create data frame of STRINGdb protein Id, entrez id and gene
# symbol and type of entity
Ents <- data_frame(uid, id, symbol, type="protein")
Ents <- Ents[Ents$uid %in% allEns,]

# Remove ensemble ids in entities with duplicated entrez id
Ents <- Ents[!duplicated(Ents$id),]

# Add mRNAs to entities
uid <- paste("mRNA_", Ents$uid, sep = "")
mRNAs <- data_frame(uid=uid, id=Ents$id, symbol=Ents$symbol, type="mRNA")
Ents <- bind_rows(Ents, mRNAs)

# Get all unique relations
Rels$trguid <- paste("mRNA_", Rels$trguid, sep="")
Rels <- Rels[Rels$srcuid %in% Ents$uid & Rels$trguid %in% Ents$uid,]
Rels <- unique(Rels)

# Leave source proteins which contain at least 10 edges
sufficientRels <- group_by(Rels, srcuid) %>% summarise(count=n())
sufficientRels <- sufficientRels %>% filter(count > 10)
Rels <- Rels %>% filter(srcuid %in% sufficientRels$srcuid)

# Given new gene expression data, we can compute the scores and p-values
# for all source nodes in the network. BioQCREtoNet is a specialized
# function for this purpose.

# Gene expression data
evidence1 <- system.file("extdata", "e2f3_sig.txt", package = "QuaternaryProd")
evidence1 <- read.table(evidence1, sep = "\t", header = TRUE
                        , stringsAsFactors = FALSE)

# Remove duplicated entrez ids in evidence and rename column names appropriately
evidence1 <- evidence1[!duplicated(evidence1$entrez),]
names(evidence1) <- c("entrez", "pvalue", "fc")

# Run Quaternary CRE for entire Knowledge base on new evidence
# which computes the statistic for each of the source proteins
CRE_results <- BioQCREtoNet(Rels, evidence1, Ents, is.Logfc = TRUE)

```

QP_Pmf

Computes the probability mass function of the scores.

Description

This function computes the probability mass function for the Quaternary Dot Product Scoring Statistic for signed causal graphs. This includes scores with probabilities strictly greater than zero.

Usage

```
QP_Pmf(q_p, q_m, q_z, q_r, n_p, n_m, n_z, epsilon = 1e-16)
```

Arguments

q_p	Expected number of positive predictions.
q_m	Expected number of negative predictions.
q_z	Expected number of nil predictions.
q_r	Expected number of regulated predictions.
n_p	Number of positive predictions from experiments.
n_m	Number of negative predictions from experiments.
n_z	Number of nil predictions from experiments.
epsilon	parameter for thresholding probabilities of matrices. Default value is 1e-16.

Details

This function computes the probability for each score in the support of the distribution. The returned value is a vector of probabilities where the returned vector has names set equal to the corresponding scores.

Setting epsilon to zero will compute the probability mass function without ignoring any matrices with probabilities smaller than $\epsilon * D_{\max}$ (D_{\max} is the numerator associated with the matrix of highest probability for the given constraints). The default value of 1e-16 is experimentally validated to be a very reasonable threshold. Setting the threshold to higher values which are smaller than 1 will lead to underestimating the probabilities of each score since more tables will be ignored.

Value

Vector of probabilities for scores in the support.

Author(s)

Carl Tony Fakhry, Ping Chen and Kourosh Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kourosh Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29.

See Also

[QP_Pvalue](#), [QP_Support](#)

Examples

```
# Compute the probability mass function of the Quaternary Dot
# Product Scoring Statistic for the given table margins.
pmf <- QP_Pmf(50,50,50,0,50,50,50)
```

QP_Probability	<i>Computes the probability of a score.</i>
----------------	---

Description

This function computes the probability of a score in the Quaternary Dot Product scoring distribution.

Usage

```
QP_Probability(score, q_p, q_m, q_z, q_r, n_p, n_m, n_z, epsilon = 1e-16)
```

Arguments

score	The score for which the probability will be computed.
q_p	Expected number of positive predictions.
q_m	Expected number of negative predictions.
q_z	Expected number of nil predictions.
q_r	Expected number of regulated predictions.
n_p	Number of positive predictions from experiments.
n_m	Number of negative predictions from experiments.
n_z	Number of nil predictions from experiments.
epsilon	Threshold for probabilities of matrices. Default value is 1e-16.

Details

Setting epsilon to zero will compute the probability mass function without ignoring any matrices with probabilities smaller than $\text{epsilon} * D_{\text{max}}$ (D_{max} is the numerator associated with the matrix of highest probability for the given constraints). The default value of 1e-16 is experimentally validated to be a very reasonable threshold. Setting the threshold to higher values which are smaller than 1 will lead to underestimating the probabilities of each score since more tables will be ignored.

For computing p-values, the user is advised to use the p-value function which is optimized for such purposes.

Value

This function returns a numerical value, where the numerical value is the probability of the score.

Author(s)

Carl Tony Fakhry, Ping Chen and Kourosh Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kourosh Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

See Also

[QP_Pmf](#), [QP_Pvalue](#), [QP_SigPvalue](#)

Examples

```
# Computing The probability of score 50
# for the given table margins.
prob <- QP_Probability(0,50,50,50,0,50,50,50)
```

QP_Pvalue	<i>Computes the p-value of a score.</i>
-----------	---

Description

This function computes the right sided p-value for the Quaternary Dot Product Scoring Statistic.

Usage

```
QP_Pvalue(score, q_p, q_m, q_z, q_r, n_p, n_m, n_z, epsilon = 1e-16)
```

Arguments

score	The score for which the p-value will be computed.
q_p	Expected number of positive predictions.
q_m	Expected number of negative predictions.
q_z	Expected number of nil predictions.
q_r	Expected number of regulated predictions.
n_p	Number of positive predictions from experiments.
n_m	Number of negative predictions from experiments.
n_z	Number of nil predictions from experiments.
epsilon	Threshold for probabilities of matrices. Default value is 1e-16.

Details

Setting epsilon to zero will compute the probability mass function without ignoring any matrices with probabilities smaller than $\epsilon * D_{\max}$ (D_{\max} is the numerator associated with the matrix of highest probability for the given constraints). The default value of 1e-16 is experimentally validated to be a very reasonable threshold. Setting the threshold to higher values which are smaller than 1 will lead to underestimating the probabilities of each score since more tables will be ignored.

Value

This function returns a numerical value, where the numerical value is the p-value of the score.

Author(s)

Carl Tony Fakhry, Ping Chen and Kouros Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kouros Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

See Also

[QP_SigPvalue](#)

Examples

```
# Computing The p-value of score 50
# for the given table margins.
pval <- QP_Pvalue(50,50,50,50,0,50,50,50)
```

QP_SigPvalue

Computes the p-value for a statistically significant score.

Description

This function computes the right sided p-value for the Quaternary Dot Product Scoring Statistic for statistically significant scores.

Usage

```
QP_SigPvalue(score, q_p, q_m, q_z, q_r, n_p, n_m, n_z, epsilon = 1e-16, sig_level = 0.05)
```

Arguments

score	The score for which the p-value will be computed.
q_p	Expected number of positive predictions.
q_m	Expected number of negative predictions.
q_z	Expected number of nil predictions.
q_r	Expected number of regulated predictions.
n_p	Number of positive predictions from experiments.
n_m	Number of negative predictions from experiments.
n_z	Number of nil predictions from experiments.
epsilon	Threshold for probabilities of matrices. Default value is 1e-16.
sig_level	Significance level of test hypothesis. Default value is 0.05.

Details

Setting epsilon to zero will compute the probability mass function without ignoring any matrices with probabilities smaller than $\text{epsilon} * D_{\text{max}}$ (D_{max} is the numerator associated with the matrix of highest probability for the given constraints). The default value of $1e-16$ is experimentally validated to be a very reasonable threshold. Setting the threshold to higher values which are smaller than 1 will lead to underestimating the probabilities of each score since more tables will be ignored. If the score is not statistically significant, then a value of -1 will be returned.

Value

This function returns a numerical value, where the numerical value is the p-value of a score if the score is statistically significant otherwise it returns -1.

Author(s)

Carl Tony Fakhry, Ping Chen and Kouros Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kouros Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

See Also

[QP_Pvalue](#)

Examples

```
# Computing The p-value of score 50
# for the given table margins.
pval <- QP_SigPvalue(50,50,50,50,0,50,50,50)
```

QP_Support

Computes the support for the scores.

Description

This function computes the support of the Quaternary Dot Product Scoring distribution for signed causal graphs. This includes all scores which have probabilities strictly greater than 0.

Usage

```
QP_Support(q_p, q_m, q_z, q_r, n_p, n_m, n_z)
```

Arguments

q_p	Expected number of positive predictions.
q_m	Expected number of negative predictions.
q_z	Expected number of nil predictions.
q_r	Expected number of regulated predictions.
n_p	Number of positive predictions from experiments.
n_m	Number of negative predictions from experiments.
n_z	Number of nil predictions from experiments.

Value

Integer vector of support.

Author(s)

Carl Tony Fakhry, Ping Chen and Kourosh Zarringhalam

References

Carl Tony Fakhry, Parul Choudhary, Alex Gutteridge, Ben Sidders, Ping Chen, Daniel Ziemek, and Kourosh Zarringhalam. Interpreting transcriptional changes using causal graphs: new methods and their practical utility on public networks. *BMC Bioinformatics*, 17:318, 2016. ISSN 1471-2105. doi: 10.1186/s12859-016-1181-8.

Franceschini, A (2013). STRING v9.1: protein-protein interaction networks, with increased coverage and integration. In: *Nucleic Acids Res.* 2013 Jan;41(Database issue):D808-15. doi: 10.1093/nar/gks1094. Epub 2012 Nov 29'.

Examples

```
# Compute the support of the Quaternary Dot Product Scoring distribution with the given margins.  
QP_Support(50,50,50,0,50,50,50)
```

Index

BioQCREtoNet, 3

QP_Pmf, 6, 9

QP_Probability, 8

QP_Pvalue, 7, 9, 9, 11

QP_SigPvalue, 9, 10, 10

QP_Support, 7, 11

QuaternaryProd-package, 2