# Package 'methyvimData'

April 11, 2019

Title Example experimental data for use with the methyvim package	ample experimental data for use with the methyvim package
Version 1.4.0	
<b>Description</b> Contains a reduced set of simulated data inspired by data produced by the Infinium EPIC BeadChip assays by Illumina. The example data set is made available to highlight many of the key procedures that are available within the core functions of the methyvim package.	
<b>Depends</b> R (>= 3.4.0), minfi	
Suggests Biobase, BiocStyle, SummarizedExperiment, knitr, rmarkdown	
License file LICENSE	
Encoding UTF-8	
VignetteBuilder knitr	
RoxygenNote 6.0.1	
biocViews Clustering, DNAMethylation, DifferentialMethylation, MethylationArray, MethylSeq	
git_url https://git.bioconductor.org/packages/methyvimData	
git_branch RELEASE_3_8	
git_last_commit 46154fa	
git_last_commit_date 2018-10-30	
Date/Publication 2019-04-11	
Author Nima Hejazi [aut, cre]	
Maintainer Nima Hejazi <nhejazi@berkeley.edu></nhejazi@berkeley.edu>	
R topics documented:	
grsExample	2
Index	3

2 grsExample

grsExample

Filtered Mock Epigenomics Data Set

## **Description**

A data set containing data that is similar in structure to that typically found in epigenomics studies.

### Usage

grsExample

#### **Format**

An object of class GenomicRatioSet with 400 rows and 210 columns.

#### **Details**

This data set was simulated based on several key characteristics of data sets available to the package authors through collaborations in studies of differential methylation. It is based on data collected using the 850K (EPIC) Infinium arrays produced by Illumina, from samples collected on human subjects in studies of environmental epidemiology. The structure of the original data set (e.g., notable differences between the exposure and treatment conditions) were used to guide the simulation, and data was only produced for an arbitrary subset of sites. The phenotype-level exposure and outcome data (accessible via colData) were derived from the original data. The size of the subset was chosen such that the data package would be compliant with the standards outlined by Bioconductor. We emphasize that this is not real data and is not in any way suitable for scientific investigation. Please note that THIS IS NOT REAL DATA.

#### Value

A GenomicRatioSet containing pre-filtered CpG sites, ready to be used with the core function of the methyvim package.

## **Examples**

```
# Load required packages and the data set
suppressMessages(library(SummarizedExperiment))
data(grsExample)
# Take a look at the data in the GenomicRatioSet object
grsExample
# Extract treatment/exposure values with colData
as.numeric(colData(grsExample)[, 1])
```

## Index

```
*Topic datasets
grsExample, 2
grsExample, 2
```