

HowTo: Build and use chromosomal information

Jeff Gentry

July 16, 2014

1 Overview

The `annotate` package provides a class that can be used to model chromosomal information about a species, using one of the metadata packages provided by Bioconductor. This class contains information about the organism and its chromosomes and provides a standardized interface to the information in the metadata packages for other software to quickly extract necessary chromosomal information. An example of using *chromLocation* objects in other software can be found with the `alongChrom` function of the *geneplotter* package in Bioconductor.

2 The `chromLocation` class

The *chromLocation* class is used to provide a structure for chromosomal data of a particular organism. In this section, we will discuss the various slots of the class and the methods for interacting with them. Before this though, we will create an object of class *chromLocation* for demonstration purposes later. The helper function `buildChromLocation` is used, and it takes as an argument the name of a Bioconductor metadata package, which is itself used to extract the data. For this vignette, we will be using the *hgu95av2.db* package.

```
> library("annotate")
> z <- buildChromLocation("hgu95av2")
> z
```

Instance of a `chromLocation` class with the following fields:

```
Organism: Homo sapiens
Data source: hgu95av2
Number of chromosomes for this organism: 93
Chromosomes of this organism and their lengths in base pairs:
  1 : 249250621
  2 : 243199373
  3 : 198022430
  4 : 191154276
```

5 : 180915260
6 : 171115067
7 : 159138663
X : 155270560
8 : 146364022
9 : 141213431
10 : 135534747
11 : 135006516
12 : 133851895
13 : 115169878
14 : 107349540
15 : 102531392
16 : 90354753
17 : 81195210
18 : 78077248
20 : 63025520
Y : 59373566
19 : 59128983
22 : 51304566
21 : 48129895
6_ssto_hap7 : 4928567
6_mcf_hap5 : 4833398
6_cox_hap2 : 4795371
6_mann_hap4 : 4683263
6_apd_hap1 : 4622290
6_qbl_hap6 : 4611984
6_dbb_hap3 : 4610396
17_ctg5_hap1 : 1680828
4_ctg9_hap1 : 590426
1_gl000192_random : 547496
Un_gl000225 : 211173
4_gl000194_random : 191469
4_gl000193_random : 189789
9_gl000200_random : 187035
Un_gl000222 : 186861
Un_gl000212 : 186858
7_gl000195_random : 182896
Un_gl000223 : 180455
Un_gl000224 : 179693
Un_gl000219 : 179198
17_gl000205_random : 174588
Un_gl000215 : 172545
Un_gl000216 : 172294
Un_gl000217 : 172149
9_gl000199_random : 169874
Un_gl000211 : 166566

```

Un_gl000213 : 164239
Un_gl000220 : 161802
Un_gl000218 : 161147
19_gl000209_random : 159169
Un_gl000221 : 155397
Un_gl000214 : 137718
Un_gl000228 : 129120
Un_gl000227 : 128374
1_gl000191_random : 106433
19_gl000208_random : 92689
9_gl000198_random : 90085
17_gl000204_random : 81310
Un_gl000233 : 45941
Un_gl000237 : 45867
Un_gl000230 : 43691
Un_gl000242 : 43523
Un_gl000243 : 43341
Un_gl000241 : 42152
Un_gl000236 : 41934
Un_gl000240 : 41933
17_gl000206_random : 41001
Un_gl000232 : 40652
Un_gl000234 : 40531
11_gl000202_random : 40103
Un_gl000238 : 39939
Un_gl000244 : 39929
Un_gl000248 : 39786
8_gl000196_random : 38914
Un_gl000249 : 38502
Un_gl000246 : 38154
17_gl000203_random : 37498
8_gl000197_random : 37175
Un_gl000245 : 36651
Un_gl000247 : 36422
9_gl000201_random : 36148
Un_gl000235 : 34474
Un_gl000239 : 33824
21_gl000210_random : 27682
Un_gl000231 : 27386
Un_gl000229 : 19913
M : 16571
Un_gl000226 : 15008
18_gl000207_random : 4262

```

Once we have an object of the *chromLocation* class, we can now access its various slots to get the information contained within it. There are six slots in

this class:

```
organism:      This lists the organism that this object is describing.
dataSource:    Where this data was acquired from.
chromLocs:     A list with an element for every unique chromosome
               name, where each element contains a named vector where
               the names are probe IDs and the values describe the
               location of that probe on the chromosome. Negative
               values indicate that the location is on the antisense
               strand.
probesToChrom: A hash table which will translate a probe ID to the
               chromosome it belongs to.
chromInfo:     A numerical vector representing each chromosome, where
               the names are the names of the chromosomes and the
               values are the lengths of those chromosomes.
geneSymbols:   An environment that maps a probe ID to the appropriate
               gene symbol.
```

There is a basic 'get' type method for each of these slots, all with the same name as the respective slot. In the following example, we will demonstrate these basic methods. For the `probesToChrom` and `geneSymbols` methods, the return value is an environment which maps a probe ID to other values, we will be using the probe ID '32972_at', which was selected at random for these examples. We are showing only part of the `chromLocs` method's output as it is quite long in its entirety.

```
> organism(z)
```

```
[1] "Homo sapiens"
```

```
> dataSource(z)
```

```
[1] "hgu95av2"
```

```
> ## The chromLocs list is extremely large. Let's only
```

```
> ## look at one of the elements.
```

```
> names(chromLocs(z))
```

```
[1] "1"      "10"     "11"     "12"     "13"
[6] "14"     "15"     "16"     "17"     "18"
[11] "19"     "2"      "20"     "21"     "22"
[16] "3"      "4"      "5"      "6"      "7"
[21] "8"      "9"      "X"      "Y"      "17_ctg5_hap1"
[26] "4_ctg9_hap1" "6_ssto_hap7" "6_qbl_hap6" "6_cox_hap2" "6_mcf_hap5"
[31] "6_dbb_hap3" "Un_gl000223" "6_apd_hap1" "6_mann_hap4"
```

```
> chromLocs(z)[["Y"]]
```

266_s_at	31911_at	32864_at	32991_f_at	35885_at	36321_at	37583_at
-21152526	15815447	-2654896	-6733959	14813160	14774298	-21867301
40030_at	40097_at	41214_at	1185_at	31534_at	31534_at	34753_at
7142013	22737611	2709623	1405509	2803518	2803112	59213949
38182_at	38182_at	38355_at	38355_at	40435_at	40436_g_at	41108_at
21729244	21729244	15016019	15016699	-1455045	-1455045	-171426
41138_at	938_at	31411_at	31411_at	31411_at	34477_at	34477_at
2559228	59330252	25130410	26764151	-27177050	-15434914	-15409389
34477_at	34172_s_at	34172_s_at	34215_at	34215_at	35073_at	35073_at
-15360259	1660486	1660486	1660486	1660486	535079	535079
36553_at	36553_at	36554_at	36554_at	39168_at	39168_at	32930_f_at
-1472032	-1472032	-1472032	-1472032	-2354455	-2354455	16634488
32930_f_at	32930_f_at	32930_f_at	32930_f_at	33665_s_at	33665_s_at	33665_s_at
16636454	16635626	16733901	16635385	1337693	1351571	1337693
35447_s_at	35447_s_at	35447_s_at				
1683941	1664348	1684026				

```
> get("32972_at", probesToChrom(z))
```

```
[1] "X"
```

```
> chromInfo(z)
```

	1	2	3	4
	249250621	243199373	198022430	191154276
	5	6	7	X
	180915260	171115067	159138663	155270560
	8	9	10	11
	146364022	141213431	135534747	135006516
	12	13	14	15
	133851895	115169878	107349540	102531392
	16	17	18	20
	90354753	81195210	78077248	63025520
	Y	19	22	21
	59373566	59128983	51304566	48129895
	6_ssto_hap7	6_mcf_hap5	6_cox_hap2	6_mann_hap4
	4928567	4833398	4795371	4683263
	6_apd_hap1	6_qbl_hap6	6_dbb_hap3	17_ctg5_hap1
	4622290	4611984	4610396	1680828
	4_ctg9_hap1	1_g1000192_random	Un_g1000225	4_g1000194_random
	590426	547496	211173	191469
	4_g1000193_random	9_g1000200_random	Un_g1000222	Un_g1000212
	189789	187035	186861	186858
	7_g1000195_random	Un_g1000223	Un_g1000224	Un_g1000219
	182896	180455	179693	179198
	17_g1000205_random	Un_g1000215	Un_g1000216	Un_g1000217
	174588	172545	172294	172149

9_gl000199_random	Un_gl000211	Un_gl000213	Un_gl000220
169874	166566	164239	161802
Un_gl000218	19_gl000209_random	Un_gl000221	Un_gl000214
161147	159169	155397	137718
Un_gl000228	Un_gl000227	1_gl000191_random	19_gl000208_random
129120	128374	106433	92689
9_gl000198_random	17_gl000204_random	Un_gl000233	Un_gl000237
90085	81310	45941	45867
Un_gl000230	Un_gl000242	Un_gl000243	Un_gl000241
43691	43523	43341	42152
Un_gl000236	Un_gl000240	17_gl000206_random	Un_gl000232
41934	41933	41001	40652
Un_gl000234	11_gl000202_random	Un_gl000238	Un_gl000244
40531	40103	39939	39929
Un_gl000248	8_gl000196_random	Un_gl000249	Un_gl000246
39786	38914	38502	38154
17_gl000203_random	8_gl000197_random	Un_gl000245	Un_gl000247
37498	37175	36651	36422
9_gl000201_random	Un_gl000235	Un_gl000239	21_gl000210_random
36148	34474	33824	27682
Un_gl000231	Un_gl000229	M	Un_gl000226
27386	19913	16571	15008
18_gl000207_random			
4262			

```
> get("32972_at", geneSymbols(z))
```

```
[1] "NOX1"
```

```
>
```

Another method which can be used to access information about the particular *chromLocation* object is the `nChrom` method, which will list how many chromosomes this organism has:

```
> nChrom(z)
```

```
[1] 93
```

3 Summary

The *chromLocation* class has a simple design, but can be powerful if one wants to store the chromosomal data contained in a Bioconductor package into a single object. These objects can be created once and then passed around to multiple functions, which can cut down on computation time to access the desired information from the package. These objects allow access to basic but also important information, and provide a standard interface for writers of other software to access this information.