Package 'affycompData'

October 12, 2023

| Version 1.38.1 |
|---|
| Title affycomp data |
| Author Rafael A. Irizarry <rafa@jhu.edu> and Zhijin Wu</rafa@jhu.edu> |
| <pre><zwu@stat.brown.edu> with contributions from Simon Cawley</zwu@stat.brown.edu></pre> |
| <pre><simon_cawley@affymetrix.com></simon_cawley@affymetrix.com></pre> |
| Maintainer Robert D Shear <rshear@ds.dfci.harvard.edu></rshear@ds.dfci.harvard.edu> |
| <pre>URL https://bioconductor.org/packages/affycompData</pre> |
| BugReports https://github.com/rafalab/affyCompData/issues |
| Depends R (>= 2.13.0), methods, Biobase (>= 2.3.3), affycomp |
| Description Data needed by the affycomp package. |
| License GPL (>= 2) |
| biocViews MicroarrayData |
| git_url https://git.bioconductor.org/packages/affycompData |
| git_branch RELEASE_3_17 |
| git_last_commit f999da6 |
| git_last_commit_date 2023-07-12 |
| Date/Publication 2023-10-12 |
| R topics documented: |
| lw.sd.assessment |
| mas5.assessment |
| rma.assessment |
| |
| Index |

2 mas5.assessment

lw.sd.assessment

An example of the result of an SD assessment

Description

The Dilution files were processed with the dChip package (using PM-only), and then the function assessSD from the affycomp package was applied.

Usage

```
data(lw.sd.assessment)
```

Format

A list.

mas5.assessment

Examples of the result of assessments

Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with Affymetrix MAS 5.0 software, yielding three "MAS 5.0" ExpressionSet's. (These are available, in csv-format, at http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030424.1033/.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. mas5.assessment resulted from assessAll on Dilution and HGU95; mas5.assessment.133 from assessSpikeIn on HGU133; mas5.assessment2 from assessSpikeIn2 on HGU95; and mas5.assessment2.133 from assessSpikeIn2 on HGU133.

Usage

```
data(mas5.assessment)
data(mas5.assessment.133)
data(mas5.assessment2)
data(mas5.assessment2.133)
```

Format

A list of list.

rma.assessment 3

rma.assessment

Examples of the result of assessments

Description

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with the (version 1.0) function rma, yielding three "RMA" ExpressionSet's. (These are available, in csv-format, at http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030429.1332/.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. rma.assessment resulted from assessAll on Dilution and HGU95; rma.assessment.133 from assessSpikeIn on HGU133; rma.assessment2 from assessSpikeIn2 on HGU95; and rma.assessment2.133 from assessSpikeIn2 on HGU133.

Usage

```
data(rma.assessment)
data(rma.assessment.133)
data(rma.assessment2)
data(rma.assessment2.133)
```

Format

A list of list.

rma.sd.assessment

An example of the result of an SD assessment

Description

The Dilution files were processed with the affy version 1.0 package rma add-on function, and then the function assessSD from the affycomp package was applied.

Usage

```
data(rma.sd.assessment)
```

Format

A list.

Index

```
* datasets
    lw.sd.assessment, 2
    {\tt mas5.assessment,2}
    rma.assessment, 3
    rma.sd.assessment, 3
assessAll, 2, 3
assessSD, 2, 3
assessSpikeIn, 2, 3
assessSpikeIn2, 2, 3
ExpressionSet, 2, 3
lw.sd.assessment, 2
{\sf mas5.assessment,2}
mas5.assessment2 (mas5.assessment), 2
rma, 3
rma.assessment, 3
rma.assessment2 (rma.assessment), 3
\verb|rma.sd.assessment|, 3
```