

Risa: Building R objects from local ISA-Tab files

Alejandra Gonzalez-Beltran and Steffen Neumann and Audrey Kauffmann
and Gabriella Rustici and Philippe Rocca-Serra and Eamonn Maguire
and Susanna-Asunta Sansone
isatools@googlegroups.com

October 13, 2015

1 Introduction

The Risa package is part of the ISA infrastructure software suite (<http://isa-tools.org>). It provides functionality to read ISA-Tab datasets, described in the following section. The source code and latest version can be found in the GitHub repository <https://github.com/ISA-tools/Risa>. Please, submit all 'bugs' and feature requests through <https://github.com/ISA-tools/Risa/issues>.

2 ISA-Tab format

The Investigation / Study / Assay (ISA) Tab-delimited (Tab) format is a general purpose framework with which to collect and communicate complex metadata (i.e. sample characteristics, technologies used, type of measurements made) from experiments employing a combination of technologies (<http://isa-tools.org>). In particular, ISA-Tab has been developed for - but not limited to - experiments using genomics, transcriptomics, proteomics or metabol/nomics techniques (the 'omics').

ISA-Tab uses three types of file to capture the experimental metadata:

- *Investigation file*
- *Study file*
- *Assay file* (with associated data files).

The Investigation file contains an overall description of an experiment while all experimental steps are described in the Study and in the Assay file(s). For each Investigation file there may be one or more Study files; for each Study file there may be one or more Assay files.

2.1 Investigation file

In this file, information is reported on a per-column basis and the fields are organized and divided in sections. The Investigation file is intended to meet three needs:

- to define key entities, such as factors, protocols, parameters, which may be referenced in the other files;
- to relate Assay files to Study files; and optionally,
- to relate each Study file to an Investigation (when two or more Study files need to be grouped). The declarative sections cover general information such as contacts, protocols and equipment, and also - where applicable - the description of terminologies (controlled vocabularies or ontologies) and other annotation resources that were used.

2.2 Study file

In this file, information is structured on a per-row basis with the first row being used for column headers. The Study file contains contextualizing information for one or more assays, for example; the subjects studied; their source(s); the sampling methodology; their characteristics; and any treatments or manipulations performed to prepare the specimens.

2.3 Assay file

In this file, as for the Study file, fields are organized on a per-row basis with the first row being used for column headers. The Assay file represents a portion of the experimental graph (i.e., one part of the overall structure of the workflow); each Assay file must contain assays of the same type, defined by the type of measurement (i.e. gene expression) and the technology employed (i.e. DNA microarray). Assay-related information includes protocols, additional information relating to the execution of those protocols and references to data files (whether raw or processed).

For easy transfer, ISA-Tab files and associated data files can be packaged into an ISAarchive, using a standalone Java application named ISAcreator (<http://isatab.sourceforge.net>). In order to facilitate identification of ISA-Tab components in an ISAarchive, specific extensions have been created as follows:

- *i_iname.txt* for identifying the Investigation file
- *s_sname.txt* for identifying Study file (s)
- *a_aname.txt* for identifying Assay file (s)

where 'iname', 'sname', 'aname' are the user-given names for the investigation, study/ies, assay(s), respectively.

3 The Risa package

The Risa package is used to build R objects from an ISA archive or dataset. The output is a list of objects containing, for example, the investigation, studies and assays filenames, the contents of their files, the list of samples, among other things.

These objects can then be used by downstream Bioconductor packages for data analysis and visualization (i.e. xcms). The package currently includes the function `processAssayXcmsSet` that, for a specific mass spectrometry assay, builds an `xcmsSet` object.

3.1 Building an R object from a local ISA dataset

If you have your own ISA archive, you can use the function `readISAtab` to convert it into an R object. The arguments for the function `readISAtab` are:

- `path` the name of the directory containing ISAtab files. The default is the working directory.
- `verbose` a boolean indicating to show messages for the different steps, if TRUE, or not to show them, if FALSE

As an example, we can use the *faahKO* dataset, whose version 1.2.11 contains an ISA dataset describing the experiment. First, it is required to load the *Risa* package, and the *faahKO* package must have been installed.

```
> library(Risa)
> require(faahKO)
```

Then, we read the ISA-Tab data set from the *faahKO* package:

```
> faahkoISA <- readISAtab(find.package("faahKO"))
```

The object `faahkoISA` belongs to the *ISAtab* class, and contains the following elements:

- `path` - the path of the ISA-Tab dataset,
- `investigation.filename` - the name of the Investigation file
- `investigation.file` - a data frame with the contents of the Investigation file
- `study.identifiers` - the list of study identifiers
- `study.fileNames` - the names of the study files
- `study.files` - a list of data frames with the contents of the study files
- `assay.fileNames` - the names of the assay files
- `assay.fileNames.per.study` - the names of the assay files according to the study they belong to
- `assay.files` - a list of data frames with the contents of the assay files
- `assay.files.per.study` - a list of data frames with the contents of the assay files divided per study they belong to
- `assay.technology.types` - a list with the technology types corresponding to each assay
- `assay.measurement.types` - a list with the measurement types corresponding to each assay
- `data.fileNames` - a list with the names of the data files
- `samples` - a list with the names of the samples
- `samples.per.assay.filename` - the samples classified according to the assay filename they belong to
- `assay.fileNames.per.sample` - the names of the assay files classified per sample name
- `sample.to.rawdatafile` - the association between samples and raw data files
- `sample.to.assayname` - the association between samples and assay names
- `rawdatafile.to.sample` - the association between raw data files and samples
- `assayname.to.sample` - the association between assay names and samples

Additionally, the ISA dataset could be compressed in a .zip file. If that is the case, the function `readISAtab` can be used, passing the `zipfile` as parameter. The only condition is that the ISA-Tab files are contained directly into the zip file, i.e. not inside additional folders.

In this case, the parameters for the function `readISAtab` will be:

- `zipfile` a zip archive containing ISAtab files.
- `path` the name of the directory in which the files from the zip archive will be extracted. The default is the working directory.
- `verbose` a boolean indicating to show messages for the different steps, if TRUE, or not to show them, if FALSE

Building xcmsSets for mass spectrometry assays

The function `processAssayXcmsSet` allows to build an `xcmsSet` (object defined in the `xcms` package) from the information in an assay file.

The parameters for this function are:

- `isa`: an ISA object, as retrieved by the function `readISAtab`
- `assay.filename` the name of the assay file with information about the relevant assay
- ... extra arguments that can be passed down to the `xcmsSet` function from the `xcms` package

Using the *faahKO* package as an example, we select the name of assay file, and use the `processAssayXcmsSet` to build a object of type *xcmsSet*:

```
> assay.filename <- faahkoISA["assay.names"][1]
> faahkoXset <- processAssayXcmsSet(faahkoISA, assay.filename)

250:38 300:103 350:226 400:338 450:431 500:529 550:674 600:847
250:43 300:128 350:275 400:394 450:500 500:637 550:835 600:1027
250:25 300:93 350:227 400:337 450:411 500:498 550:640 600:758
250:19 300:67 350:169 400:258 450:301 500:373 550:488 600:580
250:24 300:60 350:166 400:254 450:315 500:391 550:501 600:582
250:31 300:71 350:183 400:280 450:338 500:422 550:532 600:604
250:41 300:105 350:212 400:319 450:416 500:533 550:684 600:838
250:27 300:107 350:232 400:347 450:440 500:549 550:712 600:905
250:24 300:87 350:200 400:293 450:351 500:426 550:548 600:661
250:22 300:65 350:161 400:243 450:293 500:358 550:483 600:561
250:28 300:69 350:157 400:229 450:282 500:364 550:493 600:592
250:30 300:81 350:188 400:280 450:356 500:473 550:618 600:765
```

Augmenting the ISA-Tab dataset after analysis

The *Risa* package also provides the functionality to augment the original ISA-Tab dataset with more information after analysis.

The function `updateAssayMetadata` allows to modify the metadata in a particular assay file. The arguments are:

- `isa` An isatab object, as retrieved by the `readISAtab` function.
- `assay.filename` the filename of the assay file to be augmented/modified
- `col.name` the name of the column of the assay file to be modified
- `values` the values to be added to the column of the assay file: it could be a single value, and in this case the value is repeated across the column, or it could be a list of values (whose length must match the number of rows of the assay file)

To continue with our example using the *faahKO* data package, we will assume that the results of analysis are stored in the file *faahkoDSDF.txt*. Then, we will update the ISA-Tab dataset adding the result file into the 'Derived Spectral Data File' column of the assay file.

```
> updateAssayMetadata(faahkoISA, assay.filename, "Derived Spectral Data File", "faahkoDSDF.txt" )
```

An object of class "ISATab"

Slot "path":

```
[1] "C:/biocbld/bbs-3.2-bioc/R/library/faahKO"
```

Slot "investigation.filename":
[1] "i_Investigation.txt"

Slot "investigation.file":

V1
1 ONTOLOGY SOURCE REFERENCE
2 Term Source Name
3 Term Source File
4 Term Source Version
5 Term Source Description
6 INVESTIGATION
7 Investigation Identifier
8 Investigation Title
9 Investigation Description
10 Investigation Submission Date
11 Investigation Public Release Date
12 Comment [Created with configuration]
13 Comment [Last Opened With Configuration]
14 INVESTIGATION PUBLICATIONS
15 Investigation PubMed ID
16 Investigation Publication DOI
17 Investigation Publication Author List
18 Investigation Publication Title
19 Investigation Publication Status
20 Investigation Publication Status Term Accession Number
21 Investigation Publication Status Term Source REF
22 INVESTIGATION CONTACTS
23 Investigation Person Last Name
24 Investigation Person First Name
25 Investigation Person Mid Initials
26 Investigation Person Email
27 Investigation Person Phone
28 Investigation Person Fax
29 Investigation Person Address
30 Investigation Person Affiliation
31 Investigation Person Roles
32 Investigation Person Roles Term Accession Number
33 Investigation Person Roles Term Source REF
34 STUDY
35 Study Identifier
36 Study Title
37 Study Description
38 Study Submission Date
39 Study Public Release Date
40 Study File Name
41 STUDY DESIGN DESCRIPTORS
42 Study Design Type
43 Study Design Type Term Accession Number
44 Study Design Type Term Source REF
45 STUDY PUBLICATIONS
46 Study PubMed ID
47 Study Publication DOI
48 Study Publication Author List

49 Study Publication Title
 50 Study Publication Status
 51 Study Publication Status Term Accession Number
 52 Study Publication Status Term Source REF
 53 STUDY FACTORS
 54 Study Factor Name
 55 Study Factor Type
 56 Study Factor Type Term Accession Number
 57 Study Factor Type Term Source REF
 58 STUDY ASSAYS
 59 Study Assay Measurement Type
 60 Study Assay Measurement Type Term Source REF
 61 Study Assay Measurement Type Term Accession Number
 62 Study Assay Technology Type
 63 Study Assay Technology Type Term Source REF
 64 Study Assay Technology Type Term Accession Number
 65 Study Assay Technology Platform
 66 Study Assay File Name
 67 STUDY PROTOCOLS
 68 Study Protocol Name
 69 Study Protocol Type
 70 Study Protocol Type Term Accession Number
 71 Study Protocol Type Term Source REF
 72 Study Protocol Description
 73 Study Protocol URI
 74 Study Protocol Version
 75 Study Protocol Parameters Name
 76 Study Protocol Parameters Name Term Accession Number
 77 Study Protocol Parameters Name Term Source REF
 78 Study Protocol Components Name
 79 Study Protocol Components Type
 80 Study Protocol Components Type Term Accession Number
 81 Study Protocol Components Type Term Source REF
 82 STUDY CONTACTS
 83 Study Person Last Name
 84 Study Person First Name
 85 Study Person Mid Initials
 86 Study Person Email
 87 Study Person Phone
 88 Study Person Fax
 89 Study Person Address
 90 Study Person Affiliation
 91 Study Person Roles
 92 Study Person Roles Term Accession Number
 93 Study Person Roles Term Source REF

1
 2
 3
 4
 5
 6
 7
 8

9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

37 Enzymes regulate biological processes through the conversion of specific substrates to product

38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62

63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22

23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71

72 A 2:1:1 CHCl₃/MeOH/1% NaCl solution (8 mL per brain and 4 mL per spinal cord in 8 mL vials) wa
73
74
75
76

77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71

72 LC-MS analysis was performed using an Agilent 1100 LC-MSD SL instrument. For the LC analysis,

73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90

91
92
93

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93

1
2
3
4
5
6
7
8
9
10

The analysis of the resulting total ion chromatogram was performed manually by generating extr

V6

V7

PATO

EFO

v 1.26

Phenotypic qualities (properties) ArrayExpress Experimental Factor Ontology

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64

65	
66	
67	
68	labeling
69	labeling
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
	V8
1	NA
2	NA
3	NA
4	NA
5	NA
6	NA
7	NA
8	NA
9	NA
10	NA
11	NA
12	NA
13	NA
14	NA
15	NA
16	NA
17	NA
18	NA
19	NA
20	NA
21	NA
22	NA
23	NA
24	NA

25 NA
26 NA
27 NA
28 NA
29 NA
30 NA
31 NA
32 NA
33 NA
34 NA
35 NA
36 NA
37 NA
38 NA
39 NA
40 NA
41 NA
42 NA
43 NA
44 NA
45 NA
46 NA
47 NA
48 NA
49 NA
50 NA
51 NA
52 NA
53 NA
54 NA
55 NA
56 NA
57 NA
58 NA
59 NA
60 NA
61 NA
62 NA
63 NA
64 NA
65 NA
66 NA
67 NA
68 NA
69 NA
70 NA
71 NA
72 NA
73 NA
74 NA
75 NA
76 NA
77 NA
78 NA

79 NA
 80 NA
 81 NA
 82 NA
 83 NA
 84 NA
 85 NA
 86 NA
 87 NA
 88 NA
 89 NA
 90 NA
 91 NA
 92 NA
 93 NA

Slot "investigation.identifier":
 [1] ""

Slot "study.identifiers":
 [1] "Global metabolite profiling of faah(-/-) mice"

Slot "study.titles":
 [1] "Global metabolite profiling of faah(-/-) mice"

Slot "study.descriptions":
 [1] "Enzymes regulate biological processes through the conversion of specific substrates to products"

Slot "study.contacts":
 [1] " "

Slot "study.contacts.affiliations":
 [1] ""

Slot "study filenames":
 Global metabolite profiling of faah(-/-) mice
 "s_Proteomic profiling of yeast TFs.txt"

Slot "study.files":
 \$`Global metabolite profiling of faah(-/-) mice`

	Source Name	Characteristics[NEWT:Organism LC]	Term	Source	REF
1	Saghantelian_1	Mus musculus (Mouse)		NEWT	
2	Saghantelian_2	Mus musculus (Mouse)		NEWT	
3	Saghantelian_3	Mus musculus (Mouse)		NEWT	
4	Saghantelian_4	Mus musculus (Mouse)		NEWT	
5	Saghantelian_5	Mus musculus (Mouse)		NEWT	
6	Saghantelian_6	Mus musculus (Mouse)		NEWT	
7	Saghantelian_7	Mus musculus (Mouse)		NEWT	
8	Saghantelian_8	Mus musculus (Mouse)		NEWT	
9	Saghantelian_9	Mus musculus (Mouse)		NEWT	
10	Saghantelian_10	Mus musculus (Mouse)		NEWT	
11	Saghantelian_11	Mus musculus (Mouse)		NEWT	
12	Saghantelian_12	Mus musculus (Mouse)		NEWT	

	Term	Accession Number	Characteristics[tissue]	Term	Source	REF
--	------	------------------	-------------------------	------	--------	-----

1	10090	spinal cord	MA
2	10090	spinal cord	MA
3	10090	spinal cord	MA
4	10090	spinal cord	MA
5	10090	spinal cord	MA
6	10090	spinal cord	MA
7	10090	spinal cord	MA
8	10090	spinal cord	MA
9	10090	spinal cord	MA
10	10090	spinal cord	MA
11	10090	spinal cord	MA
12	10090	spinal cord	MA

	Term	Accession Number	Protocol	REF	Sample Name	Factor	Value[Genotype]
1		216	sample	collection	K01		KO
2		216	sample	collection	K02		KO
3		216	sample	collection	K03		KO
4		216	sample	collection	K04		KO
5		216	sample	collection	K05		KO
6		216	sample	collection	K06		KO
7		216	sample	collection	WT1		WT
8		216	sample	collection	WT2		WT
9		216	sample	collection	WT3		WT
10		216	sample	collection	WT4		WT
11		216	sample	collection	WT5		WT
12		216	sample	collection	WT6		WT

	Term	Source	REF	Term	Accession Number
1		NA			NA
2		NA			NA
3		NA			NA
4		NA			NA
5		NA			NA
6		NA			NA
7		NA			NA
8		NA			NA
9		NA			NA
10		NA			NA
11		NA			NA
12		NA			NA

Slot "assay.filenames":

V2

"a_metabolite.txt"

Slot "assay.filenames.per.study":

\$`Global metabolite profiling of faah(-/-) mice`

\$`Global metabolite profiling of faah(-/-) mice`[[1]]

[1] "a_metabolite.txt"

Slot "assay.files":

\$a_metabolite.txt

Sample Name Protocol REF Extract Name Protocol REF Labeled Extract Name

1	K01	extraction	K01	labeling	NA
2	K02	extraction	K02	labeling	NA
3	K03	extraction	K03	labeling	NA
4	K04	extraction	K04	labeling	NA
5	K05	extraction	K05	labeling	NA
6	K06	extraction	K06	labeling	NA
7	WT1	extraction	WT1	labeling	NA
8	WT2	extraction	WT2	labeling	NA
9	WT3	extraction	WT3	labeling	NA
10	WT4	extraction	WT4	labeling	NA
11	WT5	extraction	WT5	labeling	NA
12	WT6	extraction	WT6	labeling	NA

	Label	Term	Source	REF	Term	Accession	Number	Protocol	REF
1	NA			NA				NA mass spectrometry	
2	NA			NA				NA mass spectrometry	
3	NA			NA				NA mass spectrometry	
4	NA			NA				NA mass spectrometry	
5	NA			NA				NA mass spectrometry	
6	NA			NA				NA mass spectrometry	
7	NA			NA				NA mass spectrometry	
8	NA			NA				NA mass spectrometry	
9	NA			NA				NA mass spectrometry	
10	NA			NA				NA mass spectrometry	
11	NA			NA				NA mass spectrometry	
12	NA			NA				NA mass spectrometry	

	Parameter	Value[instrument]	Term	Source	REF	Term	Accession	Number
1	Agilent	1100 LC-MSD SL			NA			NA
2	Agilent	1100 LC-MSD SL			NA			NA
3	Agilent	1100 LC-MSD SL			NA			NA
4	Agilent	1100 LC-MSD SL			NA			NA
5	Agilent	1100 LC-MSD SL			NA			NA
6	Agilent	1100 LC-MSD SL			NA			NA
7	Agilent	1100 LC-MSD SL			NA			NA
8	Agilent	1100 LC-MSD SL			NA			NA
9	Agilent	1100 LC-MSD SL			NA			NA
10	Agilent	1100 LC-MSD SL			NA			NA
11	Agilent	1100 LC-MSD SL			NA			NA
12	Agilent	1100 LC-MSD SL			NA			NA

	Parameter	Value[ion source]	Term	Source	REF	Term	Accession	Number
1	electrospray	ionization			MS			1000073
2	electrospray	ionization			MS			1000073
3	electrospray	ionization			MS			1000073
4	electrospray	ionization			MS			1000073
5	electrospray	ionization			MS			1000073
6	electrospray	ionization			MS			1000073
7	electrospray	ionization			MS			1000073
8	electrospray	ionization			MS			1000073
9	electrospray	ionization			MS			1000073
10	electrospray	ionization			MS			1000073
11	electrospray	ionization			MS			1000073
12	electrospray	ionization			MS			1000073

	Parameter	Value[detector]	Term	Source	REF	Term	Accession	Number
1			NA		NA			NA
2			NA		NA			NA

3	NA	NA	NA
4	NA	NA	NA
5	NA	NA	NA
6	NA	NA	NA
7	NA	NA	NA
8	NA	NA	NA
9	NA	NA	NA
10	NA	NA	NA
11	NA	NA	NA
12	NA	NA	NA

	Parameter	Value[ionization mode]	Term	Source	REF	Term	Accession	Number
1		positive mode			NA			NA
2		positive mode			NA			NA
3		positive mode			NA			NA
4		positive mode			NA			NA
5		positive mode			NA			NA
6		positive mode			NA			NA
7		positive mode			NA			NA
8		positive mode			NA			NA
9		positive mode			NA			NA
10		positive mode			NA			NA
11		positive mode			NA			NA
12		positive mode			NA			NA

	MS Assay Name	Raw	Spectral Data File	Protocol	REF	Normalization	Name
1	lc-ms-1		./cdf/KO/ko15.CDF		NA		NA
2	lc-ms-2		./cdf/KO/ko16.CDF		NA		NA
3	lc-ms-3		./cdf/KO/ko18.CDF		NA		NA
4	lc-ms-4		./cdf/KO/ko19.CDF		NA		NA
5	lc-ms-5		./cdf/KO/ko21.CDF		NA		NA
6	lc-ms-6		./cdf/KO/ko22.CDF		NA		NA
7	lc-ms-7		./cdf/WT/wt15.CDF		NA		NA
8	lc-ms-8		./cdf/WT/wt16.CDF		NA		NA
9	lc-ms-9		./cdf/WT/wt18.CDF		NA		NA
10	lc-ms-10		./cdf/WT/wt19.CDF		NA		NA
11	lc-ms-11		./cdf/WT/wt21.CDF		NA		NA
12	lc-ms-12		./cdf/WT/wt22.CDF		NA		NA

	Data Transformation	Name	Derived	Spectral Data File	Factor	Value[Genotype]
1		NA		faahkoDSDF.txt		KO
2		NA		faahkoDSDF.txt		KO
3		NA		faahkoDSDF.txt		KO
4		NA		faahkoDSDF.txt		KO
5		NA		faahkoDSDF.txt		KO
6		NA		faahkoDSDF.txt		KO
7		NA		faahkoDSDF.txt		WT
8		NA		faahkoDSDF.txt		WT
9		NA		faahkoDSDF.txt		WT
10		NA		faahkoDSDF.txt		WT
11		NA		faahkoDSDF.txt		WT
12		NA		faahkoDSDF.txt		WT

	Term	Source	REF	Term	Accession	Number
1		NA		NA		
2		NA		NA		
3		NA		NA		
4		NA		NA		

5	NA	NA
6	NA	NA
7	NA	NA
8	NA	NA
9	NA	NA
10	NA	NA
11	NA	NA
12	NA	NA

Slot "assay.files.per.study":

\$`Global metabolite profiling of faah(-/-) mice`

\$`Global metabolite profiling of faah(-/-) mice`[[1]]

	Sample Name	Protocol	REF	Extract Name	Protocol	REF	Labeled Extract Name
1	K01	extraction		K01	labeling		NA
2	K02	extraction		K02	labeling		NA
3	K03	extraction		K03	labeling		NA
4	K04	extraction		K04	labeling		NA
5	K05	extraction		K05	labeling		NA
6	K06	extraction		K06	labeling		NA
7	WT1	extraction		WT1	labeling		NA
8	WT2	extraction		WT2	labeling		NA
9	WT3	extraction		WT3	labeling		NA
10	WT4	extraction		WT4	labeling		NA
11	WT5	extraction		WT5	labeling		NA
12	WT6	extraction		WT6	labeling		NA

	Label	Term	Source	REF	Term	Accession Number	Protocol	REF
1	NA			NA		NA	mass spectrometry	
2	NA			NA		NA	mass spectrometry	
3	NA			NA		NA	mass spectrometry	
4	NA			NA		NA	mass spectrometry	
5	NA			NA		NA	mass spectrometry	
6	NA			NA		NA	mass spectrometry	
7	NA			NA		NA	mass spectrometry	
8	NA			NA		NA	mass spectrometry	
9	NA			NA		NA	mass spectrometry	
10	NA			NA		NA	mass spectrometry	
11	NA			NA		NA	mass spectrometry	
12	NA			NA		NA	mass spectrometry	

	Parameter	Value[instrument]	Term	Source	REF	Term	Accession Number
1	Agilent	1100	LC-MSD	SL	NA		NA
2	Agilent	1100	LC-MSD	SL	NA		NA
3	Agilent	1100	LC-MSD	SL	NA		NA
4	Agilent	1100	LC-MSD	SL	NA		NA
5	Agilent	1100	LC-MSD	SL	NA		NA
6	Agilent	1100	LC-MSD	SL	NA		NA
7	Agilent	1100	LC-MSD	SL	NA		NA
8	Agilent	1100	LC-MSD	SL	NA		NA
9	Agilent	1100	LC-MSD	SL	NA		NA
10	Agilent	1100	LC-MSD	SL	NA		NA
11	Agilent	1100	LC-MSD	SL	NA		NA
12	Agilent	1100	LC-MSD	SL	NA		NA

	Parameter	Value[ion source]	Term	Source	REF	Term	Accession Number
1	electrospray	ionization			MS		1000073

2	electrospray ionization	MS	1000073
3	electrospray ionization	MS	1000073
4	electrospray ionization	MS	1000073
5	electrospray ionization	MS	1000073
6	electrospray ionization	MS	1000073
7	electrospray ionization	MS	1000073
8	electrospray ionization	MS	1000073
9	electrospray ionization	MS	1000073
10	electrospray ionization	MS	1000073
11	electrospray ionization	MS	1000073
12	electrospray ionization	MS	1000073

	Parameter	Value[detector]	Term	Source	REF	Term	Accession	Number
1		NA		NA			NA	
2		NA		NA			NA	
3		NA		NA			NA	
4		NA		NA			NA	
5		NA		NA			NA	
6		NA		NA			NA	
7		NA		NA			NA	
8		NA		NA			NA	
9		NA		NA			NA	
10		NA		NA			NA	
11		NA		NA			NA	
12		NA		NA			NA	

	Parameter	Value[ionization mode]	Term	Source	REF	Term	Accession	Number
1		positive mode			NA		NA	
2		positive mode			NA		NA	
3		positive mode			NA		NA	
4		positive mode			NA		NA	
5		positive mode			NA		NA	
6		positive mode			NA		NA	
7		positive mode			NA		NA	
8		positive mode			NA		NA	
9		positive mode			NA		NA	
10		positive mode			NA		NA	
11		positive mode			NA		NA	
12		positive mode			NA		NA	

	MS Assay Name	Raw	Spectral Data File	Protocol	REF	Normalization	Name
1	lc-ms-1		./cdf/KO/ko15.CDF		NA		NA
2	lc-ms-2		./cdf/KO/ko16.CDF		NA		NA
3	lc-ms-3		./cdf/KO/ko18.CDF		NA		NA
4	lc-ms-4		./cdf/KO/ko19.CDF		NA		NA
5	lc-ms-5		./cdf/KO/ko21.CDF		NA		NA
6	lc-ms-6		./cdf/KO/ko22.CDF		NA		NA
7	lc-ms-7		./cdf/WT/wt15.CDF		NA		NA
8	lc-ms-8		./cdf/WT/wt16.CDF		NA		NA
9	lc-ms-9		./cdf/WT/wt18.CDF		NA		NA
10	lc-ms-10		./cdf/WT/wt19.CDF		NA		NA
11	lc-ms-11		./cdf/WT/wt21.CDF		NA		NA
12	lc-ms-12		./cdf/WT/wt22.CDF		NA		NA

	Data Transformation	Name	Derived	Spectral Data File	Factor	Value[Genotype]
1		NA		NA		KO
2		NA		NA		KO
3		NA		NA		KO

4	NA	NA	KO
5	NA	NA	KO
6	NA	NA	KO
7	NA	NA	WT
8	NA	NA	WT
9	NA	NA	WT
10	NA	NA	WT
11	NA	NA	WT
12	NA	NA	WT

	Term	Source	REF	Term	Accession	Number
1			NA			NA
2			NA			NA
3			NA			NA
4			NA			NA
5			NA			NA
6			NA			NA
7			NA			NA
8			NA			NA
9			NA			NA
10			NA			NA
11			NA			NA
12			NA			NA

Slot "assay.names":

\$a_metabolite.txt

	MS Assay Name
1	lc-ms-1
2	lc-ms-2
3	lc-ms-3
4	lc-ms-4
5	lc-ms-5
6	lc-ms-6
7	lc-ms-7
8	lc-ms-8
9	lc-ms-9
10	lc-ms-10
11	lc-ms-11
12	lc-ms-12

Slot "assay.technology.types":

[1] "mass spectrometry"

Slot "assay.measurement.types":

[1] "metabolite profiling"

Slot "data_filenames":

\$a_metabolite.txt

	Raw Spectral Data File	Derived Spectral Data File
1	./cdf/K0/ko15.CDF	faahkoDSDF.txt
2	./cdf/K0/ko16.CDF	faahkoDSDF.txt
3	./cdf/K0/ko18.CDF	faahkoDSDF.txt

4	./cdf/KO/ko19.CDF	faahkoDSDF.txt
5	./cdf/KO/ko21.CDF	faahkoDSDF.txt
6	./cdf/KO/ko22.CDF	faahkoDSDF.txt
7	./cdf/WT/WT15.CDF	faahkoDSDF.txt
8	./cdf/WT/WT16.CDF	faahkoDSDF.txt
9	./cdf/WT/WT18.CDF	faahkoDSDF.txt
10	./cdf/WT/WT19.CDF	faahkoDSDF.txt
11	./cdf/WT/WT21.CDF	faahkoDSDF.txt
12	./cdf/WT/WT22.CDF	faahkoDSDF.txt

Slot "samples":

```
[1] "K01" "K02" "K03" "K04" "K05" "K06" "WT1" "WT2" "WT3" "WT4" "WT5" "WT6"
```

Slot "samples.per.study":

\$`Global metabolite profiling of faah(-/-) mice`

```
[1] "K01" "K02" "K03" "K04" "K05" "K06" "WT1" "WT2" "WT3" "WT4" "WT5" "WT6"
```

Slot "samples.per.assay.filename":

\$a_metabolite.txt

```
[1] "K01" "K02" "K03" "K04" "K05" "K06" "WT1" "WT2" "WT3" "WT4" "WT5" "WT6"
```

Slot "assay.filenames.per.sample":

```
[[1]]
```

```
[[1]][[1]]
```

```
[1] "a_metabolite.txt"
```

```
[[2]]
```

```
[[2]][[1]]
```

```
[1] "a_metabolite.txt"
```

```
[[3]]
```

```
[[3]][[1]]
```

```
[1] "a_metabolite.txt"
```

```
[[4]]
```

```
[[4]][[1]]
```

```
[1] "a_metabolite.txt"
```

```
[[5]]
```

```
[[5]][[1]]
```

```
[1] "a_metabolite.txt"
```

```
[[6]]
```

```
[[6]][[1]]
```

```
[1] "a_metabolite.txt"
```



```
[[7]]
[[7]][[1]]
[1] "a_metabolite.txt"
```

```
[[8]]
[[8]][[1]]
[1] "a_metabolite.txt"
```

```
[[9]]
[[9]][[1]]
[1] "a_metabolite.txt"
```

```
[[10]]
[[10]][[1]]
[1] "a_metabolite.txt"
```

```
[[11]]
[[11]][[1]]
[1] "a_metabolite.txt"
```

```
[[12]]
[[12]][[1]]
[1] "a_metabolite.txt"
```

Slot "sample.to.rawdatafile":

```
[[1]]
  Sample Name Raw Spectral Data File
1         K01    ./cdf/K0/ko15.CDF
2         K02    ./cdf/K0/ko16.CDF
3         K03    ./cdf/K0/ko18.CDF
4         K04    ./cdf/K0/ko19.CDF
5         K05    ./cdf/K0/ko21.CDF
6         K06    ./cdf/K0/ko22.CDF
7         WT1    ./cdf/WT/wt15.CDF
8         WT2    ./cdf/WT/wt16.CDF
9         WT3    ./cdf/WT/wt18.CDF
10        WT4    ./cdf/WT/wt19.CDF
11        WT5    ./cdf/WT/wt21.CDF
12        WT6    ./cdf/WT/wt22.CDF
```

Slot "sample.to.assayname":

```
[[1]]
  Sample Name MS Assay Name
1         K01      lc-ms-1
2         K02      lc-ms-2
```

3	K03	lc-ms-3
4	K04	lc-ms-4
5	K05	lc-ms-5
6	K06	lc-ms-6
7	WT1	lc-ms-7
8	WT2	lc-ms-8
9	WT3	lc-ms-9
10	WT4	lc-ms-10
11	WT5	lc-ms-11
12	WT6	lc-ms-12

Slot "rawdatafile.to.sample":

[[1]]

	Raw Spectral Data File	Sample Name
1	./cdf/K0/ko15.CDF	K01
2	./cdf/K0/ko16.CDF	K02
3	./cdf/K0/ko18.CDF	K03
4	./cdf/K0/ko19.CDF	K04
5	./cdf/K0/ko21.CDF	K05
6	./cdf/K0/ko22.CDF	K06
7	./cdf/WT/wt15.CDF	WT1
8	./cdf/WT/wt16.CDF	WT2
9	./cdf/WT/wt18.CDF	WT3
10	./cdf/WT/wt19.CDF	WT4
11	./cdf/WT/wt21.CDF	WT5
12	./cdf/WT/wt22.CDF	WT6

Slot "assayname.to.sample":

[[1]]

	MS Assay Name	Sample Name
1	lc-ms-1	K01
2	lc-ms-10	WT4
3	lc-ms-11	WT5
4	lc-ms-12	WT6
5	lc-ms-2	K02
6	lc-ms-3	K03
7	lc-ms-4	K04
8	lc-ms-5	K05
9	lc-ms-6	K06
10	lc-ms-7	WT1
11	lc-ms-8	WT2
12	lc-ms-9	WT3

Slot "factors":

[[1]]

[[1]]\$`Factor Value[Genotype]`

[1] KO KO KO KO KO KO KO WT WT WT WT WT WT WT

Levels: KO WT

```
Slot "treatments":
$`Factor Value[Genotype]`
[1] KO WT
Levels: KO WT
```

```
Slot "groups":
[[1]]
[[1]][[1]]
[1] "K01" "K02" "K03" "K04" "K05" "K06"

[[1]][[2]]
[1] "WT1" "WT2" "WT3" "WT4" "WT5" "WT6"
```

```
Slot "assay.tabs":
[[1]]
An object of class "MSAssayTab"
Slot "path":
[1] "C:/biocbld/bbs-3.2-bioc/R/library/faahKO"
```

```
Slot "study.filename":
[1] "s_Proteomic profiling of yeast TFs.txt"
```

```
Slot "study.identifier":
[1] "Global metabolite profiling of faah(-/-) mice"
```

```
Slot "assay.filename":
[1] "a_metabolite.txt"
```

```
Slot "assay.file":
  Sample Name Protocol REF Extract Name Protocol REF Labeled Extract Name
1      KO1    extraction      KO1    labeling              NA
2      KO2    extraction      KO2    labeling              NA
3      KO3    extraction      KO3    labeling              NA
4      KO4    extraction      KO4    labeling              NA
5      KO5    extraction      KO5    labeling              NA
6      KO6    extraction      KO6    labeling              NA
7      WT1    extraction      WT1    labeling              NA
8      WT2    extraction      WT2    labeling              NA
9      WT3    extraction      WT3    labeling              NA
10     WT4    extraction      WT4    labeling              NA
11     WT5    extraction      WT5    labeling              NA
12     WT6    extraction      WT6    labeling              NA

  Label Term Source REF Term Accession Number      Protocol REF
1     NA      NA      NA      NA mass spectrometry
2     NA      NA      NA      NA mass spectrometry
3     NA      NA      NA      NA mass spectrometry
4     NA      NA      NA      NA mass spectrometry
5     NA      NA      NA      NA mass spectrometry
6     NA      NA      NA      NA mass spectrometry
7     NA      NA      NA      NA mass spectrometry
8     NA      NA      NA      NA mass spectrometry
```

9	NA	NA	NA	mass spectrometry		
10	NA	NA	NA	mass spectrometry		
11	NA	NA	NA	mass spectrometry		
12	NA	NA	NA	mass spectrometry		
	Parameter Value[instrument]	Term	Source	REF	Term	Accession Number
1	Agilent 1100 LC-MSD SL			NA		NA
2	Agilent 1100 LC-MSD SL			NA		NA
3	Agilent 1100 LC-MSD SL			NA		NA
4	Agilent 1100 LC-MSD SL			NA		NA
5	Agilent 1100 LC-MSD SL			NA		NA
6	Agilent 1100 LC-MSD SL			NA		NA
7	Agilent 1100 LC-MSD SL			NA		NA
8	Agilent 1100 LC-MSD SL			NA		NA
9	Agilent 1100 LC-MSD SL			NA		NA
10	Agilent 1100 LC-MSD SL			NA		NA
11	Agilent 1100 LC-MSD SL			NA		NA
12	Agilent 1100 LC-MSD SL			NA		NA
	Parameter Value[ion source]	Term	Source	REF	Term	Accession Number
1	electrospray ionization			MS		1000073
2	electrospray ionization			MS		1000073
3	electrospray ionization			MS		1000073
4	electrospray ionization			MS		1000073
5	electrospray ionization			MS		1000073
6	electrospray ionization			MS		1000073
7	electrospray ionization			MS		1000073
8	electrospray ionization			MS		1000073
9	electrospray ionization			MS		1000073
10	electrospray ionization			MS		1000073
11	electrospray ionization			MS		1000073
12	electrospray ionization			MS		1000073
	Parameter Value[detector]	Term	Source	REF	Term	Accession Number
1	NA			NA		NA
2	NA			NA		NA
3	NA			NA		NA
4	NA			NA		NA
5	NA			NA		NA
6	NA			NA		NA
7	NA			NA		NA
8	NA			NA		NA
9	NA			NA		NA
10	NA			NA		NA
11	NA			NA		NA
12	NA			NA		NA
	Parameter Value[ionization mode]	Term	Source	REF	Term	Accession Number
1	positive mode			NA		NA
2	positive mode			NA		NA
3	positive mode			NA		NA
4	positive mode			NA		NA
5	positive mode			NA		NA
6	positive mode			NA		NA
7	positive mode			NA		NA
8	positive mode			NA		NA
9	positive mode			NA		NA
10	positive mode			NA		NA

11		positive mode	NA	NA
12		positive mode	NA	NA
	MS Assay Name	Raw Spectral Data File	Protocol REF	Normalization Name
1	lc-ms-1	./cdf/KO/ko15.CDF	NA	NA
2	lc-ms-2	./cdf/KO/ko16.CDF	NA	NA
3	lc-ms-3	./cdf/KO/ko18.CDF	NA	NA
4	lc-ms-4	./cdf/KO/ko19.CDF	NA	NA
5	lc-ms-5	./cdf/KO/ko21.CDF	NA	NA
6	lc-ms-6	./cdf/KO/ko22.CDF	NA	NA
7	lc-ms-7	./cdf/WT/wt15.CDF	NA	NA
8	lc-ms-8	./cdf/WT/wt16.CDF	NA	NA
9	lc-ms-9	./cdf/WT/wt18.CDF	NA	NA
10	lc-ms-10	./cdf/WT/wt19.CDF	NA	NA
11	lc-ms-11	./cdf/WT/wt21.CDF	NA	NA
12	lc-ms-12	./cdf/WT/wt22.CDF	NA	NA
	Data Transformation Name	Derived Spectral Data File	Factor Value	[Genotype]
1		NA	NA	KO
2		NA	NA	KO
3		NA	NA	KO
4		NA	NA	KO
5		NA	NA	KO
6		NA	NA	KO
7		NA	NA	WT
8		NA	NA	WT
9		NA	NA	WT
10		NA	NA	WT
11		NA	NA	WT
12		NA	NA	WT
	Term Source	REF	Term	Accession Number
1		NA		NA
2		NA		NA
3		NA		NA
4		NA		NA
5		NA		NA
6		NA		NA
7		NA		NA
8		NA		NA
9		NA		NA
10		NA		NA
11		NA		NA
12		NA		NA

Slot "assay.technology.type":
[1] "mass spectrometry"

Slot "assay.measurement.type":
[1] "metabolite profiling"

Slot "assay.names":
MS Assay Name
1 lc-ms-1
2 lc-ms-2
3 lc-ms-3
4 lc-ms-4

```

5      lc-ms-5
6      lc-ms-6
7      lc-ms-7
8      lc-ms-8
9      lc-ms-9
10     lc-ms-10
11     lc-ms-11
12     lc-ms-12

```

Slot "data.filenames":

	Raw Spectral Data File	Derived Spectral Data File
1	./cdf/KO/ko15.CDF	NA
2	./cdf/KO/ko16.CDF	NA
3	./cdf/KO/ko18.CDF	NA
4	./cdf/KO/ko19.CDF	NA
5	./cdf/KO/ko21.CDF	NA
6	./cdf/KO/ko22.CDF	NA
7	./cdf/WT/wt15.CDF	NA
8	./cdf/WT/wt16.CDF	NA
9	./cdf/WT/wt18.CDF	NA
10	./cdf/WT/wt19.CDF	NA
11	./cdf/WT/wt21.CDF	NA
12	./cdf/WT/wt22.CDF	NA

For an example for a real use case, please refer to <https://github.com/sneumann/mtbls2/>.

Writing ISA-Tab datasets

The Risa package offers functions to write the whole ISA-Tab dataset or part of it back to disk. These functions are `write.ISAtab`, `write.investigation.file`, `write.study.file`, `write.assay.file`.

So, after updating the assay file as indicated above, we can save it back to disk, using the following command:

```

> temp = tempdir()
> write.ISAtab(faahkoISA, temp)
> #write.assay.file(faahkoISA, assay.filename, temp)

```

Session Info

```

> toLatex(sessionInfo())

```

- R version 3.2.2 Patched (2015-08-16 r69094), x86_64-w64-mingw32
- Locale: LC_COLLATE=C, LC_CTYPE=English_United States.1252, LC_MONETARY=English_United States.1252, LC_NUMERIC=C, LC_TIME=English_United States.1252
- Base packages: base, datasets, grDevices, graphics, methods, parallel, stats, utils
- Other packages: Biobase 2.30.0, BiocGenerics 0.16.0, ProtGenerics 1.2.0, Rcpp 0.12.1, Risa 1.12.0, affy 1.48.0, biocViews 1.38.0, faahKO 1.9.0, mzR 2.4.0, xcms 1.46.0
- Loaded via a namespace (and not attached): BiocInstaller 1.20.0, RBGL 1.46.0, RColorBrewer 1.1-2, RCurl 1.95-4.7, RUnit 0.4.29, XML 3.98-1.3, affyio 1.40.0, bitops 1.0-6, codetools 0.2-14, graph 1.48.0, grid 3.2.2, knitr 1.11, lattice 0.20-33, preprocessCore 1.32.0, stats4 3.2.2, tools 3.2.2, zlibbioc 1.16.0

Further information

For further information about the ISA software infrastructure, please visit our website <http://isa-tools.org>.