

# Package ‘alabaster.mae’

January 29, 2026

**Title** Load and Save MultiAssayExperiments  
**Version** 1.10.0  
**Date** 2024-10-28  
**License** MIT + file LICENSE  
**Description** Save MultiAssayExperiments into file artifacts, and load them back into memory.  
This is a more portable alternative to serialization of such objects into RDS files.  
Each artifact is associated with metadata for further interpretation;  
downstream applications can enrich this metadata with context-specific properties.  
**Depends** MultiAssayExperiment, alabaster.base  
**Imports** methods, alabaster.se, S4Vectors, jsonlite, rhdf5  
**Suggests** testthat, knitr, SummarizedExperiment, BiocParallel,  
BiocStyle, rmarkdown  
**VignetteBuilder** knitr  
**RoxygenNote** 7.3.2  
**biocViews** DataImport, DataRepresentation  
**git\_url** <https://git.bioconductor.org/packages/alabaster.mae>  
**git\_branch** RELEASE\_3\_22  
**git\_last\_commit** 5209c04  
**git\_last\_commit\_date** 2025-10-29  
**Repository** Bioconductor 3.22  
**Date/Publication** 2026-01-29  
**Author** Aaron Lun [aut, cre]  
**Maintainer** Aaron Lun <[infinite.monkeys.with.keyboards@gmail.com](mailto:infinite.monkeys.with.keyboards@gmail.com)>

## Contents

|                                                  |   |
|--------------------------------------------------|---|
| readMultiAssayExperiment . . . . .               | 2 |
| saveObject,MultiAssayExperiment-method . . . . . | 3 |
| Index                                            | 4 |

---

`readMultiAssayExperiment`*Read a MultiAssayExperiment from disk*

---

## Description

Read a [MultiAssayExperiment](#) from its on-disk representation. This is usually not directly called by users, but is instead called by dispatch in [readObject](#).

## Usage

```
readMultiAssayExperiment(path, metadata, ...)
```

## Arguments

|                       |                                                                                                                                                        |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>path</code>     | String containing a path to a directory, itself created using the <a href="#">stageObject</a> method for <a href="#">MultiAssayExperiment</a> objects. |
| <code>metadata</code> | Named list of metadata for this object, see <a href="#">readObjectFile</a> for details.                                                                |
| <code>...</code>      | Further arguments passed to internal <a href="#">altReadObject</a> calls.                                                                              |

## Value

A [MultiAssayExperiment](#) object.

## Author(s)

Aaron Lun

## Examples

```
library(SummarizedExperiment)

# Mocking up an MAE
mat <- matrix(rnorm(1000), ncol=10)
colnames(mat) <- letters[1:10]
rownames(mat) <- sprintf("GENE_%i", seq_len(nrow(mat)))
se <- SummarizedExperiment(list(counts=mat))

library(MultiAssayExperiment)
mae <- MultiAssayExperiment(list(gene=se))

# Staging it:
tmp <- tempfile()
dir.create(tmp)
info <- stageObject(mae, tmp, "dataset")

# Loading it back in:
loadMultiAssayExperiment(info, tmp)
```

---

saveObject,MultiAssayExperiment-method  
*Save a MultiAssayExperiment*

---

## Description

Save a [MultiAssayExperiment](#) to its on-disk representation.

## Usage

```
## S4 method for signature 'MultiAssayExperiment'
saveObject(x, path, ...)
```

## Arguments

|      |                                                                         |
|------|-------------------------------------------------------------------------|
| x    | A <a href="#">MultiAssayExperiment</a> object or one of its subclasses. |
| path | String containing the path to a directory in which to save x.           |
| ...  | Additional named arguments to pass to specific methods.                 |

## Value

The contents of x are saved into a path, and NULL is invisibly returned.

## Author(s)

Aaron Lun

## Examples

```
# Mocking up an MAE
mat <- matrix(rnorm(1000), ncol=10)
colnames(mat) <- letters[1:10]
rownames(mat) <- sprintf("GENE_%i", seq_len(nrow(mat)))

library(SummarizedExperiment)
se <- SummarizedExperiment(list(counts=mat))

library(MultiAssayExperiment)
mae <- MultiAssayExperiment(list(gene=se))

# Saving it:
tmp <- tempfile()
saveObject(mae, tmp)
```

# Index

altReadObject, [2](#)

loadMultiAssayExperiment  
    (readMultiAssayExperiment), [2](#)

MultiAssayExperiment, [2](#), [3](#)

readMultiAssayExperiment, [2](#)

readObject, [2](#)

readObjectFile, [2](#)

saveObject, MultiAssayExperiment-method,  
    [3](#)

stageObject, [2](#)

stageObject, MultiAssayExperiment-method  
    (saveObject, MultiAssayExperiment-method),  
    [3](#)