

Package ‘epistack’

February 1, 2026

Title Heatmaps of Stack Profiles from Epigenetic Signals

Version 1.17.0

Description The epistack package main objective is the visualizations of stacks of genomic tracks (such as, but not restricted to, ChIP-seq, ATAC-seq, DNA methylation or genomic conservation data) centered at genomic regions of interest. epistack needs three different inputs: 1) a genomic score objects, such as ChIP-seq coverage or DNA methylation values, provided as a `GRanges` (easily obtained from `bigwig` or `bam` files). 2) a list of feature of interest, such as peaks or transcription start sites, provided as a `GRanges` (easily obtained from `gtf` or `bed` files). 3) a score to sort the features, such as peak height or gene expression value.

License MIT + file LICENSE

Encoding UTF-8

LazyData false

Imports GenomicRanges, SummarizedExperiment, BiocGenerics, S4Vectors, IRanges, graphics, plotrix, grDevices, stats, methods

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.0

Depends R (>= 4.1)

Suggests testthat (>= 3.0.0), BiocStyle, knitr, rmarkdown, EnrichedHeatmap, biomaRt, rtracklayer, covr, vdiffr, magick

Config/testthat.edition 3

VignetteBuilder knitr

biocViews RNASeq, Preprocessing, ChIPSeq, GeneExpression, Coverage

URL <https://github.com/GenEpi-GenPhySE/epistack>

git_url <https://git.bioconductor.org/packages/epistack>

git_branch devel

git_last_commit d86c320

git_last_commit_date 2025-10-29

Repository Bioconductor 3.23

Date/Publication 2026-02-01

Author SACI Safia [aut],
DEVAILLY Guillaume [cre, aut]

Maintainer DEVAILLY Guillaume <gdevailly@hotmail.com>

Contents

<i>addBins</i>	2
<i>addMetricAndArrangeGRanges</i>	3
<i>addMetricAndArrangeRSE</i>	4
<i>GRanges2RSE</i>	6
<i>meanColor</i>	6
<i>plotAverageProfile</i>	7
<i>plotBinning</i>	8
<i>plotBoxMetric</i>	9
<i>plotEpistack</i>	10
<i>plotMetric</i>	13
<i>plotStackProfile</i>	14
<i>plotStackProfileLegend</i>	16
<i>redimMatrix</i>	16
<i>stackepi</i>	18
<i>stackepi_gr</i>	18

Index	20
--------------	----

<i>addBins</i>	<i>addBins()</i>
----------------	------------------

Description

Add an optional `bin` metadata column to `gr`, to serve as annotations for the epistack plots.

Usage

```
addBins(rse, nbins = 5L, bin = NULL)
```

Arguments

<code>rse</code>	a <code>SummarizedExperiment</code> or a <code>GRanges</code> object.
<code>nbins</code>	an integer number, the number of bins.
<code>bin</code>	a vector containing pre-determined bins, in the same order as <code>gr</code> .

Details

`nbins` is taken into account only if `bin` is `NULL`. `rse` should be sorted first, usually with the `addMetricAndArrangeGRanges()` function. `addBin(rse, bin = vec)` is equivalent to `rse$bin <- vec`, while `addBin(rse, nbins = 5)` will create 5 bins of equal size based on `rse` order.

Value

the `RangedSummarizedExperiment` or `GRanges` object with a new `bin` metadata column

See Also

[addMetricAndArrangeGRanges](#) [plotBinning](#)

Examples

```
data("stackepi")
addBins(stackepi)

# 3 bins instead of 5
addBins(stackepi, nbins = 3)

# assign bins using a vector
addBins(stackepi, bin = rep(c("a", "b", "c"),
length.out = length(stackepi)))
```

addMetricAndArrangeGRanges
addMetricAndArrangeGRanges()

Description

Perform an inner join between a `GRanges` object and a `data.frame`. Sort the resulting `GRanges` based on a metric column.

Usage

```
addMetricAndArrangeGRanges(
  gr,
  order,
  gr_key = "name",
  order_key = "name",
  order_value = "exp",
  shuffle.tie = TRUE
)
```

Arguments

gr	a GRanges object.
order	a data.frame with at least two columns: keys and values.
gr_key	name of the gr metadata column containing unique names for each genomic region in gr. Usually gene names/id or peak id.
order_key	name of the order column that will be used as key for the inner join.
order_value	name of the order column that contain value used for sorting.
shuffle_tie	a boolean Value (TRUE / FALSE). When TRUE, shuffle the GRanges before sorting, mixing the ties.

Details

This utility function allow the addition of a metric column to genomic regions of interest. One of its common use case is to add gene expression values on a set of transcription start sites. The resulting GRanges object will only contain regions presents in both gr and order.

Value

a GRanges sorted in descending order.

Examples

```
data("stackepi_gr")
randomOrder <- data.frame(gene_id = stackepi_gr$gene_id,
                           value = rnorm(length(stackepi_gr)))
addMetricAndArrangeGRanges(stackepi_gr,
                           randomOrder, gr_key = "gene_id",
                           order_key = "gene_id", order_value = "value")
```

addMetricAndArrangeRSE
addMetricAndArrangeRSE()

Description

Perform an inner join between a rangedSummarizedExperiment object and a data.frame. Sort the resulting rangedSummarizedExperiment based on a metric column.

Usage

```
addMetricAndArrangeRSE(
  rse,
  order,
  rse_key = "name",
  order_key = "name",
  order_value = "exp",
  shuffle_tie = TRUE
)
```

Arguments

<code>rse</code>	a rangedSummarizedExperiment object.
<code>order</code>	a data.frame with at least two columns: keys and values.
<code>rse_key</code>	name of the gr metadata column containing unique names for each genomic region in <code>rowRanges(rse)</code> . Usually gene names/id or peak id.
<code>order_key</code>	name of the order column that will be used as key for the inner join.
<code>order_value</code>	name of the order column that contain value used for sorting.
<code>shuffle_tie</code>	a boolean Value (TRUE / FALSE). When TRUE, shuffle the GRanges before sorting, mixing the ties.

Details

This utility function allow the addition of a metric column to genomic regions of interest. One of its common use case is to add gene expression values on a set of transcription start sites. The resulting GRanges object will only contain regions presents in both `rse` and `order`.

Value

a rangedSummarizedExperiment sorted in descending order.

Examples

```
data("stackepi")
randomOrder <- data.frame(
  gene_id = SummarizedExperiment::rowRanges(stackepi)$gene_id,
  value = rnorm(length(stackepi))
)
addMetricAndArrangeRSE(stackepi,
  randomOrder, rse_key = "gene_id",
  order_key = "gene_id", order_value = "value")
```

`GRanges2RSE`*GRanges2RSE()*

Description

Convert objects from the old input format (GRanges object) to the new recommended input format RangedSummarizedExperiment.

Usage

```
GRanges2RSE(gr, patterns, names = patterns)
```

Arguments

`gr` a GRanges object with matrix embedded as metadata columns.
`patterns` A character vector of column prefixes (can be regular expressions) that should match columns of `gr`.
`names` specify the desired names of the assays (if different from `patterns`).

Details

Mostly used for backward compatibilities and unit testing.

Value

a RangedSummarizedExperiment.

Examples

```
data("stackepi_gr")
GRanges2RSE(stackepi_gr, patterns = c("window"))
GRanges2RSE(stackepi_gr, patterns = c("^window_"), names = c("DNAme"))
```

`meanColor`*meanColor*

Description

Return the average color of a vector of colors, computed in the RGB space.

Usage

```
meanColor(colors)
```

Arguments

`colors` a vector of colors

Details

Input colors can be either in html or color name formats. The alpha channel is supported but optional.

Value

a single color value

See Also

[redimMatrix](#)

Examples

```
meanColor(c("#000000FF", "#FFFFFF00", "#FFFF00FF", "#FF0000FF"))

# works with color names
meanColor(c("blue", "red"))

# Mix color names and HTML codes
meanColor(c("blue", "red", "#FFFF00FF"))

# works without alpha channel in inputs (but outputs an alpha channel):
meanColor(c("#000000", "#FFFFF", "#FFFF00", "#FF0000"))
```

plotAverageProfile *plotAverageProfile()*

Description

Plot the average stack profiles +/- error (sd or sem). If a bin column is present in `rowRanges(rse)`, one average profile is drawn for each bin.

Usage

```
plotAverageProfile(
  rse,
  assay = NULL,
  x_labels = c("Before", "Anchor", "After"),
  palette = colorRampPalette(c("#DF536B", "black", "#61D04F")),
  alpha_for_se = 0.25,
  error_type = c("sd", "sem", "ci95"),
  reversed_z_order = FALSE,
  ylim = NULL,
  y_title = NULL,
  pattern = NULL
)
```

Arguments

<code>rse</code>	a RangedSummarizedExperiment input. Alternatively: can be a GRanges object (for backward compatibility, <code>pattern</code> will be required).
<code>assay</code>	specify the name of the assay to plot, that should match one of <code>assayNames(rse)</code> .
<code>x_labels</code>	x-axis labels.
<code>palette</code>	A vector of colors, or a function that returns a palette of n colors.
<code>alpha_for_se</code>	the transparency (alpha) value for the error band.
<code>error_type</code>	can be either "sd" (standard deviation), "sem" (standard error of the mean), or "ci95" (95% confidence interval). Default: "sd".
<code>reversed_z_order</code>	should the z-order of the curves be reversed (i.e. first or last bin on top?)
<code>ylim</code>	a vector of two numbers corresponding to the y-limits of the plot.
<code>y_title</code>	the y-axis title.
<code>pattern</code>	only if <code>rse</code> is of class GRanges. A single character that should match metadata of <code>rse</code> (can be a regular expression).

Value

Display a plot.

Examples

```
data("stackepi")
plotAverageProfile(stackepi)
```

`plotBinning`

plotBinning()

Description

Plot a vertical color bar of the `bin` column.

Usage

```
plotBinning(
  rse,
  target_height = 650,
  palette = colorRampPalette(c("#DF536B", "black", "#61D04F"))
)
```

Arguments

`rse` a RangedSummarizedExperiment input with a column `bin` in `rowRanges(rse)`. Alternatively (for backward compatibility), a GRanges object or any object such as `rse$bin` exists.

`target_height` an integer, the approximate height (in pixels) of the final plot. Used to avoid overplotting artefacts.

`palette` A vector of colors, or a function that returns a palette of n colors.

Value

Display a plot.

Examples

```
data("stackepi")
rse <- stackepi
rse <- addBins(rse, nbins = 3)
plotBinning(rse)

gr2 <- data.frame(bin = rep(c(1,2,3,4), each = 5))
plotBinning(gr2, palette = colorRampPalette(c("blue4", "forestgreen", "coral3", "goldenrod")))
```

`plotBoxMetric` *plotBoxMetric()*

Description

Plot distribution of a metric values as boxplots depending of bins. If the `bin` is absent from `gr`, a single boxplot is drawn.

Usage

```
plotBoxMetric(
  rse,
  metric = "expr",
  title = "Metric",
  trans_func = function(x) x,
  ylim = NULL,
  ylab = "metric",
  palette = colorRampPalette(c("#DF536B", "black", "#61D04F"))
)
```

Arguments

<code>rse</code>	a RangedSummarizedExperiment input. Alternatively: can be a GRanges object (for backward compatibility).
<code>metric</code>	name of the column in <code>rse</code> metadata containing scores.
<code>title</code>	title of the plot.
<code>trans_func</code>	A function to transform value of x before plotting. Useful to apply log10 transformation (i.e. with <code>trans_func = function(x) log10(x+1)</code>).
<code>ylim</code>	limit of the y axis; format: <code>ylim = c(min, max)</code>
<code>ylab</code>	y-axis title
<code>palette</code>	A vector of colors, or a function that returns a palette of n colors.

Value

Display a plot.

Examples

```
data("stackepi")
plotBoxMetric(
  stackepi,
  trans_func = function(x) x,
  metric = "exp",
  title = "Metric"
)
```

<code>plotEpistack</code>	<i>plotEpistack()</i>
---------------------------	-----------------------

Description

Given a list of genomic regions, epigenetic signals surrounding these regions, and a score for each regions, plot epigenetic stacks depending on the score. An optional `bin` column allow the grouping of several genomic regions to produce average profiles per bins.

Usage

```
plotEpistack(
  rse,
  assays = NULL,
  tints = "gray",
  titles = NULL,
  legends = "",
  main = NULL,
  x_labels = c("Before", "Anchor", "After"),
  zlim = c(0, 1),
  ylim = NULL,
```

```

metric_col = "exp",
metric_title = "Metric",
metric_label = "metric",
metric_ylab = NULL,
metric_transfunc = function(x) x,
bin_palette = colorRampPalette(c("#DF536B", "black", "#61D04F")),
npx_height = 650,
n_core = 1,
high_mar = c(2.5, 0.6, 4, 0.6),
low_mar = c(2.5, 0.6, 0.3, 0.6),
error_type = c("ci95", "sd", "sem"),
reversed_z_order = FALSE,
rel_widths = c(score = 0.35, bin = 0.08, assays = 0.35),
rel_heights = c(1, 0.14, 0.3),
patterns = NULL,
...
)

```

Arguments

rse	a RangedSummarizedExperiment input. Alternatively: can be a GRanges object (for backward compatibility, patterns will be required).
assays	specify the name(s) and order of assay(s) to plot. A vector of names that should match assayNames(rse).
tints	a vector of colors to tint the heatmaps. Can also be a function returning n colors, or a list of such palette functions.
titles	titles of each heatmap. Defaults to assays.
legends	legend names for the epistacks.
main	Main title for the figure.
x_labels	a character vector of length 3 used as x-axis labels.
zlim	the minimum and maximum z values the heatmap. Format: zlim = c(min, max). zlim can also be specified of as a list of pairs of limits, on for each assay.
ylim	limits of the y axis for bottom plots. ylim can also be specified of as a list of pairs of limits, on for each assay. Format: ylim = c(min, max)
metric_col	a character, name of a column in gr such as expression value, peak height, pvalue, fold change, etc.
metric_title	title to be display on the leftmost plots.
metric_label	label of the leftmost plots.
metric_ylab	y axis label of the top left plot.
metric_transfunc	a function to transform value of metric_col before plotting. Useful to apply log10 transformation (i.e. with trans_func = function(x) log10(x+1)).
bin_palette	A vector of colors, or a function that returns a palette of n colors. Used to color average profiles per bin in the bottom plots.

npix_height	The matrix height is reduced to this number of rows before plotting. Useful to limit overplotting artefacts. It should roughly be set to the pixel height in the final heatmaps
n_core	number of core used to speedup the matrix resizing.
high_mar	a vector of numerical values corresponding to the margins of the top figures. c(bottom, left, top, right)
low_mar	a vector of numerical values corresponding to the margins of the bottom figures. c(bottom, left, top, right)
error_type	error_type, can be either "sd" (standard deviation), "sem" (standard error of the mean), or "ci95" (95% confidence interval). Default: "ci95".
reversed_z_order	For the bottom panels: should the z-order of the curves be reversed (i.e. first or last bin on top)?
rel_widths	A named vector of three elements of relative panel widths: score is the left-most panel, bin is the optionnal binning panels, and assays are the panels of the stacked-matrices. Default to c(score = .35, bin = .08, assays = .35)
rel_heights	A vector of three elements of relative panel heights. Default to c(1, .14, .3)
patterns	only if rse is of class GRanges. A character vector of column prefixes (can be regular expressions) that should match columns of rse.
...	Arguments to be passed to <code>par</code> such as <code>cex</code>

Details

This function produce a comprehensive figure including epigenetic heatmaps and average epigenetic profiles from a well formated RangedSummarizedExperiment object with expected rowData metadata columns. It scales resonably well up to hundreds of thousands of genomic regions.

The visualisation is centered on an anchor, a set of genomic coordinated that can be transcription start sites or peak center for example. Anchor coordinates are those of the GRanges used as a rowData in the input RangedSummarizedExperiment object (hereafter rse).

Anchors are plotted from top to bottom in the same order as in rse. One should sort rse before plotting if needed.

rse's rowData should have a metric column that is used in the leftmost plots. The name of the metric column must be specified to `metric_col`. The metric can be transformed before plotting if needed using the `metric_transfunc` parameter.

The matrix or matrices used to display the heatmap(s) should be passed as assay(s) in rse. Such matrix can be obtained using `EnrichedHeatmap::normalizeToMatrix()` for example. The assay names are then specified through assays.

If an optionnal bin column is present in rse's rowData, it will be used to group genomic regions to performed average profile per bins in the bottom plots.

Epistack are multipanel plots build using `layout()`. Margins for the panels can be specified using `high_mar` and `low_mar` parameters if needed, especially to avoid text overlaps. The default value should be appropriate in most situations. Individual component can be plotted using severa epistack functions such has `plotStackProfile()` or `plotAverageProfile()`.

Plotting more than > 1000 regions can lead to overplotting issued as well as some plotting artefacts (such as horizontal white strips). Both issues can be resolved with fiddling with the `npix_height` parameter. `npix_height` should be smaller than the number of regions, and in the same order of magnitude of the final heatmap height in pixels. Last minutes call to the `redimMatrix()` function will happen before plotting using `npix_height` as target height. Parameter `n_core` is passed to `redimMatrix()` to speed up the down-scaling.

The input can also be a `GRanges` object for backward compatibility. See [GRanges2RSE](#). `patterns` would then be required.

Value

Display a plot.

See Also

[plotStackProfile](#), [plotAverageProfile](#), [redimMatrix](#), [normalizeToMatrix](#), [addMetricAndArrangeGRanges](#), [addBins](#)

Examples

```
data("stackepi")
plotEpistack(stackepi,
  metric_col = "exp",
  ylim = c(0, 1),
  metric_transfunc = function(x) log10(x+1))
```

plotMetric	<i>plotMetric()</i>
------------	---------------------

Description

Plot a vertical line chart of the metric column, in the same order as the input.

Usage

```
plotMetric(
  x,
  trans_func = function(x) x,
  title = "Metric",
  ylim = NULL,
  xlab = NULL,
  ylab = NULL
)
```

Arguments

<code>x</code>	a numeric vector.
<code>trans_func</code>	a function to transform <code>x</code> values before plotting. Useful to apply <code>log10</code> transformation (i.e. with <code>trans_func = function(x) log10(x+1)</code>).
<code>title</code>	Title of the plot.
<code>ylim</code>	limit of the y axis; format: <code>ylim = c(min, max)</code>
<code>xlab</code>	x-axis title
<code>ylab</code>	y-axis title

Value

Display a plot.

See Also

[plotEpistack](#), [plotBoxMetric](#)

Examples

```
data("stackepi")
plotMetric(SummarizedExperiment::rowRanges(stackepi)$exp)
```

`plotStackProfile` *plotStackProfile()*

Description

Display a heatmap of an epigenetic track centered at genomic anchors such as Transcription Start Sites or peak center.

Usage

```
plotStackProfile(
  rse,
  assay = NULL,
  x_labels = c("Before", "Anchor", "After"),
  title = "",
  zlim = NULL,
  palette = function(n) grDevices::hcl.colors(n, rev = TRUE),
  target_height = 650,
  summary_func = function(x) mean(x, na.rm = TRUE),
  n_core = 1,
  pattern = NULL
)
```

Arguments

<code>rse</code>	a RangedSummarizedExperiment input. Alternatively: can be a GRanges object (for backward compatibility, <code>pattern</code> will be required).
<code>assay</code>	specify the name of the assay to plot, that should match one of <code>assayNames(rse)</code> .
<code>x_labels</code>	a character vectors of length 3 used to label the x-axis.
<code>title</code>	The title of the heatmap
<code>zlim</code>	The minimum and maximum z values to match color to values. Format: <code>zlim = c(min, max)</code>
<code>palette</code>	a palette of color, (i.e. a function of parameter <code>n</code> that should return <code>n</code> colors).
<code>target_height</code>	The matrix height is reduced to this number of rows before plotting. Useful to limit overplotting artefacts. It should roughly be set to the pixel height in the final heatmap.
<code>summary_func</code>	function passed to <code>redimMatrix()</code> . Usually <code>mean</code> , but can be set to <code>median</code> or <code>max</code> for sparse matrices.
<code>n_core</code>	multicore option, passed to <code>redimMatrix()</code> .
<code>pattern</code>	only if <code>rse</code> is of class GRanges. A character vector of length 1 of a column prefix (can be regular expressions) that should match columns of <code>rse</code> .

Details

The visualisation is centered on an anchor, a set of genomic coordinates that can be transcription start sites or peak center for example. Anchor coordinates are those of the RangedSummarizedExperiment object used as an input (hereafter `rse`).

Anchors are plotted from top to bottom in the same order as in `rse`. One should sort `rse` before plotting if needed.

The matrix used to display the heatmap should be passed as `assay` of `rse`. Such matrix can be obtained using `EnrichedHeatmap::normalizeToMatrix()` for example.

This function scales reasonably well up to hundred thousands of regions. Overplotting issues are solved by last-minute reduction of the matrix size using `redimMatrix()`.

Value

Display a plot.

See Also

[plotAverageProfile](#), [plotEpistack](#), [normalizeToMatrix](#), [plotStackProfileLegend](#)

Examples

```
data("stackepi")
plotStackProfile(stackepi,
                 target_height = 650,
                 zlim = c(0, 1),
                 palette = colorRampPalette(c("white", "dodgerblue", "black")),
                 title = "DNA methylation")
```

```
plotStackProfileLegend
  plotStackProfileLegend()
```

Description

Utility function to plot the corresponding legend key of `plotStackProfile()`'s plots.

Usage

```
plotStackProfileLegend(
  zlim,
  palette = colorRampPalette(c("white", "grey", "black")),
  title = NA
)
```

Arguments

<code>zlim</code>	the limits of the values to be displayed. Format: <code>c(min, max)</code>
<code>palette</code>	a palette of color, (i.e. a function of parameter <code>n</code> that should return <code>n</code> colors).
<code>title</code>	an optional title to be displayed below the color legend.

Value

Display a plot.

See Also

[plotStackProfile](#)

Examples

```
plotStackProfileLegend(zlim = c(0, 2),
  palette = colorRampPalette(c("white", "grey", "black")))
```

<code>redimMatrix</code>	<i>redimMatrix()</i>
--------------------------	----------------------

Description

Reduce the input matrix size by applying a summary function on cells to be fused.

Usage

```
redimMatrix(
  mat,
  target_height = 100,
  target_width = 100,
  summary_func = function(x) mean(x, na.rm = TRUE),
  output_type = 0,
  n_core = 1
)
```

Arguments

mat	the input matrix.
target_height	height of the output matrix (should be smaller than or equal to nrow(mat)).
target_width	width of the output matrix (should be smaller than or equal to ncol(mat)).
summary_func	how to summarize cells? A function such as mean, median, max, or meanColors.
output_type	Type of the output, to be passed to vapply's FUN.VALUE.
n_core	number of core to use for parallel processing.

Details

This function is used to reduce matrix right before plotting them in order to avoid overplotting issues as well as other plotting artefacts.

Value

a resized matrix of size target_width x target_height where the summary_fun was apply to adjacent cells.

See Also

[meanColor](#)

Examples

```
data("stackepi")
mat <- SummarizedExperiment::assay(stackepi, "DNAm")
dim(mat)
smallMat <- redimMatrix(mat, target_height = 10, target_width = ncol(mat))
dim(smallMat)

# changing the summary function
mat <- matrix(sample(1:40, 100, replace=TRUE), nrow=10, ncol=10)
dim(mat)
smallMat <- redimMatrix(mat, target_height = 5, target_width = ncol(mat),
  summary_func = function(x) max(x, na.rm = TRUE))
dim(smallMat)

# working with colors
```

```

colmat <- matrix(
  c("red", "red", "blue", "blue", "red", "blue", "blue", "green"),
  ncol = 2
)
redimMatrix(colmat, target_height = 2, target_width = 2,
            summary_func = meanColor, output_type = "color")

```

stackepi*epistack example and test dataset***Description**

DNA methylation profiles (from MBD-seq data) arround transcription start sites of the 693 chr18 genes annotated on the pig genome (Sscrofa11.1), as well as gene expression levels in Transcript Per Million (TPM) measured by RNA-seq in the same duodenum sample.

Usage

```
data("stackepi")
```

Format

A RangedSummarizedExperiment of the 693 rows, 2 rows metadata columns, and one assay containing the DNA methylation signal.

Source

This dataset was generated from ENSEMBL annotation data and data generated by our lab (publicly available soon).

stackepi_gr*epistack backward compatibility dataset***Description**

DNA methylation profiles (from MBD-seq data) arround transcription start sites of the 693 chr18 genes annotated on the pig genome (Sscrofa11.1), as well as gene expression levels in Transcript Per Million (TPM) measured by RNA-seq in the same duodenum sample.

Usage

```
data("stackepi_gr")
```

Format

A GRanges of the 693 rows and 54 metadata columns, kept for unit-testing backward-compatibility.

Source

This dataset was generated from ENSEMBL annotation data and data generated by our lab (publicly available soon).

See Also

[GRanges2RSE](#)

Index

* **datasets**
 stackepi, 18
 stackepi_gr, 18

 addBins, 2, 13
 addMetricAndArrangeGRanges, 3, 3, 13
 addMetricAndArrangeRSE, 4

 GRanges2RSE, 6, 13, 19

 meanColor, 6, 17

 normalizeToMatrix, 13, 15

 par, 12
 plotAverageProfile, 7, 13, 15
 plotBinning, 3, 8
 plotBoxMetric, 9, 14
 plotEpistack, 10, 14, 15
 plotMetric, 13
 plotStackProfile, 13, 14, 16
 plotStackProfileLegend, 15, 16

 redimMatrix, 7, 13, 16

 stackepi, 18
 stackepi_gr, 18