

# BSgenome.Hsapiens.UCSC.hs1

January 28, 2026

---

BSgenome.Hsapiens.UCSC.hs1

*Full genomic sequences for UCSC genome hs1 (Homo sapiens)*

---

## Description

Full genomic sequences for UCSC genome hs1 (the hs1 genome is based on assembly T2T-CHM13v2.0, with GenBank assembly accession GCA\_009914755.4). The sequences are stored in DNASTring objects.

## Note

This BSgenome data package was made from the following source data files:

hs1.2bit, downloaded from <https://hgdownload.soe.ucsc.edu/goldenPath/hs1/bigZips/> on 2023-01-03

See [?BSgenomeForge](#) and the BSgenomeForge vignette (vignette("BSgenomeForge")) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- [BSgenome](#) objects and the [available.genomes](#) function in the **BSgenome** software package.
- [DNASTring](#) objects in the **Biostrings** package.
- The BSgenomeForge vignette (vignette("BSgenomeForge")) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Hsapiens.UCSC.hs1
genome <- BSgenome.Hsapiens.UCSC.hs1
head(seqlengths(genome))
genome$chr1 # same as genome[["chr1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

## \* **data**

BSgenome.Hsapiens.UCSC.hs1, [1](#)

## \* **package**

BSgenome.Hsapiens.UCSC.hs1, [1](#)

available.genomes, [1](#)

BSgenome, [1](#)

BSgenome.Hsapiens.UCSC.hs1, [1](#)

BSgenome.Hsapiens.UCSC.hs1-package  
(BSgenome.Hsapiens.UCSC.hs1), [1](#)

BSgenomeForge, [1](#)

DNAString, [1](#)

Hsapiens (BSgenome.Hsapiens.UCSC.hs1), [1](#)