

Package ‘gpaExample’

June 4, 2026

Type Package

Title Example data for the GPA package (Genetic analysis incorporating Pleiotropy and Annotation)

Version 1.25.0

Depends R (>= 4.0.0)

Date 2020-02-24

Author Dongjun Chung, Carter Allen

Maintainer Dongjun Chung <dongjun.chung@gmail.com>

Description

Example data for the GPA package, consisting of the p-values of 1,219,805 SNPs for five psychiatric disorder GWAS from the psychiatric GWAS consortium (PGC), with the annotation data using genes preferentially expressed in the central nervous system (CNS).

License GPL (>= 2)

URL <http://dongjunchung.github.io/GPA/>

LazyData FALSE

biocViews ExperimentData, Homo_sapiens_Data, SNPData

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/gpaExample>

git_branch devel

git_last_commit 58fc0b5

git_last_commit_date 2026-04-28

Repository Bioconductor 3.24

Date/Publication 2026-06-04

Contents

exampleData 2

Index 4

exampleData

PGC GWAS Dataset and Annotation Dataset

Description

This is the PGC GWAS dataset and annotation dataset used in Chung et al. (2013).

Usage

```
data(exampleData)
```

Format

A list with two matrices as elements. Two matrices of sizes 1,219,805 x 5 and 1,219,805 x 1, `exampleData$pval` and `exampleData$ann`, contain the p-values of 1,219,805 SNPs for five psychiatric disorder GWAS (ADHD, ASD, BPD, MDD, SCZ) from the psychiatric GWAS consortium (PGC) and the binary annotation data using genes preferentially expressed in the central nervous system (CNS), respectively.

Details

Five columns of the matrix `exampleData$pval` correspond to attention deficit-hyperactivity disorder (ADHD), autism spectrum disorder (ASD), bipolar disorder (BPD), major depressive disorder (MDD), and schizophrenia (SCZ). Detailed information about these data sets is provided in Cross-Disorder Group of the Psychiatric Genomics Consortium (2013a, 2013b). Summary statistics of these five psychiatric disorders were downloaded from the section for cross-disorder analysis at the Psychiatric Genomics Consortium (PGC) website (<https://pgc.unc.edu/Sharing.php>). `exampleData$ann` provides annotation data using genes preferentially expressed in the central nervous system (CNS) (Lee et al., 2012; Raychaudhuri et al., 2010), where the entries corresponding to SNPs within 50-kb of the genes from the CNS set were set to be one and zero otherwise. See the vignette of R package GPA and Chung et al. (2013) for more details.

Source

Cross-Disorder Group of the Psychiatric Genomics Consortium (2013a), "Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs", *Nature Genetics*, 45:984–994.

Cross-Disorder Group of the Psychiatric Genomics Consortium (2013b), "Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis", *Lancet*, 381:1371–1379.

Lee SH, DeCandia TR, Ripke S, Yang J, Sullivan PF, et al. (2012), "Estimating the proportion of variation in susceptibility to schizophrenia captured by common SNPs", *Nature Genetics*, 44:247–250.

Raychaudhuri S, Korn JM, McCarroll SA, Altshuler D, Sklar P, et al. (2010), "Accurately assessing the risk of schizophrenia conferred by rare copy-number variation affecting genes with brain function", *PLoS Genetics*, 6:e1001097.

References

Chung D, Yang C, Li C, Gelernter J, and Zhao H (2013), "GPA: A statistical approach to prioritizing GWAS results by integrating pleiotropy and annotation", To appear in *PLoS Genetics*.

exampleData

3

Examples

```
data(exampleData)  
head(exampleData)
```

Index

* **datasets**

exampleData, [2](#)

exampleData, [2](#)