

# parglms: fitting generalized linear and related models with parallel evaluation of contributions to sufficient statistics

*Vincent J. Carey, stvjc at channing.harvard.edu*

*December 2014*

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Illustration with a data.frame: dispersal and analysis</b>	<b>1</b>
<b>3</b>	<b>Illustration with geuvStore2</b>	<b>9</b>

## 1 Introduction

The main concern of the *parglms* package is supporting efficient computations for modeling with dispersed data. The motivating use case is an eQTL analysis as exemplified in *geuvStore2*. A *BatchJobs* Registry mediates access to collections of millions of statistics on SNP-transcript association. We want to use statistical modeling to perform inference on features of SNPs contributing to various phenotypic conditions through effects on gene expression.

Formally, let  $y$  denote an  $N$  vector with mean function  $\mu(\beta)$  and variance function  $V(\mu)$ . The parameter vector of interest,  $\beta$ , is of dimension  $p$ , satisfying  $g(\mu) = X\beta$ , where  $X$  is  $N \times p$ . In conventional use of generalized linear models (GLMs), functions  $\mu$  and  $V$  have simple forms and are programmed in the `family` elements for `stats::glm`. The models are fit by solving equations of the form

$$D^t W[y - \mu(\beta)] = 0$$

where  $W$  is diagonal with elements prescribed by the reciprocal variance function, and  $D = \partial\mu/\partial\beta$ .

The key motivation for this package is the recognition that steps towards the solution of the equation can often be arithmetically decomposed in various ways, and neither holistic nor serial computation is required for most of the calculations. We can therefore accomplish the model fitting task in a scalable way, decomposing the data into parts that fit comfortably in memory, and performing operations in parallel among the parts whenever possible.

## 2 Illustration with a data.frame: dispersal and analysis

We use *BatchJobs* to disperse data into small chunks.

```
library(MASS)
library(BatchJobs)
```

```
## Loading required package: BBmisc
##
## Attaching package: 'BBmisc'
```

```

## The following object is masked from 'package:base':
##
##      isFALSE

## The development of BatchJobs and BatchExperiments is discontinued.
## Consider switching to 'batchtools' for new features and improved stability
## Sourced 1 configuration files:
##      1: /Library/Frameworks/R.framework/Versions/3.5/Resources/library/BatchJobs/etc/BatchJobs_global_c
## BatchJobs configuration:
##      cluster.functions: Interactive
##      mail.from:
##      mail.to:
##      mail.start: none
##      mail.done: none
##      mail.error: none
##      default.resources:
##      debug: FALSE
##      raise.warnings: FALSE
##      staged.queries: TRUE
##      max.concurrent.jobs: Inf
##      fs.timeout: NA
##      measure.mem: TRUE

data(anorexia) # N = 72
myr = makeRegistry("abc", file.dir=tempfile())

## Creating dir: /tmp/RtmpPchTyf/filea79c495db759
## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Saving registry: /tmp/RtmpPchTyf/filea79c495db759/registry.RData
chs = chunk(1:nrow(anorexia), n.chunks=18) # 4 recs/chunk
f = function(x) anorexia[x,]
options(BBmisc.ProgressBar.style="off")
batchMap(myr, f, chs)

## Adding 18 jobs to DB.

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

```

```
## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries
```

```

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

```

```
showStatus(myr)
```

```

## Status for 18 jobs at 2018-10-30 20:47:52
## Submitted:  0 (  0.00%)
## Started:    0 (  0.00%)
## Running:    0 (  0.00%)
## Done:       0 (  0.00%)

```



```

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

```

[illegible]

```

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

## Warning in result_fetch(res@ptr, n = n): Don't need to call dbFetch() for
## statements, only for queries

```

```

submitJobs(myr)
waitForJobs(myr)

```

```

loadResult(myr,1)

```

```

##   Treat Prewt Postwt
## 1  Cont   80.7    80.2
## 2  Cont   89.4    80.1
## 3  Cont   91.8    86.4
## 4  Cont   74.0    86.3

```



The `parGLM` method will fit the model specified in the formula. The task of iterating over chunks is left to the *BiocParallel* `bplapply`, and this will implicitly use whatever concurrent computing approach has been registered.

```
library(parglms)
pp = parGLM( Postwt ~ Treat + Prewt, myr,
  family=gaussian, binit = c(0,0,0,0), maxit=10, tol=.001 )

## Warning: executing %dopar% sequentially: no parallel backend registered

names(pp)

## [1] "coefficients"      "eff.variance"      "robust.variance"   "s2"
## [5] "niter"             "converged"         "formula"           "N"
## [9] "theCall"

pp$coef

##              [,1]
## (Intercept) 49.7711090
## TreatCont   -4.0970655
## TreatFT      4.5630627
## Prewt        0.4344612
```

### 3 Illustration with geuvStore2

In this application we model the probability that a SNP has been identified as a GWAS hit, as a function of aspects of its genomic context and its association with expression as measured using RNA-seq in GEUVADIS.

In the `decorate` function, we emend the outputs of *gQTLstats* `cisAssoc` after applying `storeToFDR` and `enumerateByFDR`, as serialized in a `GRanges` (`demoEnum`) with information on GWAS hit status and enclosing chromatin state. This is intensive; the `litdec` function simply computes GWAS hit status and chromatin state.

```
litdec = function(grWithFDR) {
  tmp = grWithFDR
  library(gQTLstats)
  if (!exists("hmm878")) data(hmm878)
  seqlevelsStyle(hmm878) = "NCBI"
  library(GenomicRanges)
  ov = findOverlaps(tmp, hmm878)
  states = hmm878$name
  states[ which(states %in% c("13_Heterochrom/lo", "14_Repetitive/CNV",
    "15_Repetitive/CNV")) ] = "hetrep_1315"
  levs = unique(states)
  tmp$hmmState = factor(rep("hetrep_1315", length(tmp)), levels=levs)
  tmp$hmmState = relevel(tmp$hmmState, "hetrep_1315")
  tmp$hmmState[ queryHits(ov) ] = factor(states[ subjectHits(ov) ],
    levels=levs)
  if (!exists("gwrngs19")) data(gwrngs19)
  library(GenomeInfoDb)
  seqlevelsStyle(gwrngs19) = "NCBI"
  tmp$isGwasHit = 1*(tmp %in% gwrngs19)
  tmp
}
```

```

decorate = function(grWithFDR) {
#
# the data need a distance/MAF filter
#
  library(gQTLstats)
  data(filtFDR)
  if (!exists("hmm878")) data(hmm878)
  library(gwascats)
  if (!exists("gwrngs19")) data(gwrngs19)
  if (!exists("gwastagger")) data(gwastagger) # will use locations here
  library(GenomeInfoDb)
  seqlevelsStyle(hmm878) = "NCBI"
  seqlevelsStyle(gwrngs19) = "NCBI"
  seqlevelsStyle(gwastagger) = "NCBI"
  tmp = grWithFDR
  tmp$isGwasHit = 1*(tmp %in% gwrngs19)
  tmp$isGwasTagger = 1*(tmp %in% gwastagger)
  #levs = unique(hmm878$name)
  library(GenomicRanges)
  ov = findOverlaps(tmp, hmm878)
  states = hmm878$name
  states[ which(states %in% c("13_Heterochrom/lo", "14_Repetitive/CNV",
    "15_Repetitive/CNV")) ] = "hetrep_1315"
  levs = unique(states)
  tmp$hmmState = factor(rep("hetrep_1315", length(tmp)), levels=levs)
  tmp$hmmState = relevel(tmp$hmmState, "hetrep_1315")
  tmp$hmmState[ queryHits(ov) ] = factor(states[ subjectHits(ov) ],
    levels=levs)
  tmp$estFDR = getFDRfunc(filtFDR)( tmp$chisq )
  tmp$fdrcat = cut(tmp$estFDR, c(-.01, .01, .05, .1, .25, .5, 1.01))
  tmp$fdrcat = relevel(tmp$fdrcat, "(0.5,1.01]")
  #tmp$distcat = cut(tmp$mindist, c(-1,0,1000,5000,10000,50000,100000,250000,500001))
  tmp$distcat = cut(tmp$mindist, c(-1,0,1000,5000,10000,25000,50001))
  #tmp$distcat = relevel(tmp$distcat, "(2.5e+05,5e+05]")
  tmp$distcat = relevel(tmp$distcat, "(2.5e+04,5e+04]")
  tmp$MAFcat = cut(tmp$MAF, c(.049, .075, .1, .25, .51))
  tmp$MAFcat = relevel(tmp$MAFcat, "(0.25,0.51]")
  kp = c("seqnames", "start", "probeid", "snp", "estFDR", "fdrcat", "hmmState",
    "distcat", "MAFcat", "isGwasHit", "isGwasTagger")
  names(tmp) = NULL
  as(tmp, "data.frame")[,kp]
}

```

We'll try this out here:

```

suppressPackageStartupMessages({
library(geuvStore2)
library(gQTLBase)
library(gQTLstats)
})
prst = g17transRegistry()

```

Now we can fit a very simple model for SNP phenorelevance. We set the extractor component of the registry to the litdec function defined above.

```

prst$extractor = function(store,i) litdec(loadResult(store,i)[[1]])
p1 = parGLM( isGwasHit ~ hmmState, prst,
  family=binomial, binit=rep(0,13), tol=.001,
  maxit = 10 )
summaryPG(p1)
#ans= list(coef=p1$coef, s.e.=sqrt(diag(p1$eff.var)))
#ans$z = ans[[1]]/ans[[2]]
#do.call(cbind, ans)

```